



TORPADO

YOU AND THE ITALIAN LEGEND



FONDRIEST

moving ahead

DEALER BOOK



 **TORPADO**
IMPUDENT



Il costruttore si riserva la facoltà di apportare modifiche senza alcun obbligo di preavviso, avendo come politica la ricerca di continui miglioramenti qualitativi ed estetici, per cui non dà diritto a reclami e rimborsi di alcun genere.

The maker reserves the right to make modifications without any obligation to give prior notice, in line with its policy of continuous improvement in terms of quality and appearance, which therefore does not give right of any kind to make claims or ask for reimbursement.

IMPUDENT

R

U

O

Y

RIDE



RENERO X 120x100

CARBON MONOCOQUE UD - FULL SUSPENDED

color. CARBON/BLUE/BLACK matt

Please refer to the specs for possible assembling and not to the photo

xco

**FULL
ICP**
FULL INTEGRATED
CABLE ROUTING

**NEW
MODEL**




color. CARBON/BLUE/BLACK matt



RENERO X 120x100



GEOMETRY



GEOMETRY	S	M	L	XL
A SEAT TUBE LENGTH (mm)	415	445	490	520
F TOP TUBE HORIZONTAL (mm)	560	594	622	648
D HEAD TUBE LENGTH (mm)	95	95	105	115
E SEAT TUBE ANGLE EFFECTIVE (°)	74°	74°	74°	74°
C HEAD TUBE ANGLE (°)	68°	68°	68°	68°
FC FRONT CENTRE (mm)	673	705	736	769
RC CHAIN STAY LENGTH (mm)	426	426	426	426
DROP	30	30	30	30
WB WHEEL BASE (mm)	1097	1131	1161	1194
STACK (mm)	587	588	596	606
REACH (mm)	396	429	455	485

BIKE SPECIFICATIONS

RENERO XX NEW SL FOX 34 120 - MODERN WIRELESS TRANSMISSION - TOP QUALITY FRAME AND PARTS

2416TAFG	FRAME	Carbon Monocoque UD, 100 mm rear travel	REAR SHOX	Fox Float DPS Trunnion Kashima	RIMS	Tubeless ready
	FORK	Fox 34 SC Kashima 120 mm RL	CRANKSET	Sram XX SL 34T	TYRES	Vittoria Barzo 29x2.25 Tan Wall
	REAR DER.	Sram XX SL Eagle	SHIFTERS	Sram AXS POD Ultimate	SEAT POST	KS RAGE SI
	CASSETTE	Sram 1299 T-Type 10-52	BRAKES	Formula Cura	SADDLE	San Marco Ground

RENERO XO NEW FOX 34 120 - MODERN WIRELESS TRANSMISSION - TOP QUALITY FRAME AND PARTS

2416TZFG	FRAME	Carbon Monocoque UD, 100 mm rear travel	REAR SHOX	Fox Float DPS Trunnion Kashima	RIMS	Tubeless ready
	FORK	Fox 34 SC Kashima 120 mm RL	CRANKSET	Sram XO 34T	TYRES	Vittoria Barzo 29x2.25 Tan Wall
	REAR DER.	Sram XO Eagle	SHIFTERS	Sram AXS POD Discrete Clamp	SEAT POST	KS RAGE SI
	CASSETTE	Sram 1295 T-Type 10-52	BRAKES	Formula Cura	SADDLE	San Marco Ground

RENERO GX AXS NEW SID 120 - MODERN WIRELESS TRANSMISSION - TOP IN QUALITY/PERFORMANCE/PRICE

2416TCSH	FRAME	Carbon Monocoque UD, 100 mm rear travel	REAR SHOX	Rock Shox SID 3 POS Remote	RIMS	Tubeless ready
	FORK	Rock Shox New SID 3 Pos 120 mm	CRANKSET	Sram GX Eagle 32T	TYRES	Michelin Force XC2 29X 2,25
	REAR DER.	Sram GX Eagle	SHIFTERS	Sram AXS POD Discrete Clamp	SEAT POST	KS RAGE SI
	CASSETTE	Sram 1275 T-Type 10-52	BRAKES	Shimano MT410	SADDLE	San Marco Ground

RENERO FULL XT FOX 34 120 - LONG LIFE TRANSMISSION - NO BATTERY NEEDED - TOP IN QUALITY/PERFORMANCE/PRICE

2416TIFH	FRAME	Carbon Monocoque UD, 100 mm rear travel	REAR SHOX	Fox Float DPS Trunnion Kashima	RIMS	Tubeless ready
	FORK	Fox 34 SC Kashima 120 mm RL	CRANKSET	Shimano 8100 32T	TYRES	CST Peyote 29x2.25 Tan Wall
	REAR DER.	Shimano Full XT 8100	SHIFTERS	Shimano SL 8100	SEAT POST	Torpado Alloy 31.6 mm
	CASSETTE	Shimano 8100 10-51	BRAKES	Shimano XT 8100	SADDLE	San Marco Ground

RENERO FULL XT SID 120 - LONG LIFE TRANSMISSION - NO BATTERY NEEDED - TOP IN QUALITY/PERFORMANCE/PRICE

2416TISH	FRAME	Carbon Monocoque UD, 100 mm rear travel	REAR SHOX	Rock Shox SID 3 POS Remote	RIMS	Tubeless ready
	FORK	Rock Shox New SID 3 Pos 120 mm	CRANKSET	Shimano 8100 32T	TYRES	CST Peyote 29x2.25 Tan Wall
	REAR DER.	Shimano Full XT 8100	SHIFTERS	Shimano SL 8100	SEAT POST	Torpado Alloy 31.6 mm
	CASSETTE	Shimano 8100 10-51	BRAKES	Shimano XT 8100	SADDLE	San Marco Ground

RENERO X 120x100

xco

CARBON MONOCOQUE UD - FULL SUSPENDED

color. TORPADO SCUDERIA/BLUE TORPADO/BLACK shiny



Please refer to the specs for possible assembling and not to the photo




color. TORPADO SCUDERIA/BLUE TORPADO/BLACK shiny



RENERO X 120x100



GEOMETRY



GEOMETRY	S	M	L	XL
A SEAT TUBE LENGTH (mm)	415	445	490	520
F TOP TUBE HORIZONTAL (mm)	560	594	622	648
D HEAD TUBE LENGTH (mm)	95	95	105	115
E SEAT TUBE ANGLE EFFECTIVE (°)	74°	74°	74°	74°
C HEAD TUBE ANGLE (°)	68°	68°	68°	68°
FC FRONT CENTRE (mm)	673	705	736	769
RC CHAIN STAY LENGTH (mm)	426	426	426	426
DROP	30	30	30	30
WB WHEEL BASE (mm)	1097	1131	1161	1194
STACK (mm)	587	588	596	606
REACH (mm)	396	429	455	485

BIKE SPECIFICATIONS

RENERO XX1 AXS 2023

2316WYF

FRAME	Carbon Monocoque UD, 100 mm rear travel	REAR SHOX	Fox Float DPS Trunnion Kashima	RIMS	Tubeless ready
FORK	34 FLOAT 120 PTL 29	CRANKSET	Sram XX1 2023 34T	TYRES	Michelin Force XC 2 29X 2,25
REAR DER.	Sram XX1 AXS 2023	SHIFTERS	Sram XX1 AXS 2023	SEAT POST	KS RAGE SI
CASSETTE	Sram 1299	BRAKES	Formula Cura	SADDLE	San Marco Ground

RENERO GX AXS FOX 2023

2316WGF

FRAME	Carbon Monocoque UD, 100 mm rear travel	REAR SHOX	FLOAT 165/45	RIMS	DRC/TRP
FORK	34 Float 120 PTL 29	CRANKSET	Sram GX Lunar 32T	TYRES	Michelin Force XC2 29X 2,25
REAR DER.	Sram GX AXS 2023	SHIFTERS	Sram GX AXS	SEAT POST	KS RAGE SI
CASSETTE	Sram 1275 10-52	BRAKES	Formula Cura	SADDLE	San Marco Ground

RENERO GX AXS SID 2023

2316WGS

FRAME	Carbon Monocoque UD, 100 mm rear travel	REAR SHOX	SID Luxe 165/45	RIMS	DRC/TRP
FORK	Rock Shox SID Boost	CRANKSET	Sram GX Lunar 32T	TYRES	Michelin Force XC2 29x2,25
REAR DER.	Sram GX AXS 2023	SHIFTERS	Sram GX AXS	SEAT POST	KS RAGE SI
CASSETTE	Sram 1275 10-52	BRAKES	Shimano MT410	SADDLE	San Marco Ground

MATADOR N 120

xco

CARBON MONOCOQUE UD - FULL SUSPENDED

color. BLACK/DARK GREY matt - BLACK/BLUE shiny - BLACK/SILVER shiny

Please refer to the specs for possible assembling and not to the photo



color. BLACK/DARK GREY matt




color. BLACK/BLUE shiny

MATADOR N 120 xco



color. BLACK/SILVER shiny

GEOMETRY



GEOMETRY	S	M	L	XL
A SEAT TUBE LENGTH (mm)	405	445	483	520
F TOP TUBE HORIZONTAL (mm)	572	604	632	655
D HEAD TUBE LENGTH (mm)	95	95	105	115
E SEAT TUBE ANGLE EFFECTIVE (°)	73°	73°	73°	73°
C HEAD TUBE ANGLE (°)	68°	68°	68°	68°
FC FRONT CENTRE (mm)	671	707	731	755
RC CHAIN STAY LENGTH (mm)	435	435	435	435
DROP	40	40	40	40
WB WHEEL BASE (mm)	1103	1139	1163	1187
STACK (mm)	598	598	608	617
REACH (mm)	384	418	441	461

BIKE SPECIFICATIONS

MATADOR N GX EAGLE SID 120 - PREMIUM SUSPENSION LEVEL - BEST IN QUALITY AND PERFORMANCE FOR MECHANICAL TRANSMISSION

24160GSH	FRAME	Carbon Monocoque UD, 100 mm rear travel	REAR SHOX	Rock Shox Monarch RL	RIMS	DRC Tubeless ready
	FORK	Rock Shox SID SL 120 mm	CRANKSET	Sram GX Eagle Lunar 32T	TYRES	Michelin Force XC2 29x2.25
	REAR DER.	Sram GX Eagle Mechanical	SHIFTERS	Sram GX Eagle Lunar	SEAT POST	KS Rage SI
	CASSETTE	Sram 1275 Eagle	BRAKES	Shimano MT410	SADDLE	Selle Italia X3 Boost

MATADOR N DEORE MIX FOX 32 100 - PREMIUM SUSPENSION LEVEL - GOOD QUALITY SET UP - ENTRY PRICE

2416NFFH	FRAME	Carbon Monocoque UD, 100 mm rear travel	REAR SHOX	Rock Shox Monarch RL	RIMS	DRC Tubeless ready
	FORK	Fox 32 Kashima 100 mm remote	CRANKSET	Shimano Deore 6100 32T	TYRES	Michelin Force XC2 29x2.25
	REAR DER.	Shimano Deore MIX 6000+RD8100	SHIFTERS	Shimano Deore 6100	SEAT POST	Torpado Alloy 31.6 mm
	CASSETTE	Shimano Deore 6100 10-51	BRAKES	Shimano MT200	SADDLE	Selle Italia X3 Boost

MATADOR N SX EAGLE SID 100 OR 120 2023

2316NKS	FRAME	Carbon Monocoque UD, 100 mm rear travel	REAR SHOX	Monarch RL 165/38	RIMS	DRC Tubeless ready
	FORK	Rock Shox SID 120 mm Travel	CRANKSET	Sram SX Eagle 32T	TYRES	Vittoria Saguaro blk fold.
	REAR DER.	Sram SX Eagle 12 Speed	SHIFTERS	Sram SX Eagle	SEAT POST	KS Rage SI
	CASSETTE	Sram 1210 11-50	BRAKES	Shimano MT410	SADDLE	Selle Italia X3 Boost

MATADOR N SX EAGLE JUDY 120 - ENTRY LEVEL CARBON BIKE IN A PREMIUM PERFORMANCE BIKE

23160KE	FRAME	Carbon Monocoque UD, 100 mm rear travel	REAR SHOX	Rock Shox Monarch R	RIMS	DRC Tubeless ready
	FORK	Rock Shox JUDY AIR 120 mm	CRANKSET	Sram SX Eagle 32T	TYRES	Vittoria Saguaro blk fold.
	REAR DER.	Sram SX Eagle 12 Speed	SHIFTERS	Sram SX Eagle	SEAT POST	KS Rage SI
	CASSETTE	Sram 1210 11-50	BRAKES	Shimano MT410	SADDLE	Selle Italia X3 Boost

RIBOT X

xcm

CARBON MONOCOQUE UD - HARDTAIL

color. TORPADO SCUDERIA/BLUE TORPADO/BLACK shiny

Please refer to the specs for possible assembling and not to the photo




color. TORPADO SCUDERIA/BLUE TORPADO/BLACK shiny



RIBOT X

XC

GEOMETRY



GEOMETRY	S	M	L	XL
A SEAT TUBE LENGTH (mm)	390	440	490	540
F TOP TUBE HORIZONTAL (mm)	570	600	630	650
D HEAD TUBE LENGTH (mm)	95	100	115	125
E SEAT TUBE ANGLE EFFECTIVE (°)	73,5°	73,5°	73,5°	73,5°
C HEAD TUBE ANGLE (°)	69,5°	69,5°	69,5°	69,5°
FC FRONT CENTRE (mm)	644	674	705	725
RC CHAIN STAY LENGTH (mm)	425	425	425	425
DROP	60	60	60	60
WB WHEEL BASE (mm)	1062	1093	1123,3	1144
STACK (mm)	602	606	621	630
REACH (mm)	392	421	446	463

BIKE SPECIFICATIONS

RIBOT X GX AXS 2023 FOX 32 100 mm 2023 - WIRELESS TRANSMISSION - SAVE WEIGHT CONFIGURATION - FAST ROLLING

2319XGF	FRAME	Carbon Monocoque UD	CRANKSET	Sram GX Eagle Lunar 32T	TYRES	Vittoria Saguaro blk fold.
	FORK	Fox 32 Kashima 100 mm remote	SHIFTERS	Sram GX Eagle AXS	SEAT POST	Torpedo Carbon 31.6 mm
	REAR DER.	Sram GX AXS 2023	BRAKES	Shimano MT410	SADDLE	San Marco Ground
	CASSETTE	Sram 1275 Eagle 10-52	WHEELS	Tubeless ready	SIZE	S - M - L - XL

RIBOT X GX EAGLE MECC FOX 32 100 mm - BEST IN QUALITY/PERFORMANCE/PRICE

2419WGFH	FRAME	Carbon Monocoque UD	CRANKSET	Sram GX Eagle Lunar 32T	TYRES	Vittoria Saguaro blk fold.
	FORK	Fox 32 Kashima 100 mm remote	SHIFTERS	Sram GX Eagle Lunar	SEAT POST	Torpedo Alloy 31.6 mm
	REAR DER.	Sram GX Eagle 12 Speed	BRAKES	Shimano MT410	SADDLE	Selle Italia X3 Boost
	CASSETTE	Sram 1275 Eagle 10-52	WHEELS	Tubeless ready	SIZE	S - M - L - XL

RIBOT X FULL XT SID 100 mm - PREMIUM SUSPENSION LEVEL - TOP PERFORMANCE SET UP - FULL XT GROUP INCLUDED BRAKES

2419XSG	FRAME	Carbon Monocoque UD	CRANKSET	Shimano 8100 32T	TYRES	Vittoria Saguaro blk fold.
	FORK	Rock Shox SID Select 100 mm	SHIFTERS	Shimano SL 8100	SEAT POST	Torpedo Alloy 31.6 mm
	REAR DER.	Shimano Full XT 8100	BRAKES	Shimano XT 8100	SADDLE	Selle Italia X3 Boost
	CASSETTE	Shimano 8100 10-51	WHEELS	Tubeless ready	SIZE	S - M - L - XL

RIBOT N FULL XT

xCM

CARBON MONOCOQUE UD - HARDTAIL

color. BLACK/DARK GREY matt

Please refer to the specs for possible assembling and not to the photo




color. BLACK/DARK GREY matt



RIBOT N FULL XT

XC

GEOMETRY



GEOMETRY	S	M	L	XL
A SEAT TUBE LENGTH (mm)	390	440	490	540
F TOP TUBE HORIZONTAL (mm)	570	600	630	650
D HEAD TUBE LENGTH (mm)	95	100	115	125
E SEAT TUBE ANGLE EFFECTIVE (°)	73,5°	73,5°	73,5°	73,5°
C HEAD TUBE ANGLE (°)	69,5°	69,5°	69,5°	69,5°
FC FRONT CENTRE (mm)	644	674	705	725
RC CHAIN STAY LENGTH (mm)	425	425	425	425
DROP	60	60	60	60
WB WHEEL BASE (mm)	1067	1098	1128,3	1149
STACK (mm)	602	606	621	630
REACH (mm)	392	421	446	463

BIKE SPECIFICATIONS

RIBOT N FULL XT FOX 32 100 mm 2023 - BEST IN QUALITY/PERFORMANCE/PRICE - FULL XT GROUP - BRAKES INCLUDED

24/19MIF	FRAME	Carbon Monocoque UD	CRANKSET	Shimano 8100 32T	TYRES	Michelin Force XC2 29x2,25
	FORK	Fox 32 Kashima 100 mm Remote	SHIFTERS	Shimano SL 8100	SEAT POST	Torpedo Alloy 31,6 mm
	REAR DER.	Shimano Full XT 8101	BRAKES	Shimano XT 8100	SADDLE	Selle Italia X3 Boost
	CASSETTE	Shimano 8100 10-51	WHEELS	DRC Tubeless ready	SIZE	S - M - L - XL



RIBOT N

xcm

CARBON MONOCOQUE UD - HARDTAIL

color. RED/BLACK shiny - WHITE/BLACK shiny

Please refer to the specs for possible assembling and not to the photo




color. RED/BLACK shiny



color. WHITE/BLACK shiny

RIBOT N xCM

GEOMETRY



GEOMETRY	S	M	L	XL
A SEAT TUBE LENGTH (mm)	390	440	490	540
F TOP TUBE HORIZONTAL (mm)	570	600	630	650
D HEAD TUBE LENGTH (mm)	95	100	115	125
E SEAT TUBE ANGLE EFFECTIVE (°)	73,5°	73,5°	73,5°	73,5°
C HEAD TUBE ANGLE (°)	69,5°	69,5°	69,5°	69,5°
FC FRONT CENTRE (mm)	644	674	705	725
RC CHAIN STAY LENGTH (mm)	425	425	425	425
DROP	60	60	60	60
WB WHEEL BASE (mm)	1067	1098	1128,3	1149
STACK (mm)	602	606	621	630
REACH (mm)	392	421	446	463

BIKE SPECIFICATIONS

RIBOT N SX EAGLE JUDY 100 mm 2023 - ENTRY LEVEL CARBON BIKE - PRICE SAVING SET UP

2319NKE

FRAME	Carbon Monocoque UD	CRANKSET	Sram SX Eagle 32T	TYRES	Michelin Force XC2 29x2.25
FORK	Rock Shox Judy Air 100mm	SHIFTERS	Sram SX Eagle	SEAT POST	Torpado Alloy 31,6 mm
REAR DER.	Sram SX Eagle 12 Speed	BRAKES	Shimano MT410	SADDLE	Selle Italia X3 Boost
CASSETTE	Sram 1210 11-50	WHEELS	DRC Tubeless ready	SIZE	S - M - L - XL

RIBOT N DEORE MIX JUDY 100 mm - ENTRY LEVEL CARBON BIKE - PRICE SAVING SET UP

2419NFEH

FRAME	Carbon Monocoque UD	CRANKSET	Shimano Deore 6100 32T	TYRES	Michelin Force XC2 29x2.25
FORK	Rock Shox Judy Air 100mm	SHIFTERS	Shimano Deore 6100	SEAT POST	Torpado Alloy 31,6 mm
REAR DER.	Shimano Deore Mix 6000/RD8100	BRAKES	Shimano MT410	SADDLE	Selle Italia X3 Boost
CASSETTE	Shimano Deore 6100 10-51	WHEELS	DRC Tubeless ready	SIZE	S - M - L - XL



URANUS

xCM

NEW
MODEL

TECHNO ALUMINIUM HYDROFORMING - HARDTAIL

color. BLACK/BLUE/ORANGE matt - BLACK/BLUE/RED shiny

Please refer to the specs for possible assembling and not to the photo



color. BLACK/BLUE/ORANGE matt




color. BLACK/BLUE/RED shiny

URANUS

XC/M

GEOMETRY



GEOMETRY	S	M	L
A SEAT TUBE LENGTH (mm)	400	450	500
F TOP TUBE HORIZONTAL (mm)	566	596	621
D HEAD TUBE LENGTH (mm)	100	105	115
E SEAT TUBE ANGLE EFFECTIVE (°)	69°	69°	69°
C HEAD TUBE ANGLE (°)	73°	73°	73°
FC FRONT CENTRE (mm)	646	677	702
RC CHAIN STAY LENGTH (mm)	445	445	445
DROP	60	60	60
WB WHEEL BASE (mm)	1085	1116	1141
STACK (mm)	603	608	617
REACH (mm)	390	418	441

BIKE SPECIFICATIONS

URANUS 29 SX EAGLE ROCK SHOX 100 RL - GOOD ALUMINIUM QUALITY FRAMES - MODERN FEATURES - 12 SPEED

2419ZKUF	FRAME	Aluminium Double Butted	CRANKSET	Sram SX Eagle 32T	TYRES	Kenda 29x2.20
	FORK	Rock Shox Judy TK Remote LO tap 100 mm, blk	SHIFTERS	Sram SX Eagle	SEAT POST	Torpedo Alloy 31,6 mm
	REAR DER.	Sram SX Eagle 12 Speed	BRAKES	Shimano MT410	SADDLE	Torpedo
	CASSETTE	Sram 1210 11-50	WHEELS	Disc Alloy	SIZE	(S) 40 - (M) 45 - (L) 50

URANUS 29 SHIMANO CUES AIRFLY 100 RL - GOOD ALUMINIUM QUALITY FRAMES - MODERN FEATURES - 10 SPEED

2419ZSAF	FRAME	Aluminium Double Butted	CRANKSET	Shimano Cues FC UMAGO 4000 10S 32T	TYRES	Kenda 29x2.20
	FORK	AirFly RL 100 mm	SHIFTERS	Shimano SL UMAGO 6000 10 speed	SEAT POST	Torpedo Alloy 31,6 mm
	REAR DER.	Shimano Cues 10 speed	BRAKES	Tektro M275 180/160 mm rotors	SADDLE	Torpedo
	CASSETTE	Shimano LG 300 10 speed 11-48	WHEELS	Disc Alloy	SIZE	(S) 40 - (M) 45 - (L) 50





TORPADO
IMPUDENT

W
S
S
E
E
U

Il costruttore si riserva la facoltà di apportare modifiche senza alcun obbligo di preavviso, avendo come politica la ricerca di continui miglioramenti qualitativi ed estetici, per cui non dà diritto a reclami e rimborsi di alcun genere.

The maker reserves the right to make modifications without any obligation to give prior notice, in line with its policy of continuous improvement in terms of quality and appearance, which therefore does not give right of any kind to make claims or ask for reimbursement.

GRAVEL

R

E

C

K

WAY



ZENITH X

GRAVEL

NEW
MODEL

CARBON MONOCOQUE UD - GRAVEL

color. BLUE CHAMELEON shiny - GREY shiny

Please refer to the specs for possible assembling and not to the photo




color. BLUE CHAMELEON shiny



color. GREY shiny

ZENITH X GRAVEL

GEOMETRY



GEOMETRY	S	M	L	XL	XXL
A SEAT TUBE LENGTH (mm)	490	520	540	560	590
F TOP TUBE HORIZONTAL (mm)	520	535	550	565	590
D HEAD TUBE LENGTH (mm)	120	140	150	170	190
E SEAT TUBE ANGLE EFFECTIVE (°)	74,5°	74°	73°	73°	73°
C HEAD TUBE ANGLE (°)	70,5°	71°	71,5°	72°	72°
FC FRONT CENTRE (mm)	594	601	601	611	635,4
RC CHAIN STAY LENGTH (mm)	435	435	435	435	435
DROP	67	67	67	67	67
WB WHEEL BASE (mm)	1020	1025,4	1024,9	1035,5	1061
STACK (mm)	537	557	568	590	611,9
REACH (mm)	371	375	376	385	379

BIKE SPECIFICATIONS

ZENITH X APEX AXS 1x12 - MODERN WIRELESS TRANSMISSION - TOP IN QUALITY/PERFORMANCE/PRICE

2413X5N	FRAME	Carbon Monocoque UD	CRANKSET	Sram Apex Wide 40T	TYRES	Vittoria Terreno Mix 700x38
	FORK	Carbon Monocoque UD	SHIFTERS	Sram Apex AXS 12 Speed	SEAT POST	Torpedo Alloy 31,6 mm
	REAR DER.	Sram New Apex AXS 1x12 Speed	BRAKES	Sram Apex Hydraulic 160 mm rotors	SADDLE	San Marco Ground
	CASSETTE	Sram 1231 11-44	RIMS	Disc Alloy center Tubeless ready	SIZE	S - M - L - XL - XXL

ZENITH X RIVAL AXS 2x12 - MODERN WIRELESS TRANSMISSION - TOP IN QUALITY/PERFORMANCE/PRICE - ALL ROAD CONFIGURATION WITH DOUBLE CHAINRING

2413X6N	FRAME	Carbon Monocoque UD	CRANKSET	Sram Rival AXS 46-33	TYRES	Vittoria Terreno Mix 700x38
	FORK	Carbon Monocoque UD	SHIFTERS	Sram Rival AXS 12 Speed	SEAT POST	Torpedo Alloy 31,6 mm
	REAR DER.	Sram Rival AXS 2x12	BRAKES	Sram Rival AXS Hydraulic 160 mm rotors	SADDLE	San Marco Ground
	CASSETTE	Sram 1250 10-36	RIMS	Disc Alloy center Tubeless ready	SIZE	S - M - L - XL - XXL

ZENITH X GRX 1x12 - BEST IN CLASS GROUPSET - A MUST HAVE ON GRAVEL - EASY USE WITH ONE CHAINRING

2413X4N	FRAME	Carbon Monocoque UD	CRANKSET	Shimano FCRX 610 40T	TYRES	Vittoria Terreno Mix 700x38
	FORK	Carbon Monocoque UD	SHIFTERS	Shimano GRX 610	SEAT POST	Torpedo Alloy 31,6 mm
	REAR DER.	Shimano New GRX 610 1x12 Speed	BRAKES	Shimano GRX 610 Hydraulic 160 mm rotors	SADDLE	San Marco Ground
	CASSETTE	Shimano 7100 10-51	RIMS	Disc Alloy center Tubeless ready	SIZE	S - M - L - XL - XXL

ZENITH X GRX 2x12 - BEST IN CLASS GROUPSET - A MUST HAVE ON GRAVEL - EASY USE WITH ONE CHAINRING - ALL ROAD CONFIGURATION WITH DOUBLE CHAINRING

2413X7N	FRAME	Carbon Monocoque UD	CRANKSET	Shimano FCRX 610 46-30	TYRES	Vittoria Terreno Mix 700x38
	FORK	Carbon Monocoque UD	SHIFTERS	Shimano GRX 610	SEAT POST	Torpedo Alloy 31,6 mm
	REAR DER.	Shimano New GRX 610 2x12 Speed	BRAKES	Shimano GRX 610 Hydraulic 160 mm rotors	SADDLE	San Marco Ground
	CASSETTE	Shimano 7100 11-34	RIMS	Fulcrum Racing 900 Disc Tubeless ready	SIZE	S - M - L - XL - XXL



ZENITH X *GRAVEL*

CARBON MONOCOQUE UD - GRAVEL

color. BLACK/SAGE GREEN matt

Please refer to the specs for possible assembling and not to the photo




color. BLACK/SAGE GREEN matt



ZENITH X GRAVEL

GEOMETRY



GEOMETRY	S	M	L	XL	XXL
A SEAT TUBE LENGTH (mm)	490	520	540	560	590
F TOP TUBE HORIZONTAL (mm)	520	535	550	565	590
D HEAD TUBE LENGTH (mm)	120	140	150	170	190
E SEAT TUBE ANGLE EFFECTIVE (°)	74,5°	74°	73°	73°	73°
C HEAD TUBE ANGLE (°)	70,5°	71°	71,5°	72°	72°
FC FRONT CENTRE (mm)	594	601	601	611	635,4
RC CHAIN STAY LENGTH (mm)	435	435	435	435	435
DROP	67	67	67	67	67
WB WHEEL BASE (mm)	1020	1025,4	1024,9	1035,5	1061
STACK (mm)	537	557	568	590	611,9
REACH (mm)	371	375	376	385	379

BIKE SPECIFICATIONS

ZENITH X APEX 2023 1x11 2023

FRAME	Carbon Monocoque UD	CRANKSET	Sram Apex Wide 40T	TYRES	Vittoria Terreno Mix 700x38
FORK	Carbon Monocoque UD	SHIFTERS	Sram Apex 1x11	SEAT POST	Torpado Alloy 31,6 mm
REAR DER.	Sram Apex 1x11	BRAKES	Sram Apex Hydraulic 160 mm rotors	SADDLE	San Marco Ground
CASSETTE	Sram 1130 11-42	RIMS	Fulcrum Racing 900 Disc Tubeless ready	SIZE	S - M - L - XL - XXL

ZENITH X GRX 1x11 2023

FRAME	Carbon Monocoque UD	CRANKSET	Black Alloy 40T	TYRES	Vittoria Terreno Mix 700x38
FORK	Carbon Monocoque UD	SHIFTERS	Shimano GRX 400	SEAT POST	Torpado Alloy 31,6 mm
REAR DER.	Shimano GRX 810	BRAKES	Shimano RT64 160 mm rotors	SADDLE	San Marco Ground
CASSETTE	Shimano M7000	RIMS	Fulcrum Racing 900 Disc Tubeless ready	SIZE	S - M - L - XL - XXL

ZENITH X GRX 1x12 2024

FRAME	Carbon Monocoque UD	CRANKSET	Shimano FC-RX610 40T	TYRES	Vittoria Terreno Mix 700x38
FORK	Carbon Monocoque UD	SHIFTERS	Shimano GRX 610	SEAT POST	Torpado Alloy 31,6 mm
REAR DER.	Shimano GRX 610 1x12	BRAKES	Shimano GRX 610 160 mm rotors	SADDLE	Fizik Vento Argo
CASSETTE	Shimano 7100 10-51	RIMS	Disc Alloy Center Tubeless ready	SIZE	S - M - L - XL - XXL

KEPLER R

GRAVEL

TRIPLE BUTTED ALUMINIUM - CARBON FORK - GRAVEL

color. METALLIC BROWN shiny - STELLAR BLUE matt



Please refer to the specs for possible assembling and not to the photo



color. METALLIC BROWN shiny




color. STELLAR BLUE matt

KEPLER R

GRAVEL

GEOMETRY



GEOMETRY	S	M	L	XL
A SEAT TUBE LENGTH (mm)	480	510	540	570
F TOP TUBE HORIZONTAL (mm)	520	545	570	595
D HEAD TUBE LENGTH (mm)	110	130	150	170
E SEAT TUBE ANGLE EFFECTIVE (°)	74,5°	74°	74°	73,5°
C HEAD TUBE ANGLE (°)	69,5°	69,5°	69,8°	70°
FC FRONT CENTRE (mm)	600	624	650,88	666,3
RC CHAIN STAY LENGTH (mm)	435	435	435	435
WB WHEEL BASE (mm)	1028	1050	1074	1091
STACK (mm)	564	585	605	625
REACH (mm)	366	380	396	409
FORK RAKE	50	50	50	50
FORK LENGHT	430	430	430	430

BIKE WEIGHT 10.9 Kg (size M)

BIKE SPECIFICATIONS

KEPLER R APEX 1x12 - ALLOY GRAVEL FRAME WITH SPECIAL INTEGRATED BIKE PACKING BAG, WITH TECHNOLOGY GETSBO

2413A5A

FRAME	Alloy 6061 TB	CRANKSET	Sram Apex wide 40T	TYRES	Kenda Alluvium 700x45
FORK	Full carbon monocoque with bottle cage holes	SHIFTERS	Sram Apex 12 speed	SEAT POST	Alloy 30,9 mm x 350
REAR DER.	Sram Apex XPLR	BRAKES	Sram Apex hydraulic 160 mm rotors	SADDLE	Selle Royal SRX
CASSETTE	Sram 1231 11-44	RIMS	Disc Alloy center Tubeless ready	SIZE	S - M - L - XL

KEPLER R NEW GRX 610 2x12 - ALLOY GRAVEL FRAME WITH SPECIAL INTEGRATED BIKE PACKING BAG, WITH TECHNOLOGY GETSBO

2413A7N

FRAME	Alloy 6061 TB	CRANKSET	Shimano RX610 46-31	TYRES	Kenda Alluvium 700x45
FORK	Full carbon monocoque with bottle cage holes	SHIFTERS	Shimano GRX 610	SEAT POST	Alloy 30,9 mm x 350
REAR DER.	Shimano New GRX 610 2x12 speed	BRAKES	Shimano GRX 610 160 mm rotors	SADDLE	Selle Royal SRX
CASSETTE	Shimano 7100 11-34	RIMS	Disc Alloy center Tubeless ready	SIZE	S - M - L - XL

OPTIONAL

HiRide SUSPENSION FORK



*BIKE LOCK NOT INCLUDED

ADVENTURE GRAVEL

ALUMINIUM 6061 29" - SHIMANO GRX 2x10 - DROPBAR / SHIMANO CUES 1x10 - FLATBAR

art. 25T310 - 25T312S | AVAILABLE COLOURS     

Please refer to the specs for possible assembling and not to the photo



25T310 - ADVENTURE GRAVEL - DROPBAR



25T312S - ADVENTURE GRAVEL - FLATBAR



BIKE SPECIFICATIONS - 25T310

FRAME	Aluminium 6061	CASSETTE	CS-LG300 10V 11-48T	HANDLEBAR	Dropbar Satori Firebird 480mm
FORK	Aluminium - Tapered - Flatmount	BRAKES	Shimano GRX Hydraulic Disc	SEAT POST	HL CORP 31.6x350 mm
GEAR	Shimano GRX RX400 2x10	WHEELS	Torpado Disc 29er	SADDLE	SMP 8308
SHIFTING	Shimano GRX RX400 2x10	TIRES	700x45 / 29*2.25	SIZE	MAN: (S) 40 - (M) 45 - (L) 47.5 WOMAN: (S) 40
CHAINWHEEL	Prowheel 2x	STEM	Promax DA-2012		

BIKE SPECIFICATIONS - 25T312S

FRAME	Aluminium 6061	CASSETTE	CS-LG300 10V 11-48T	HANDLEBAR	Flatbar Satori Falcon 720mm
FORK	Aluminium - Tapered - Flatmount	BRAKES	Shimano MT200 - Alfine	SEAT POST	HL CORP 31.6x350 mm
GEAR	Shimano CUES U6000 1x10	WHEELS	Torpado Disc 29er	SADDLE	SMP 8308
SHIFTING	Shimano CUES U6000 1x10	TIRES	700x45 / 29*2.25	SIZE	MAN: (S) 40 - (M) 45 - (L) 47.5 WOMAN: (S) 40
CHAINWHEEL	Shimano CUES 32T mtb	STEM	Promax DA-2012		

GEOMETRY



GEOMETRY	S	M	L
A SEAT TUBE LENGTH (mm)	400	450	475
F TOP TUBE HORIZONTAL (mm)	565	590	610
D HEAD TUBE LENGTH (mm)	130	120	140
E SEAT TUBE ANGLE EFFECTIVE (°)	74°	74°	74°
C HEAD TUBE ANGLE (°)	70°	70°	70°
RC CHAIN STAY LENGTH (mm)	460	460	460
DROP	60	60	60

URBAN GRAVEL

**NEW
MODEL**

ALUMINIUM 6061 29" - SHIMANO CUES U4000 1x9

art. 25T340 | AVAILABLE COLOURS     


Please refer to the specs for possible assembling and not to the photo



BIKE SPECIFICATIONS

FRAME	Aluminium 6061	CASSETTE	CS-LG300 9V 11-46T	HANDLEBAR	Handlebar with integrated stem HL Zoom TM-AL-20-8 700mm
FORK	Aluminium - Tapered - Flatmount	BRAKES	Shimano MT200 - Alfine	SEAT POST	HL CORP 31.6x350 mm
GEAR	Shimano CUES U4000 1x9	WHEELS	Torpado Disc 29er	SADDLE	SMP 8308
SHIFTING	Shimano CUES U4000 1x9	TIRES	29*2.25 Kenda Quick Nine	SIZE	MAN: (S) 40 - (M) 45 - (L) 47.5 WOMAN: (S) 40
CHAINWHEEL	Shimano CUES 42T w Chain protector	STEM	Promax DA-2012		

GEOMETRY



GEOMETRY	S	M	L
A SEAT TUBE LENGTH (mm)	400	450	475
F TOP TUBE HORIZONTAL (mm)	565	590	610
D HEAD TUBE LENGTH (mm)	130	120	140
E SEAT TUBE ANGLE EFFECTIVE (°)	74°	74°	74°
C HEAD TUBE ANGLE (°)	70°	70°	70°
RC CHAIN STAY LENGTH (mm)	460	460	460
DROP	60	60	60



Il costruttore si riserva la facoltà di apportare modifiche senza alcun obbligo di preavviso, avendo come politica la ricerca di continui miglioramenti qualitativi ed estetici, per cui non dà diritto a reclami e rimborsi di alcun genere.

The maker reserves the right to make modifications without any obligation to give prior notice, in line with its policy of continuous improvement in terms of quality and appearance, which therefore does not give right of any kind to make claims or ask for reimbursement.

EXPERIENCE THE REAL SPEED



RONSE

CARBON MONOCOQUE 3K/UD

Please refer to the specs for possible assembling and not to the photo

830 gr
430 gr



Carbonio, peso telaio grezzo, taglia 54
Carbon, raw frame weight, size 54
Carbonio, peso forcella grezza
Carbon, raw fork weight

Carbonio T700
Carbon T700




ARCTIC WHITE glossy



SHADOW CHAMELEON glossy

GEOMETRY



GEOMETRY

		49	52	54	56	58
A	SEAT TUBE LENGTH (MM)	460	480	500	520	540
RC	CHAIN STAY LENGTH (MM)	406	406	406	406	406
C	HEAD TUBE ANGLE (°)	71°	71,5°	72°	72,5°	72,5°
D	HEAD TUBE LENGTH (MM)	105	115	135	155	175
E	SEAT TUBE ANGLE (°)	75°	74°	74°	73,5°	73,5°
F	TOP TUBE HORIZONTAL (MM)	515	531	543	562	577
FC	FRONT CENTRE (MM)	581	584	591	601	616
WB	WHEELBASE (MM)	976	979	987	996	1012
DROP	BOTTOM BRACKET DROP (MM)	72	72	72	72	72
STACK	STACK (MM)	512	523	544	565	584
REACH	REACH (MM)	378	381	386	394	404

BIKE SPECIFICATIONS

RONSE SHIMANO ULTEGRA Di2

FRAME	ALL - ROAD CARBON T700, ICR	CRANKSET	SHIMANO ULTEGRA 8100 50-34	TYRES	CONTINENTAL GP5000 700X30 COFFEE
FORK	CARBON T700	SHIFTING	SHIMANO ULTEGRA Di2 8170	COCKPIT	VISION METRO 5D EVO FULL CARBON
REAR DER.	SHIMANO ULTEGRA Di2 8150	BRAKES	SHIMANO 8170 F 160, R 140MM	SEAT POST	CARBON CUSTOM 15MM SEATBACK
CASSETTE	SHIMANO ULTEGRA 8101 11-34	WHEELS	VISION SC45 FULL CARBON	SADDLE	FIZIK ARGO VENTO

SUPER LIGHT FRAME AT A PRICE VALUE POSITIONING, UD FINISH, INTEGRATED CABLE ROUTING, INTEGRATED CARBON HANDLEBAR

RONSE SHIMANO 105 Di2

FRAME	ALL - ROAD CARBON T700, ICR	CRANKSET	SHIMANO 105 7100 50-34	TYRES	CONTINENTAL GP5000 700X30 COFFEE
FORK	CARBON T700	SHIFTING	SHIMANO 105 Di2 7170	COCKPIT	VISION METRO 5D EVO FULL CARBON
REAR DER.	SHIMANO 105 Di2 7150	BRAKES	SHIMANO 105 7170 F 160, R 140MM	SEAT POST	CARBON CUSTOM 15MM SEATBACK
CASSETTE	SHIMANO 7100 11-34	WHEELS	VISION SC45 FULL CARBON	SADDLE	FIZIK ARGO VENTO

SUPER LIGHT FRAME AT A PRICE VALUE POSITIONING, UD FINISH, INTEGRATED CABLE ROUTING, INTEGRATED CARBON HANDLEBAR

RONSE SRAM RIVAL AXS

FRAME	ALL - ROAD CARBON T700, ICR	CRANKSET	SRAM RIVAL 48-35	TYRES	CONTINENTAL GP5000 700X30 COFFEE
FORK	CARBON T700	SHIFTING	SRAM RIVAL ETAP AXS	HANDLEBAR	FSA GOSSAMER ALLOY, INT. CABLES
REAR DER.	SRAM RIVAL AXS	BRAKES	SRAM RIVAL FRONT/REAR 160MM	SEAT POST	CARBON CUSTOM 15MM SEATBACK
CASSETTE	SRAM XG 1250 11-36	WHEELS	FULCRUM RACING 800 DB 38MM	SADDLE	FIZIK ARGO VENTO

SUPER LIGHT FRAME AT A PRICE VALUE POSITIONING, UD FINISH, INTEGRATED CABLE ROUTING

GAND

CARBON MONOCOQUE 3K/UD

Please refer to the specs for possible assembling and not to the photo

1090 gr
445 gr



Carbonio, peso telaio grezzo, taglia 54
Carbon, raw frame weight, size 54
Carbonio, peso forcella grezza
Carbon, raw fork weight


Carbonio T600
Carbon T600



TEAM glossy



PETROL BLUE matt/glossy

GEOMETRY

GEOMETRY

		49	52	54	56	58
A	SEAT TUBE LENGTH (MM)	460	480	495	520	540
RC	CHAIN STAY LENGTH (MM)	406	406	406	406	406
C	HEAD TUBE ANGLE (°)	71,5°	72,5°	73°	73,5°	73,5°
D	HEAD TUBE LENGTH (MM)	105	115	135	155	180
E	SEAT TUBE ANGLE (°)	75°	74°	74°	73,5°	73,5°
F	TOP TUBE HORIZONTAL (MM)	510	531	541	562	577
FC	FRONT CENTRE (MM)	572,6	575	580	592	607
WB	WHEELBASE (MM)	967,7	970	976	987	1002
DROP	BOTTOM BRACKET DROP (MM)	72	72	72	72	72
STACK	STACK (MM)	513	526	547	568	592
REACH	REACH (MM)	372	380	384	394	401

BIKE SPECIFICATIONS
GAND SHIMANO ULTEGRA Di2

FRAME	AERO SHAPE, CARBON T600, ICR	CRANKSET	SHIMANO ULTEGRA 8100 50-34	TYRES	CONTINENTAL GP5000 700X30 COFFEE
FORK	CARBON T600	SHIFTING	SHIMANO ULTEGRA DI2 8170	COCKPIT	URSUS MAGNUS INTEGRATED CARBON
REAR DER.	SHIMANO ULTEGRA DI2 8150	BRAKES	SHIMANO 8170 F 160, R 140MM	SEAT POST	CARBON CUSTOM 15MM SEATBACK
CASSETTE	SHIMANO ULTEGRA 8101 11-34	WHEELS	VISION SC45 FULL CARBON	SADDLE	FIZIK ARGO VENTO

PRICE/VALUE FRAME, INTEGRATED CABLE ROUTING, INTEGRATED HANDLEBAR, CARBON WHEELS

GAND SHIMANO 105 Di2

FRAME	AERO SHAPE, CARBON T600, ICR	CRANKSET	SHIMANO 105 7100 50-34	TYRES	CONTINENTAL GP5000 700X30 COFFEE
FORK	CARBON T600	SHIFTING	SHIMANO 105 DI2 7170	COCKPIT	URSUS MAGNUS INTEGRATED CARBON
REAR DER.	SHIMANO 105 DI2 7150	BRAKES	SHIMANO 105 7170 F 160, R 140MM	SEAT POST	CARBON CUSTOM 15MM SEATBACK
CASSETTE	SHIMANO 7100 11-34	WHEELS	VISION SC45 FULL CARBON	SADDLE	FIZIK ARGO VENTO

PRICE/VALUE FRAME, INTEGRATED CABLE ROUTING, INTEGRATED HANDLEBAR, CARBON WHEELS

GAND SRAM RIVAL AXS

FRAME	AERO SHAPE, CARBON T600, ICR	CRANKSET	SRAM RIVAL 48-35	TYRES	CONTINENTAL GRANSPOORT 700X28
FORK	CARBON T600	SHIFTING	SRAM RIVAL ETAP AXS	HANDLEBAR	FSA GOSSAMER ALLOY, INT. CABLES
REAR DER.	SRAM RIVAL AXS	BRAKES	SRAM RIVAL FRONT/REAR 160MM	SEAT POST	CARBON CUSTOM 15MM SEATBACK
CASSETTE	SRAM XG 1250 11-36	WHEELS	VISION SC45 FULL CARBON	SADDLE	FIZIK ARGO VENTO

PRICE/VALUE FRAME, INTEGRATED CABLE ROUTING, CARBON WHEELS

GAND SHIMANO 105

FRAME	AERO SHAPE, CARBON T600, ICR	CRANKSET	SHIMANO 105 7100 50-34	TYRES	CONTINENTAL GRANSPOORT 700X28
FORK	CARBON T600	SHIFTING	SHIMANO 105 7120	HANDLEBAR	FSA GOSSAMER ALLOY, INT. CABLES
REAR DER.	SHIMANO 105 7100	BRAKES	SHIMANO 105 7170 F 160, R 140MM	SEAT POST	CARBON CUSTOM 15MM SEATBACK
CASSETTE	SHIMANO 7100 11-34	WHEELS	FULCRUM RACING 800 DB 38MM	SADDLE	SELLE ROYAL SRX

PRICE/VALUE FRAME, INTEGRATED CABLE ROUTING

DARDO

CARBON MONOCOQUE UD

Please refer to the specs for possible assembling and not to the photo

1050 gr

415 gr

230 gr



Carbonio, peso telaio grezzo, taglia M

Carbon, raw frame weight, size M

Carbonio, peso forcella grezza

Carbon, raw fork weight

Carbonio, peso forcella grezza

Carbon, raw fork weight

Carbonio Toray

Tensile Strenght 50x10³ kgf/cm²



BLACK GREY matt-shiny




BLACK ORANGE matt-shiny



BLACK RED matt-shiny

GEOMETRY



GEOMETRY

		XXS	XS	S	M	L	XL	XXL
A	SEAT TUBE LENGTH (MM)	410	450	480	500	520	550	580
RC	CHAIN STAY LENGTH (MM)	403	403	408	408	408	412	412
C	HEAD TUBE ANGLE (°)	70,5°	71,5°	72,5°	73°	73,25°	73,5°	73,75°
D	HEAD TUBE LENGTH (MM)	105	120	130	145	165	185	210
E	SEAT TUBE ANGLE (°)	75,5°	74,5°	74°	73,5°	73,25°	73°	72,5°
F	TOP TUBE HORIZONTAL (MM)	495	520	535	550	565	580	595
FC	FRONT CENTRE (MM)	570	578	580	585	595	605	611
WB	WHEELBASE (MM)	963	971	977	983	993	1007	1013
DROP	BOTTOM BRACKET DROP (MM)	70	70	70	70	70	70	70
STACK	STACK (MM)	501	519	531	548	567	587	613
REACH	REACH (MM)	365	376	383	388	394	400	402

BIKE SPECIFICATIONS

SHIMANO ULTEGRA Di2 R8170 12s

FRAME	Carbon Monocoque UD, AERO	CRANKSET	Shimano Ultegra FC-R8100 50/34T 12S	TYRES	Vittoria Corsa N.Ext 700x28C Foldable
FORK	Carbon Monocoque UD, AERO	SHIFTING	Shimano Ultegra Di2 RD-R8150 12S	HANDLEBAR	Deda Superzero DCR Alloy
REAR DER.	Shimano Ultegra Di2 RD-R8150 12S	BRAKES	Shimano Ultegra Di2 BR-R8170 Hydraulic	SEAT POST	Carbon Monocoque UD, AERO
CASSETTE	Shimano Ultegra CS-R8100 11/34T 12S	WHEELS	Fulcrum Racing 900 DB 2 Way Fit	SADDLE	Selle Italia Model X Superflow FEC

SHIMANO ULTEGRA R8000 11s

FRAME	Carbon Monocoque UD, AERO	CRANKSET	Shimano Ultegra FC-R8000 50/34T 11S	TYRES	Vittoria Rubino 700x25C Foldable
FORK	Carbon Monocoque UD, AERO	SHIFTING	Shimano Ultegra St-R8020 11S	HANDLEBAR	Deda Zero Alloy
REAR DER.	Shimano Ultegra RD-R8000 GS 11S	BRAKES	Shimano Ultegra ST-R8020 Hydraulic	SEAT POST	Carbon Monocoque UD, AERO
CASSETTE	Shimano Ultegra CS-R8000 11/28T 11S	WHEELS	Fulcrum Racing 900 DB 2 Way Fit	SADDLE	Selle Italia Model X Superflow FEC

SHIMANO 105 Di2 12s

FRAME	Carbon Monocoque UD, AERO	CRANKSET	Shimano 105 FC-R7100 50/34T 12S	TYRES	Vittoria Rubino 700x25c Foldable
FORK	Carbon Monocoque UD, AERO	SHIFTING	Shimano 105 Di2 RD-R7150 12S 12S	HANDLEBAR	Deda Zero Alloy
REAR DER.	Shimano 105 Di2 RD-R7150 12S	BRAKES	Shimano 105 Di2 BR-R7170 Hydraulic	SEAT POST	Carbon Monocoque UD, AERO
CASSETTE	Shimano 105 CS-R7100 11/34T 12S	WHEELS	Fulcrum Racing 900 DB 2 Way Fit	SADDLE	Selle Italia Model X Superflow FEC

SHIMANO 105 R7000 11s

FRAME	Carbon Monocoque UD, AERO	CRANKSET	Shimano 105 FC-R7000 52/36 T 11S	TYRES	Vittoria Rubino 700x25c Foldable
FORK	Carbon Monocoque UD, AERO	SHIFTING	Shimano 105 R7020 11S	HANDLEBAR	Deda Zero Alloy
REAR DER.	Shimano 105 RD-R7000 GS 11S	BRAKES	Shimano 105 BR-R7020 Hydraulic	SEAT POST	Carbon Monocoque UD, AERO
CASSETTE	Shimano 105 HG70011 11/34T 11S	WHEELS	Fulcrum Racing 900 DB 2 Way Fit	SADDLE	Selle Italia Model X Superflow FEC

SRAM APEX 11s

FRAME	Carbon Monocoque UD, AERO	CRANKSET	Sram Apex	TYRES	Vittoria Rubino 700x25c Foldable
FORK	Carbon Monocoque UD, AERO	SHIFTING	Sram Apex	HANDLEBAR	Deda Zero Alloy
REAR DER.	Sram Apex 11S	BRAKES	Sram Apex	SEAT POST	Carbon Monocoque UD, AERO
CASSETTE	Sram Apex XG-1130 11/42 11S	WHEELS	Fulcrum Racing 900 DB 2 Way Fit	SADDLE	Selle Italia Model X Superflow FEC

DAGA

CARBON MONOCOQUE UD

Please refer to the specs for possible assembling and not to the photo

1050 gr
420 gr



Carbonio, peso telaio grezzo, taglia M
Carbon, raw frame weight, size M
Carbonio, peso forcella grezza
Carbon, raw fork weight


Carbonio Toray
Tensile Strength 50×10^3 kgf/cm²



BLACK VIVID ORANGE matt



BLACK matt-shiny

GEOMETRY

GEOMETRY

		XXS	XS	S	M	L	XL
A	SEAT TUBE LENGTH (MM)	410	450	480	500	520	560
RC	CHAIN STAY LENGTH (MM)	415	415	415	415	415	415
C	HEAD TUBE ANGLE (°)	70,5°	71,5°	72,5°	73°	73°	73,5°
D	HEAD TUBE LENGTH (MM)	105	120	130	150	170	190
E	SEAT TUBE ANGLE (°)	75,5°	74,5°	74°	73,5°	73°	73°
F	TOP TUBE HORIZONTAL (MM)	495	520	535	550	565	580
FC	FRONT CENTRE (MM)	570,3	578	579	575	595,5	605
WB	WHEELBASE (MM)	975,6	983,6	985,5	991	1001	1010,6
DROP	BOTTOM BRACKET DROP (MM)	68	68	68	68	68	68
STACK	STACK (MM)	498,7	515,5	528,6	551	569	589,3
REACH	REACH (MM)	366	377	383,4	386,5	393,7	399,9

BIKE SPECIFICATIONS
SRAM APEX 11S
23FC2

FRAME	Carbon Monocoque UD	CRANKSET	Sram Apex 42T
FORK	Carbon Monocoque UD	SHIFTING	Sram Apex 11S
REAR DER.	Sram Apex 11S	BRAKES	Sram Apex Hydraulic
CASSETTE	Sram Apex	WHEELS	Fulcrum racing 900 DB 2 Way Fit

TYRES	Vittoria Zaffiro PRO 700X28C Foldable
HANDLEBAR	Deda Zero Alloy
SEAT POST	Fondriest Alloy 31.6 x 350mm
SADDLE	Selle Italia Model X Superflow FEC

SHIMANO ULTEGRA 11S
23FCU

FRAME	Carbon Monocoque UD	CRANKSET	Shimano Ultegra 8000 50-34
FORK	Carbon Monocoque UD	SHIFTING	Shimano Ultegra 8020
REAR DER.	Shimano Ultegra 8000 11S	BRAKES	Shimano Ultegra 8020
CASSETTE	Shimano Ultegra	WHEELS	Fulcrum racing 900 DB 2 Way Fit

TYRES	Vittoria Zaffiro PRO 700X28C Foldable
HANDLEBAR	Deda Zero Alloy
SEAT POST	Fondriest Alloy 31.6 x 350mm
SADDLE	Selle Italia Model X Superflow FEC

SHIMANO 105 12S
24FCIBN

FRAME	Carbon Monocoque UD	CRANKSET	Shimano 105 7100 50-34
FORK	Carbon Monocoque UD	SHIFTING	Shimano 105 7120
REAR DER.	Shimano 105 7100 12S	BRAKES	Shimano 105 7120
CASSETTE	Shimano 105	WHEELS	Fulcrum racing 900 DB 2 Way Fit

TYRES	Vittoria Zaffiro PRO 700X28C Foldable
HANDLEBAR	Deda Zero Alloy
SEAT POST	Fondriest Alloy 31.6 x 350mm
SADDLE	Selle Italia Model X Superflow FEC



PANTHER 1.0


CARBON MONOCOQUE UD

Please refer to the specs for possible assembling and not to the photo



BLACK BRONZE matt



GEOMETRY

GEOMETRY

		S	M	L	XL	XXL
A	SEAT TUBE LENGTH (MM)	490	520	540	560	590
RC	CHAIN STAY LENGTH (MM)	435	435	435	435	435
C	HEAD TUBE ANGLE (°)	70,5°	71°	71,5°	72°	72°
D	HEAD TUBE LENGTH (MM)	120	140	150	170	190
E	SEAT TUBE ANGLE (°)	74,5°	74°	73°	73°	73°
F	TOP TUBE HORIZONTAL (MM)	520	535	550	565	590
FC	FRONT CENTRE (MM)	594	601	601	611	635,4
WB	WHEELBASE (MM)	1020	1025,4	1024,9	1035,5	1061
DROP	BOTTOM BRACKET DROP (MM)	67	67	67	67	67
STACK	STACK (MM)	537	557	568	590	611,9
REACH	REACH (MM)	371	375	376	385	379

BIKE SPECIFICATIONS
SRAM APEX 1x12
24FJZA

FRAME	Full carbon	CRANKSET	Sram apex wide 40T
FORK	Carbon tapered disc	SHIFTING	Sram apex 1x12 speed
REAR DER.	Sram apex 12 speed xplr	BRAKES	Sram apex 160 mm rotors
CASSETTE	Sram PG1231 12S 11-44	WHEELS	Blk disc 32h

TYRES	700x40
HANDLEBAR	Blk alloy
SEAT POST	Blk alloy
SADDLE	Selle Italia Model X

SHIMANO GRX 1x12
24FJXA

FRAME	Full carbon	CRANKSET	Shimano RX610 40T
FORK	Carbon tapered disc	SHIFTING	Shimano RX610 1x12
REAR DER.	Shimano GRX 822 12 speed	BRAKES	Shimano GRX 160 mm rotors
CASSETTE	Shimano CS-M7100 12S 10-51	WHEELS	Blk disc 32h

TYRES	700x40
HANDLEBAR	Blk alloy
SEAT POST	Blk alloy
SADDLE	Selle Italia Model X

SHIMANO GRX 1x11
22ME170

FRAME	Full carbon	CRANKSET	Prowheel alloy blk 40T
FORK	Carbon tapered disc	SHIFTING	Shimano RX400 1x11
REAR DER.	Shimano GRX 812 11 speed	BRAKES	Shimano GRX 160 mm rotors
CASSETTE	Shimano Deore CS-M5100 11S 11-42	WHEELS	Blk disc 32h

TYRES	700x40
HANDLEBAR	Blk alloy
SEAT POST	Blk alloy
SADDLE	Selle Italia Model X



Il costruttore si riserva la facoltà di apportare modifiche senza alcun obbligo di preavviso, avendo come politica la ricerca di continui miglioramenti qualitativi ed estetici, per cui non dà diritto a reclami e rimborsi di alcun genere.

The maker reserves the right to make modifications without any obligation to give prior notice, in line with its policy of continuous improvement in terms of quality and appearance, which therefore does not give right of any kind to make claims or ask for reimbursement.

E-BIKE

ERD

CO

JOURNEY

XANTO R

E-ENDURO

ALLOY 6061 TRIPLE BUTTED - 160MM REAR TRAVEL - BOOST 148MM

art. XANTO R | color. MAGENTA GOLD matt/glossy - CHAMELEON glossy



Please refer to the specs for possible assembling and not to the photo



color. MAGENTA GOLD matt/glossy



color. CHAMELEON glossy

XANTO R E-ENDURO



BIKE SPECIFICATIONS


XANTO R SHIMANO DEORE XT MIX - PREMIUM EBIKE WITH SHIMANO TOP LEVEL MOTOR, 720Wh BATTERY, BRAND NEW SUSPENSIONS, XT REAR DERAILLEUR

MOTOR	SHIMANO EP 801 - 2,7 kg - 85Nm	BATTERY	BMZ V10 INTEGRATED 720Wh	DISPLAY	SHIMANO SC-EN600
FRAME	160MM REAR TRAVEL, INTEGRATED HEAD SET CABLE ROUTING, ENDURO OPTIMIZED GEOMETRY	SHIFTERS	SHIMANO SLM6100 12 SPEED	BRAKES	TEKTRO HD M745 4 PISTONS 203mm FRONT, 180mm REAR
FORK	ROCK SHOX NEW PSYLO AIR, 160mm TRAVEL, THROUGH AXLE BOOST	RIMS	FULCRUM E-FIRE 700	TYRES	CONTINENTAL KRIPTOTAL 29X2.4 FRONT, 27,5X2,6 REAR
REAR DER.	SHIMANO XT 8100	SEAT POST	KS RAGE SI REMOTE LOCK OUT	SADDLE	FIZIK AIDON
CASSETTE	SRAM PG1210 11-50				
REAR SHOX	ROCK SHOX DELUXE 205mm				
CRANKSET	PROWHEEL 170mm WITH 34T CHAINRING				

XANTO R SHIMANO CUES 6000 11 SPEED - OPTIMIZED PRICE/QUALITY EBIKE, 90Nm MOTOR, ENDURO GEOMETRY, 720Wh BATTERY

MOTOR	OLI EDGE 90 Nm	BATTERY	BMZ V10 INTEGRATED 720Wh	DISPLAY	OLI HIGH VISION WITH SIDE MOUNT
FRAME	160MM REAR TRAVEL, INTEGRATED HEAD SET CABLE ROUTING, ENDURO OPTIMIZED GEOMETRY	SHIFTERS	SHIMANO SLMU6000 11 SPEED	BRAKES	TEKTRO HD M745 4 PISTONS 203mm FRONT, 180mm REAR
FORK	SUNTOUR ZERON 160mm TRAVEL, 36mm STANCIONS, RC	RIMS	FULCRUM E-FIRE 700	TYRES	CONTINENTAL KRIPTOTAL 29X2.4 FRONT, 27,5X2,6 REAR
REAR DER.	SHIMANO CUES 6000 11 SPEED	SEAT POST	KS RAGE SI REMOTE LOCK OUT	SADDLE	FIZIK AIDON
CASSETTE	SHIMANO LG400 CUES 11 SPEED				
REAR SHOX	SUNTOUR EDGE SPECIAL CUSTOM 205X62,5 mm				
CRANKSET	PROWHEEL 170mm WITH 34T CHAINRING				

GEOMETRY



GEOMETRY	S	M	L
A SEAT TUBE LENGTH (mm)	390	415	440
F TOP TUBE HORIZONTAL (mm)	577	621	629
D HEAD TUBE LENGTH (mm)	115	115	125
E SEAT TUBE ANGLE EFFECTIVE (°)	76°	76°	76°
C HEAD TUBE ANGLE (°)	64°	64°	64°
FC FRONT CENTRE (mm)	766	811	820
RC CHAIN STAY LENGTH (mm)	461	461	461
DROP	30	30	30
WHEEL BASE (mm)	1213	1271	1295
STACK (mm)	623	627	642
REACH (mm)	445	465	485

HYPER R

E-HARDTAIL

NEW
MODEL


720 Wh

ALLOY 6061 TRIPLE BUTTED

art. HYPER R | color. PETROL BLUE matt/glossy - CHAMELEON matt/glossy

Please refer to the specs for possible assembling and not to the photo



color. PETROL BLUE matt/glossy



color. CHAMELEON matt/glossy

HYPER R E-HARDTAIL



BIKE SPECIFICATIONS

HYPER R SHIMANO DEORE 11 SPEED MIX - PREMIUM EBIKE MOTOR, MODERN AND STYLISH DESIGN, 34 mm STANCIONS FORK

MOTOR	Shimano EP6 85Nm	BATTERY	BMZ V10 INTEGRATED 720Wh	DISPLAY	Shimano SC-EN600
-------	------------------	---------	--------------------------	---------	------------------


FRAME	ALLOY 6061 TRIPLE BUTTED, INTEGRATED BATTERY, INTEGRATED CABLES, BOOST 148	SHIFTERS	SHIMANO SLM 5100 11 SPEED
FORK	SUNTOUR 34 120 mm TRAVEL, AIR	BRAKES	SHIMANO BRM 410 WITH 180 mm FRONT ROTOR, 1600 mm REAR
REAR DER.	SHIMANO DEORE 5120 11 SPEED	RIMS	ALLOY DISC 25 mm INTERNAL WIDTH
CASSETTE	SHIMANO M5100 11 SPEED	TYRES	KENDA 29x2,4 K1247 WIRE
CRANKSET	PROWHEEL 170 mm WITH 34T CHAINRING	SEAT POST	KS RAGE SI REMOTE ADJUST
		SADDLE	SELLE ROYAL SRX

HYPER R SHIMANO DEORE 10 SPEED MIX - OPTIMIZED PRICE/QUALITY EBIKE, 90Nm MOTOR, ENDURO GEOMETRY, 720Wh BATTERY

MOTOR	OLI EDGE 90Nm	BATTERY	BMZ V10 720Wh INTEGRATED	DISPLAY	OLI HIGH VISION WITH SIDE MOUNT
-------	---------------	---------	--------------------------	---------	---------------------------------

FRAME	ALLOY 6061 TRIPLE BUTTED, INTEGRATED BATTERY, INTEGRATED CABLES, BOOST 148	SHIFTERS	SHIMANO SLM 6000 10 SPEED
FORK	SUNTOUR 34 120 mm TRAVEL, AIR	BRAKES	TEKTRO HD M275 180 mm FRONT ROTOR, 160 mm REAR
REAR DER.	SHIMANO DEORE 5120 11/10 SPEED	RIMS	ALLOY DISC 25 mm INTERNAL WIDTH
CASSETTE	SHIMANO HG50 10 SPEED	TYRES	KENDA 29x2,4 K1247 WIRE
CRANKSET	PROWHEEL 170 mm WITH 34T CHAINRING	SEAT POST	ALLOY 31,6 mm
		SADDLE	SELLE ROYAL SRX

GEOMETRY



GEOMETRY	S	M	L
A SEAT TUBE LENGTH (mm)	400	430	450
F TOP TUBE HORIZONTAL (mm)	611	636	661
D HEAD TUBE LENGTH (mm)	120	125	130
E SEAT TUBE ANGLE EFFECTIVE (°)	73	73	73
C HEAD TUBE ANGLE (°)	66	66	66
RC CHAIN STAY LENGTH (mm)	460	460	460
DROP	55	55	55
WHEEL BASE (mm)	1199	1218	1238
STACK (mm)	631	636	640
REACH (mm)	430	447	485

TORIKA

E-GRAVEL

TECHNO ALUMINIUM HYDROFORMING - E-GRAVEL

art. 23IG2 | color. BLACK/DARK GREY matt finish

Please refer to the specs for possible assembling and not to the photo



FAZUA




color. BLACK/DARK GREY matt finish

BIKE SPECIFICATIONS

DRIVEPACK	FAZUA EVATION 250W - 1,9 kg	BOTTOM BRACKET	TORQUE 55Nm - 1,3 kg	BATTERY	252 Wh - removable - 1,3 kg
------------------	-----------------------------	-----------------------	----------------------	----------------	-----------------------------

FRAME	Torik Aluminium Hydroforming 6061	CHAINWHEEL	FSA - FAZUA 38T	HANDLEBAR	Aluminium
FORK	Torik Carbon	SHIFTING	Sram Apex 11 Speed	STEM	Aluminium
GEAR	Sram Apex 11 Speed	BRAKES	Sram Apex	SEAT POST	Dropper
CASSETTE	Sram Apex 11 Speed	RIMS	Fulcrum Racing 900	SADDLE	Selle Italia

GEOMETRY



GEOMETRY	S	M	L
A SEAT TUBE LENGTH (mm)	490	520	550
F TOP TUBE HORIZONTAL (mm)	505	534	562
D HEAD TUBE LENGTH (mm)	140	140	140
E SEAT TUBE ANGLE EFFECTIVE (°)	74,5°	74°	73,5°
C HEAD TUBE ANGLE (°)	70°	70°	71°
FC FRONT CENTRE (mm)	585	600	625
RC CHAIN STAY LENGTH (mm)	440	440	440
DROP	68	68	68

TORIKA

E-GRAVEL

HIGHLIGHTS

- » POWERFUL AND SUPER LIGHT E-BIKE MOTOR
- » ALL ROAD CONFIGURATION
- » BEST IN QUALITY / PRICE



BALIO S

E-ROAD
CARBON MONOCOQUE UD - E-ROAD

art. 2312U | color. BLACK/DARK GREY/RED matt/shiny

Please refer to the specs for possible assembling and not to the photo


FAZUA



color. BLACK/DARK GREY/RED matt/shiny

BIKE SPECIFICATIONS

DRIVEPACK	FAZUA EVATION 250W - 1,9 kg	BOTTOM BRACKET	TORQUE 55Nm - 1,3 kg	BATTERY	252 Wh - removable - 1,3 kg
------------------	-----------------------------	-----------------------	----------------------	----------------	-----------------------------

FRAME	Balio S Carbon UD	CHAINWHEEL	FSA - FAZUA	HANDLEBAR	FSA Aluminium
FORK	Balio S Carbon UD	SHIFTING	Shimano Ultegra R8000	STEM	Balio Carbon
GEAR	Shimano Ultegra R8000	BRAKES	Shimano Ultegra R8070	SEAT POST	Balio Carbon
CASSETTE	Shimano Ultegra 11/34	RIMS	Fulcrum Racing 900	SADDLE	Selle Italia

GEOMETRY



GEOMETRY	50	53	55	58
A SEAT TUBE LENGTH (mm)	500	530	550	580
F TOP TUBE HORIZONTAL (mm)	525	545	560	590
D HEAD TUBE LENGTH (mm)	130	140	160	180
E SEAT TUBE ANGLE EFFECTIVE (°)	74°	73,7°	73,4°	72,4°
C HEAD TUBE ANGLE (°)	72°	72,5°	73°	73,5°
FC FRONT CENTRE (mm)	582	596	605	620
RC CHAIN STAY LENGTH (mm)	415	415	415	415
DROP	72	72	72	72

BALIO S

E-ROAD

HIGHLIGHTS

- » CARBON FRAME
- » POWERFUL AND SUPER LIGHT MOTOR
- » DOUBLE CHAINRING FOR ALL ROAD USE



XANTO A MULLET E-ENDURO

TECHNO ALUMINIUM HYDROFORMING - ENDURO 160 mm FRONT/REAR

art. XANTO A | color. BLACK/GREY/VIVID ORANGE matt/shiny

art. XANTO A | color. OCTANIUM/BLACK matt



eBike Systems



Please refer to the specs for possible assembling and not to the photo



color. BLACK/GREY/VIVID ORANGE matt/shiny



color. OCTANIUM/BLACK matt


XANTO A MULLET E-ENDURO

BIKE SPECIFICATIONS

XANTO A SX 1x12 RS 35 160 mm - SUPER ENDURO GEOMETRY - 12 SPEED - BEST IN CLASS FOR BATTERY CAPACITY (880 Wh)

MOTOR	OLI SPORT PLUS 250W - 3,5 kg - 85Nm	BATTERY	882 Wh REMOVIBLE	DISPLAY	OLI LCD - Walking Assistance	
231FBUIM	FRAME	Aluminium Hydroforming Triple Butted 6061	REAR SHOX	Rock Shox Monarch RL	RIMS	DRC 30 mm Tubeless ready
	FORK	Rock Shox 35 RL 160 mm	CRANKSET	MX 3 OLI 32T	TYRES	Front 29x2.4 - Rear 27.5x2.6
	REAR DER.	Sram SX Eagle 12 Speed	SHIFTERS	Sram SX Eagle 12 Speed	SEAT POST	KS RAGE SI
	CASSETTE	Sram 1210 11-50	BRAKES	Formula Cura	SADDLE	Selle Italia X3 Boost

GEOMETRY



GEOMETRY	S	M	L
A SEAT TUBE LENGTH (mm)	395	445	490
F TOP TUBE HORIZONTAL (mm)	600	617	640
D HEAD TUBE LENGTH (mm)	125	130	135
E SEAT TUBE ANGLE EFFECTIVE (°)	74,5°	74,5°	74,5°
C HEAD TUBE ANGLE (°)	65°	65°	65°
FC FRONT CENTRE (mm)	761	780	804
RC CHAIN STAY LENGTH (mm)	500	500	500
DROP	30,5	30,5	30,5



THOR 29

E-ENDURO

TECHNO ALUMINIUM HYDROFORMING - ENDURO 160 mm

art. 23T989 | color. RED shiny - SILVER matt - DARK GREY matt

Please refer to the specs for possible assembling and not to the photo



color. RED shiny



color. SILVER matt

THOR 29

E-ENDURO




color. DARK GREY matt

BIKE SPECIFICATIONS

MOTOR	OLI SPORT PLUS 250W - 3,5 kg - 85Nm	BATTERY	720 Wh REMOVIBLE	DISPLAY	OLI LCD - Walking Assistance
FRAME	Aluminium Hydroforming 6061	REAR SHOX	KS AM588	RIMS	Torpedo Disc
FORK	AirFly 160mm	CHAINWHEEL	Lanxy 32T	TYRES	29x2.40
GEAR	Shimano Deore RD-M6100 12 Speed	SHIFTING	Shimano Deore SL-M6100 12 Speed	SEAT POST	Dropper Promax Manual
CASSETTE	Sunrace 11-50T	BRAKES	Shimano Hydraulic Disc Brake	SADDLE	MTB DDK

GEOMETRY



GEOMETRY	S	M	L
A SEAT TUBE LENGTH (mm)	395	445	490
F TOP TUBE HORIZONTAL (mm)	610	620	640
D HEAD TUBE LENGTH (mm)	180	185	190
E SEAT TUBE ANGLE EFFECTIVE (°)	74,5°	74,5°	74,5°
C HEAD TUBE ANGLE (°)	65°	65°	65°
FC FRONT CENTRE (mm)	781	792	813
RC CHAIN STAY LENGTH (mm)	500	500	500
DROP	30,5	30,5	30,5

HIGHLIGHTS

- » FULL SUSPENSION FRAME
- » EXTRA COMFORT
- » 720 Wh BATTERY

HYPER 29 *E-HARDTAIL*

TECHNO ALUMINIUM HYDROFORMING - HARDTAIL 120 mm

art. 23T960 - 23T965 | **color.** BLACK/ORANGE matt - OCTANIUM matt - BLACK/BRONZE matt-shiny

Please refer to the specs for possible assembling and not to the photo



color. BLACK/ORANGE matt



color. OCTANIUM matt

HYPER 29

E-HARDTAIL



color. BLACK/BRONZE matt-shiny


BIKE SPECIFICATIONS

MOTOR	OLI SPORT PLUS 250W - 3,5 kg - 85Nm	BATTERY	630 Wh REMOVIBLE	DISPLAY	OLI LCD - Walking Assistance
--------------	-------------------------------------	----------------	------------------	----------------	------------------------------

T960	FRAME	Aluminium Hydroforming 6061	CASSETTE	Shimano 9 Speed	WHEELS	Torpedo Disc 29x2.40
	FORK	AirFly 120mm	SHIFTING	Shimano Alivio 9 Speed	SEAT POST	Aluminium
	GEAR	Shimano Alivio 9 Speed	BRAKES	Shimano MT410F Hydraulic Disc Brake	SADDLE	MTB DDK

T965	FRAME	Aluminium Hydroforming 6061	CASSETTE	11-50T 12 Speed	WHEELS	Torpedo Disc 29x2.40
	FORK	AirFly 120mm	SHIFTING	Shimano Deore 12 Speed	SEAT POST	Aluminium
	GEAR	Shimano Deore RD - M6100 12 Speed	BRAKES	Shimano MT410F Hydraulic Disc Brake	SADDLE	MTB DDK

GEOMETRY



GEOMETRY	S	M	L
A SEAT TUBE LENGTH (mm)	400	450	500
F TOP TUBE HORIZONTAL (mm)	575	605	635
D HEAD TUBE LENGTH (mm)	130	130	140
E SEAT TUBE ANGLE EFFECTIVE (°)	73°	73°	73°
C HEAD TUBE ANGLE (°)	69,5°	69,5°	69,5°
FC FRONT CENTRE (mm)	655	684	715
RC CHAIN STAY LENGTH (mm)	500	490	490
DROP	60	60	60

HIGHLIGHTS

- » BEST IN BATTERY CAPABILITY / PRICE
- » GROUP SET UP

ARES 29

E-HARDTAIL

TECHNO ALUMINIUM HYDROFORMING - HARDTAIL 120 mm

art. 23T961 - 23T966 | color. PURPLE/BLACK - RAINBOW matt-shiny

Please refer to the specs for possible assembling and not to the photo



color. PURPLE/BLACK - RAINBOW matt-shiny

BIKE SPECIFICATIONS

MOTOR	OLI SPORT PLUS 250W - 3,5 kg - 85Nm	BATTERY	630 Wh REMOVIBLE	DISPLAY	OLI LCD - Walking Assistance
--------------	-------------------------------------	----------------	------------------	----------------	------------------------------


T961

FRAME	Aluminium Hydroforming 6061	CASSETTE	Shimano 9 Speed	WHEELS	Torpado Disc 29x2.40
FORK	AirFly 120mm	SHIFTING	Shimano Alivio 9 Speed	SEAT POST	Aluminium
GEAR	Shimano Alivio 9 Speed	BRAKES	Shimano MT410F Hydraulic Disc Brake	SADDLE	MTB DDK

T966

FRAME	Aluminium Hydroforming 6061	CASSETTE	11-50T 12 Speed	WHEELS	Torpado Disc 29x2.40
FORK	AirFly 120mm	SHIFTING	Shimano Deore 12 Speed	SEAT POST	Aluminium
GEAR	Shimano Deore RD - M6100 12 Speed	BRAKES	Shimano MT410F Hydraulic Disc Brake	SADDLE	MTB DDK

GEOMETRY



GEOMETRY	S	M
A SEAT TUBE LENGTH (mm)	400	450
F TOP TUBE HORIZONTAL (mm)	570	600
D HEAD TUBE LENGTH (mm)	130	130
E SEAT TUBE ANGLE EFFECTIVE (°)	73°	73°
C HEAD TUBE ANGLE (°)	69,5°	69,5°
FC FRONT CENTRE (mm)	650	679
RC CHAIN STAY LENGTH (mm)	490	490
DROP	60	60

ARES 29

E-HARDTAIL

HIGHLIGHTS

- » LADY SPECIFIC FRAME
- » COMPACT GEOMETRY
- » BEST IN PRICE / BATTERY CAPACITY



HYPERION 29 E-HARDTAIL

TECHNO ALUMINIUM HYDROFORMING - HARDTAIL 120 mm

art. 24T965M | color. GREY matt - BLUE shiny

Please refer to the specs for possible assembling and not to the photo

NEW
MODEL

BAFANG


630 Wh



color. GREY matt




color. BLUE shiny

HYPERION 29 E-HARDTAIL

BIKE SPECIFICATIONS

MOTOR	BAFANG M410 250W - 80Nm	BATTERY	630 Wh REMOVIBLE	DISPLAY	BAFANG LCD - Walking Assistance
FRAME	Aluminium Hydroforming 6061	CASSETTE	Shimano 11 Speed	WHEELS	Kenda 29x2.40
FORK	Rock Shox Judy 120mm Boost	SHIFTING	Shimano 11 Speed	SEAT POST	Aluminium
GEAR	Shimano Cues 11 Speed	BRAKES	Shimano MT410 Hydraulic Disc Brake	SADDLE	MTB

GEOMETRY



GEOMETRY	S	M	L
A SEAT TUBE LENGTH (mm)	420	450	490
F TOP TUBE HORIZONTAL (mm)	570	605	635
D HEAD TUBE LENGTH (mm)	105	125	141
E SEAT TUBE ANGLE EFFECTIVE (°)	75.5°	75°	74.5°
C HEAD TUBE ANGLE (°)	66°	66°	66°
RC CHAIN STAY LENGTH (mm)	450	450	450
DROP	37	37	37

HIGHLIGHTS

- » NEW DOWNCOUNTRY GEOMETRY
- » 120 mm FRONT FORK
- » PRICE SAVING SET UP
- » MODERN APPEAL

CHRONOS 26 E-HARDTAIL

ALUMINIUM 6061 HYDROFORMING - 9 SPEED

art. 23T950 | color. BLACK/BLUE matt

Please refer to the specs for possible assembling and not to the photo




color. BLACK/BLUE matt

BIKE SPECIFICATIONS

MOTOR	OLI SPORT PLUS 250W - 3,5 kg - 85Nm	BATTERY	504 Wh REMOVIBLE	DISPLAY	OLI LCD - Walking Assistance
FRAME	Aluminium Hydroforming 6061	CASSETTE	Shimano 9 Speed	WHEELS	Torpado Disc 26x2.10
FORK	AirFly 100mm	SHIFTING	Shimano 9 Speed	SEAT POST	Aluminium
GEAR	Shimano Alivio 9 Speed	BRAKES	Shimano MT200 Hydraulic Disc Brake	SADDLE	MTB DDK

GEOMETRY



GEOMETRY	XS
A SEAT TUBE LENGTH (mm)	380
F TOP TUBE HORIZONTAL (mm)	540
D HEAD TUBE LENGTH (mm)	130
E SEAT TUBE ANGLE EFFECTIVE (°)	69°
C HEAD TUBE ANGLE (°)	73°
FC FRONT CENTRE (mm)	617
RC CHAIN STAY LENGTH (mm)	460
DROP	30

HIGHLIGHTS

- » GOOD OFFER FOR YOUNGER RIDERS
- » MODERN APPEAL
- » BEST IN QUALITY / PRICE / BATTERY CAPACITY

POSEIDON 24 E-HARDTAIL

ALUMINIUM 6061 HYDROFORMING - 9 SPEED

art. 23T940 | color. BLACK/ORANGE matt



Please refer to the specs for possible assembling and not to the photo




color. BLACK/ORANGE matt

BIKE SPECIFICATIONS

MOTOR	TONGSHENG 250W - 3,6 kg - 80Nm	BATTERY	504 Wh REMOVIBLE	DISPLAY	TONGSHENG LCD - Walking Assistance
FRAME	Aluminium Hydroforming 6061	CASSETTE	Shimano 9 Speed	TYRES	KENDA 24x2.10
FORK	AirFly 24" 60mm	SHIFTING	Shimano 9 Speed	SEAT POST	Aluminium
GEAR	Shimano Alivio 9 Speed	BRAKES	Shimano MT200 Hydraulic Disc Brake	SADDLE	MTB DDK

GEOMETRY



GEOMETRY	33
A SEAT TUBE LENGTH (mm)	330
F TOP TUBE HORIZONTAL (mm)	515
D HEAD TUBE LENGTH (mm)	140
E SEAT TUBE ANGLE EFFECTIVE (°)	69°
C HEAD TUBE ANGLE (°)	73°
FC FRONT CENTRE (mm)	607
RC CHAIN STAY LENGTH (mm)	415
DROP	10

HIGHLIGHTS

- » SPECIAL KID GEOMETRY
- » SMALL SEAT TUBE
- » BIG CAPACITY
- » HIGH VOLUME TIRES

NOVA FS 27.5

E-SUV

TECHNO ALUMINIUM HYDROFORMING - E-SUV 120 mm

art. 24T985F | color. BORDEAUX shiny - SILK GREY matt

Please refer to the specs for possible assembling and not to the photo

NEW
MODEL

BAFANG


630 Wh



color. BORDEAUX shiny



color. SILK GREY matt


NOVA FS 27.5

E-SUV

BIKE SPECIFICATIONS

MOTOR	BAFANG M410 250W - 80Nm	BATTERY	630 Wh REMOVIBLE	DISPLAY	BAFANG LCD - Walking Assistance
FRAME	Aluminium Hydroforming 6061	REAR SHOX	Suntour Raidon R	RIMS	Torpedo Disc
FORK	AirFly 120mm	CHAINWHEEL	Bafang	TYRES	27.5x2.40
GEAR	Shimano Cues 10 Speed	SHIFTING	Shimano Cues 10 Speed	SEAT POST	Dropper R.L.
CASSETTE	Shimano Cues 10 Speed	BRAKES	Shimano MT200 Hydraulic Disc Brake	SADDLE	Selle Bassano 3Zone

GEOMETRY



GEOMETRY	S	M	L
A SEAT TUBE LENGTH (mm)	430	460	490
F TOP TUBE HORIZONTAL (mm)	570	612	642
D HEAD TUBE LENGTH (mm)	125	148	165
E SEAT TUBE ANGLE EFFECTIVE (°)	76.5°	76°	75°
C HEAD TUBE ANGLE (°)	66°	66°	66°
RC CHAIN STAY LENGTH (mm)	465	465	465
DROP	27	27	27

HIGHLIGHTS

- » MODERN DESIGN
- » COMPLETE URBAN FEATURES
- » BEST IN QUALITY / EQUIPMENT / PRICE



OCEAN 28

E-TRK

ALUMINIUM 6061 - 9 SPEED

art. 24T200 | color. SLATE GREY matt

Please refer to the specs for possible assembling and not to the photo



eBike Systems




color. SLATE GREY matt

BIKE SPECIFICATIONS

MOTOR	OLI SPORT 36V 250W - MID MOTOR 85Nm	BATTERY	36V 14Ah - Integrated DT Battery	DISPLAY	OLI LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 9S	WHEELS	28" - QR9 - Disc Brake
FORK	Suspended AIR FLY 360 RL - 28 - 80 mm	BRAKES	Shimano MT200 Hydraulic Disc	TYRES	Kenda K935 700x45
GEAR	Shimano Cues 9S	STEM	Aluminium Multiset	SIZE	50 - 54

GEOMETRY



GEOMETRY	50	54
A SEAT TUBE LENGTH (mm)	500	540
F TOP TUBE HORIZONTAL (mm)	600	620
D HEAD TUBE LENGTH (mm)	150	160
E SEAT TUBE ANGLE EFFECTIVE (°)	73°	73°
C HEAD TUBE ANGLE (°)	71°	71°
FC FRONT CENTRE (mm)	651	671
RC CHAIN STAY LENGTH (mm)	480	480
DROP	60	60

HIGHLIGHTS

- » INTEGRATED REAR CARRIER
- » MODERN RESTYLING
- » BEST IN CLASS FOR PRICE / QUALITY / BATTERY CAPACITY

DAFNE 28

E-TRK

**NEW
MODEL**



eBike Systems



ALUMINIUM 6061 - 9 SPEED

art. 24T201 | color. LIGHT BLUE matt

Please refer to the specs for possible assembling and not to the photo




color. LIGHT BLUE matt

BIKE SPECIFICATIONS

MOTOR	OLI SPORT 36V 250W - MID MOTOR 85Nm	BATTERY	36V 14Ah - Integrated DT Battery	DISPLAY	OLI LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 9S	WHEELS	28" - QR9 - Disc Brake
FORK	Suspended AIR FLY 320 RL - 28 - 80 mm	BRAKES	Shimano MT200 Hydraulic Disc	TYRES	Kenda K935 700x45
GEAR	Shimano Cues 9S	STEM	Aluminium Multiset	SIZE	44 - 48

GEOMETRY



GEOMETRY	44	48
A SEAT TUBE LENGTH (mm)	440	480
F TOP TUBE HORIZONTAL (mm)	580	595
D HEAD TUBE LENGTH (mm)	150	160
E SEAT TUBE ANGLE EFFECTIVE (°)	73°	73°
C HEAD TUBE ANGLE (°)	70.5°	70.5°
FC FRONT CENTRE (mm)	627	643
RC CHAIN STAY LENGTH (mm)	480	480
DROP	60	60

HIGHLIGHTS

- » INTEGRATED REAR CARRIER
- » MODERN RESTYLING
- » BEST IN CLASS FOR PRICE / QUALITY / BATTERY CAPACITY

EROS 28

ALUMINIUM 6061 - 8 SPEED

art. 23T225 | color. GREY shiny - BLUE matt

Please refer to the specs for possible assembling and not to the photo

E-CITY

NEW
MODEL

ANANDA


460 Wh



color. GREY shiny



color. BLUE matt


EROS 28

E-CITY

BIKE SPECIFICATIONS

MOTOR	ANANDA M60 36V 250W - MID MOTOR 70Nm	BATTERY	36V 12.8Ah - Integrated DT Battery	DISPLAY	ANANDA LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 8S	WHEELS	28" - QR9 - Disc Brake
FORK	Suspended MODE N735F - 28 - 50 mm	BRAKES	Shimano MT200 Hydraulic Disc	TYRES	Kenda K1172 700x45
GEAR	Shimano ALTUS 8S	STEM	Aluminium Multiset	SIZE	50 - 54

GEOMETRY



GEOMETRY	50	54
A SEAT TUBE LENGTH (mm)	500	540
F TOP TUBE HORIZONTAL (mm)	595	610
D HEAD TUBE LENGTH (mm)	170	170
E SEAT TUBE ANGLE EFFECTIVE (°)	72°	72°
C HEAD TUBE ANGLE (°)	71°	71°
FC FRONT CENTRE (mm)	625	640
RC CHAIN STAY LENGTH (mm)	480	480
DROP	60	60

HIGHLIGHTS

- » INTEGRATED REAR CARRIER
- » MODERN RESTYLING
- » BEST IN CLASS FOR PRICE / QUALITY / BATTERY CAPACITY

ALTEA 28

ALUMINIUM 6061 - 8 SPEED

art. 23T226 | color. BRONZE matt - AQUAMARINE shiny - BROWN matt

Please refer to the specs for possible assembling and not to the photo

E-CITY

NEW
MODEL

ANANDA


460 Wh



color. BRONZE matt



color. AQUAMARINE shiny

ALTEA 28

E-CITY




color. BROWN matt

BIKE SPECIFICATIONS

MOTOR	ANANDA M60 36V 250W - MID MOTOR 70Nm	BATTERY	36V 12.8Ah - Integrated DT Battery	DISPLAY	ANANDA LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 8S	WHEELS	28" - QR9 - Disc Brake
FORK	Suspended MODE N735F - 28 - 50 mm	BRAKES	Shimano MT200 Hydraulic Disc	TYRES	Kenda K1172 700x45
GEAR	Shimano ALTUS 8S	STEM	Aluminium Multiset	SIZE	44 - 48

GEOMETRY



GEOMETRY	44	48
A SEAT TUBE LENGTH (mm)	440	480
F TOP TUBE HORIZONTAL (mm)	595	606
D HEAD TUBE LENGTH (mm)	170	170
E SEAT TUBE ANGLE EFFECTIVE (°)	72°	72°
C HEAD TUBE ANGLE (°)	71°	71°
FC FRONT CENTRE (mm)	625	636
RC CHAIN STAY LENGTH (mm)	480	480
DROP	60	60

HIGHLIGHTS

- » INTEGRATED REAR CARRIER
- » MODERN RESTYLING
- » BEST IN CLASS FOR PRICE / QUALITY / BATTERY CAPACITY

EOLIO 28

E-CITY

ALUMINIUM 6061 - 7 SPEED

art. 23T210 | color. BLACK matt



Please refer to the specs for possible assembling and not to the photo




color. BLACK matt

BIKE SPECIFICATIONS

MOTOR	BEWO 36V 250W - MID MOTOR	BATTERY	36V 13Ah - Integrated DT Battery	DISPLAY	LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 7S	WHEELS	28" - QR9 - Disc Brake
FORK	Suspended HL CH-141 - 28 - 45 mm	BRAKES	Shimano MT200 Hydraulic Disc	TYRES	Kenda K1172 700x45
GEAR	Shimano TY300 7S	STEM	Aluminium Multiset	SIZE	50

GEOMETRY



GEOMETRY	50
A SEAT TUBE LENGTH (mm)	500
F TOP TUBE HORIZONTAL (mm)	610
D HEAD TUBE LENGTH (mm)	160
E SEAT TUBE ANGLE EFFECTIVE (°)	73°
C HEAD TUBE ANGLE (°)	71°
FC FRONT CENTRE (mm)	659
RC CHAIN STAY LENGTH (mm)	460
DROP	60

ERA 28 E-CITY

ALUMINIUM 6061 - 7 SPEED

art. 23T211 | color. BLACK matt



Please refer to the specs for possible assembling and not to the photo




color. BLACK matt

BIKE SPECIFICATIONS

MOTOR	BEWO 36V 250W - MID MOTOR	BATTERY	36V 13Ah - Integrated DT Battery	DISPLAY	LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 7S	WHEELS	28" - QR9 - Disc Brake
FORK	Suspended HL CH-141 - 28 - 45 mm	BRAKES	Shimano MT200 Hydraulic Disc	TYRES	Kenda K1172 700x45
GEAR	Shimano TY300 7S	STEM	Aluminium Multiset	SIZE	44

GEOMETRY



GEOMETRY	44
A SEAT TUBE LENGTH (mm)	440
F TOP TUBE HORIZONTAL (mm)	600
D HEAD TUBE LENGTH (mm)	190
E SEAT TUBE ANGLE EFFECTIVE (°)	72°
C HEAD TUBE ANGLE (°)	71°
FC FRONT CENTRE (mm)	637
RC CHAIN STAY LENGTH (mm)	460
DROP	60

HIGHLIGHTS

- » SUPER LOW TOP TUBE DESIGN
- » ENTRY LEVEL E-BIKE FOR DAILY USE

APOLLO 28

ALUMINIUM 6061 - 7 SPEED

art. 23T245 | color. BLUE matt - GREY matt - BLACK matt

Please refer to the specs for possible assembling and not to the photo

E-CITY



color. BLUE matt



color. GREY matt

APOLLO 28

E-CITY




color. BLACK matt - ONLY SIZE 54

BIKE SPECIFICATIONS

MOTOR	36V 250W - REAR HUB MOTOR	BATTERY	36V 13Ah - Integrated DT Battery	DISPLAY	LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 7S	WHEELS	28" - QR9 - Disc Brake
FORK	Suspended MODE N735F - 28 - 50 mm	BRAKES	Shimano MT200 Hydraulic Disc	TYRES	Kenda K1172 700x45
GEAR	Shimano TY300 7S	STEM	Aluminium Multiset	SIZE	50 - 54

GEOMETRY



GEOMETRY	50	54
A SEAT TUBE LENGTH (mm)	500	540
F TOP TUBE HORIZONTAL (mm)	615	625
D HEAD TUBE LENGTH (mm)	170	170
E SEAT TUBE ANGLE EFFECTIVE (°)	72°	72°
C HEAD TUBE ANGLE (°)	71°	71°
FC FRONT CENTRE (mm)	644	654
RC CHAIN STAY LENGTH (mm)	470	470
DROP	65	65

HIGHLIGHTS

- » EASY MAINTENANCE REAR MOTOR
- » ENTRY LEVEL E-BIKE FOR ALL USERS

IRIS 28

E-CITY

ALUMINIUM 6061 - 7 SPEED

art. 23T240 | color. GREY shiny



Please refer to the specs for possible assembling and not to the photo




color. GREY shiny

BIKE SPECIFICATIONS

MOTOR	36V 250W - REAR HUB MOTOR	BATTERY	36V 13Ah - Rear Carrier Battery	DISPLAY	LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 7S	WHEELS	28" - QR9 - Disc Brake
FORK	Suspended HL CH-141 - 28 - 45 mm	BRAKES	Shimano MT200 Hydraulic Disc	TYRES	Kenda K1172 700x45
GEAR	Shimano TY300 7S	STEM	Aluminium Multiset	SIZE	44

GEOMETRY



GEOMETRY	44
A SEAT TUBE LENGTH (mm)	440
F TOP TUBE HORIZONTAL (mm)	610
D HEAD TUBE LENGTH (mm)	170
E SEAT TUBE ANGLE EFFECTIVE (°)	73°
C HEAD TUBE ANGLE (°)	71°
FC FRONT CENTRE (mm)	644
RC CHAIN STAY LENGTH (mm)	465
DROP	65

ETHER 28

E-CITY

ANANDA



MONOTUBE ALUMINIUM 6061 - 7 SPEED

art. 23T270 | color. SILVER matt

Please refer to the specs for possible assembling and not to the photo




color. SILVER matt

BIKE SPECIFICATIONS

MOTOR ANANDA M60 36V 250W - MID MOTOR 70 Nm **BATTERY** 36V 12.8Ah - Integrated DT Battery **DISPLAY** ANANDA LCD - Walking Assistance

FRAME Aluminium 6061 **SHIFTING** Shimano 7S **WHEELS** 28" - QR9 - Disc Brake
FORK Suspended AIR FLY 330 ML 28 80 mm **BRAKES** Shimano MT200 Hydraulic Disc **TYRES** Kenda K1172 700x45
GEAR Shimano TY300 7S **STEM** Aluminium Multiset **SIZE** 48

GEOMETRY



GEOMETRY 48

A SEAT TUBE LENGTH (mm)	480
F TOP TUBE HORIZONTAL (mm)	625
D HEAD TUBE LENGTH (mm)	180
E SEAT TUBE ANGLE EFFECTIVE (°)	71°
C HEAD TUBE ANGLE (°)	70°
FC FRONT CENTRE (mm)	662
RC CHAIN STAY LENGTH (mm)	480
DROP	65

HIGHLIGHTS

- » MONOTUBE DESIGN
- » GOOD HANDLING WITH CENTRAL DRIVE UNIT

VENERE 28

E-CITY

MONOTUBE ALUMINIUM 6061 - 7 SPEED

art. 23T268 | color. BLACK matt - WHITE matt - CREAM matt



Please refer to the specs for possible assembling and not to the photo



color. BLACK matt



color. WHITE matt

VENERE 28 E-CITY




color. CREAM matt

BIKE SPECIFICATIONS

MOTOR	36V 250W - REAR HUB MOTOR	BATTERY	36V 13Ah - Integrated DT Battery	DISPLAY	LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 7S	WHEELS	28" - QR9 - Disc Brake
FORK	Suspended MODE N735F - 50 mm	BRAKES	Shimano MT200 Hydraulic Disc	TYRES	Kenda K1172 700x45
GEAR	Shimano TY300 7S	STEM	Aluminium Multiset	SIZE	46

GEOMETRY



GEOMETRY 46

A SEAT TUBE LENGTH (mm)	460
F TOP TUBE HORIZONTAL (mm)	615
D HEAD TUBE LENGTH (mm)	170
E SEAT TUBE ANGLE EFFECTIVE (°)	72°
C HEAD TUBE ANGLE (°)	71°
FC FRONT CENTRE (mm)	644
RC CHAIN STAY LENGTH (mm)	470
DROP	65

HIGHLIGHTS

- » EASY MAINTENANCE REAR MOTOR
- » ENTRY LEVEL E-BIKE FOR ALL USERS
- » INTEGRATED REAR CARRIER

VENUS 26

E-CITY

MONOTUBE ALUMINIUM 6061 - 7 SPEED

art. 23T260 | color. BLACK matt - WHITE matt



Please refer to the specs for possible assembling and not to the photo



color. BLACK matt



color. WHITE matt


VENUS 26

E-CITY

BIKE SPECIFICATIONS

MOTOR	36V 250W - REAR HUB MOTOR	BATTERY	36V 13Ah - Integrated DT Battery	DISPLAY	LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 7S	WHEELS	26" - QR9 - V-Brake
FORK	Rigid Steel	BRAKES	V-Brake	TYRES	Vee Rubber 26x1.95
GEAR	Shimano TY300 7S	STEM	Aluminium Multiset	SIZE	44

GEOMETRY



GEOMETRY	44
A SEAT TUBE LENGTH (mm)	440
F TOP TUBE HORIZONTAL (mm)	600
D HEAD TUBE LENGTH (mm)	170
E SEAT TUBE ANGLE EFFECTIVE (°)	72°
C HEAD TUBE ANGLE (°)	71°
FC FRONT CENTRE (mm)	645
RC CHAIN STAY LENGTH (mm)	450
DROP	45

HIGHLIGHTS

- » GOOD OFFER FOR YOUNGER RIDERS
- » EASY MAINTENANCE REAR HUB MOTOR

DEA MM 27.5 E-CITY

ALUMINIUM 6061 - 7 SPEED

art. 24T275M | color. DARK GREY shiny

Please refer to the specs for possible assembling and not to the photo



BAFANG




color. DARK GREY shiny

BIKE SPECIFICATIONS

MOTOR BAFANG M210 36V 250W - MID MOTOR 65Nm **BATTERY** 36V 17.5Ah - Integrated DT Battery **DISPLAY** BAFANG E165 LCD - Integrated on the frame

FRAME Aluminium 6061 **SHIFTING** Shimano 7S **WHEELS** 27.5 - QR9 - Disc
FORK Suspended AirFly 330 AMS-HL-T-27.5 **BRAKES** Shimano MT200 Hydraulic Disc **TYRES** Kenda K1052 27.5x2.2
GEAR Shimano NEXUS 7s **STEM** Aluminium Multiset with integrated cable system **SIZE** 44 - 50

GEOMETRY



GEOMETRY	44	50
A SEAT TUBE LENGTH (mm)	440	500
F TOP TUBE HORIZONTAL (mm)	600	610
D HEAD TUBE LENGTH (mm)	150	170
E SEAT TUBE ANGLE EFFECTIVE (°)	73°	73°
C HEAD TUBE ANGLE (°)	71°	71°
FC FRONT CENTRE (mm)	651	661
RC CHAIN STAY LENGTH (mm)	485	485
DROP	62	62

DEA MM 27.5

E-CITY

HIGHLIGHTS

- » MODERN APPEAL
- » MODERN GEOMETRY
- » INTEGRATED DISPLAY
- » BIG BATTERY CAPACITY FOR DAILY USE



DEA RM 27.5

E-CITY

ALUMINIUM 6061

art. 24T275R | color. SILK GREY matt

Please refer to the specs for possible assembling and not to the photo

NEW
MODEL

BAFANG

630 Wh



color. SILK GREY matt

BIKE SPECIFICATIONS

MOTOR BAFANG H700 36V 250W - REAR HUB MOTOR 40Nm **BATTERY** 36V 17.5Ah - Integrated DT Battery **DISPLAY** BAFANG E165 LCD - Integrated on the frame

24T275RH

FRAME Aluminium 6061
FORK Suspended AirFly 330 AMS-HL-T-27.5
GEAR Dual Speed inside the motor
SHIFTING Automatic
BRAKES Shimano MT200 Hydraulic Disc
STEM Aluminium Multiset with integrated cable system
WHEELS 27.5 - QR9 - Disc
TYRES Kenda K1052 27.5x2.2
 44 - 50

BIKE SPECIFICATIONS


MOTOR BAFANG G020 36V 250W - REAR HUB MOTOR 45Nm **BATTERY** 36V 17.5Ah - Integrated DT Battery **DISPLAY** BAFANG E165 LCD - Integrated on the frame

24T275RG

FRAME Aluminium 6061
FORK Suspended AirFly 330 AMS-HL-T-27.5
GEAR Shimano CUES 9 speed
SHIFTING Shimano 9s
BRAKES Shimano MT200 Hydraulic Disc
STEM Aluminium Multiset with integrated cable system
WHEELS 27.5 - QR9 - Disc
TYRES Kenda K1052 27.5x2.2
SIZE 44 - 50

DEA RM 27.5 *E-CITY*

GEOMETRY



GEOMETRY	44	50
A SEAT TUBE LENGTH (mm)	440	500
F TOP TUBE HORIZONTAL (mm)	600	610
D HEAD TUBE LENGTH (mm)	150	170
E SEAT TUBE ANGLE EFFECTIVE (°)	73°	73°
C HEAD TUBE ANGLE (°)	71°	71°
FC FRONT CENTRE (mm)	651	661
RC CHAIN STAY LENGTH (mm)	485	485
DROP	62	62

HIGHLIGHTS

- » MODERN APPEAL
- » MODERN GEOMETRY
- » INTEGRATED DISPLAY
- » BIG BATTERY CAPACITY FOR DAILY USE
- » AUTOMATIC SHIFTING SYSTEM



ROMA V2 28

E-CITY

ALUMINIUM 6061

art. 24T273V2 | color. DARK GREY shiny

Please refer to the specs for possible assembling and not to the photo

NEW
MODEL

BAFANG

252 Wh



color. GREY shiny


BIKE SPECIFICATIONS

MOTOR BAFANG G020 36V 250W - REAR HUB MOTOR 40Nm **BATTERY** 36V 7Ah - Integrated DT Battery **DISPLAY** BAFANG DP E171 - Integrated on the frame

FRAME	Aluminium 6061	SHIFTING	Shimano DS RV400-7R	WHEELS	28" black rims
FORK	Suspended CH141	BRAKES	Shimano MT200 Hydraulic Disc	TYRES	700x40 Kenda K1172
GEAR	Shimano TY300 7 speed	STEM	Quill type black	SIZE	46

ROMA V2 28 *E-CITY*

GEOMETRY



GEOMETRY	M
A SEAT TUBE LENGTH (mm)	460
F TOP TUBE HORIZONTAL (mm)	605
D HEAD TUBE LENGTH (mm)	150
E SEAT TUBE ANGLE EFFECTIVE (°)	73°
C HEAD TUBE ANGLE (°)	71°
FC FRONT CENTRE (mm)	648
RC CHAIN STAY LENGTH (mm)	460
DROP	60

HIGHLIGHTS

- » MODERN APPEAL
- » MODERN GEOMETRY
- » INTEGRATED DISPLAY
- » INTEGRATED CABLE ROUTING ON DT AND ON THE REAR CARRIER
- » LIGHTWEIGHT E-BIKE
- » INTEGRATED THIN BATTERY
- » INTEGRATED REAR CARRIER DESIGN



AFRODITE 26

E-CITY

ALUMINIUM 6061 - 7 SPEED

art. 23T250 | color. GREY matt - BLACK matt



Please refer to the specs for possible assembling and not to the photo



color. GREY matt




color. BLACK matt

AFRODITE 26 *E-CITY*

BIKE SPECIFICATIONS

MOTOR	36V 250W - REAR HUB MOTOR	BATTERY	36V 13Ah - Rear Carrier Battery	DISPLAY	LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 7S	WHEELS	26" - QR9 - V-Brake
FORK	Suspended MODE N721X	BRAKES	V-Brake	TYRES	Vee Rubber 26x1.95
GEAR	Shimano TY300 7S	STEM	Aluminium Multiset	SIZE	46

GEOMETRY



GEOMETRY	46
A SEAT TUBE LENGTH (mm)	460
F TOP TUBE HORIZONTAL (mm)	590
D HEAD TUBE LENGTH (mm)	150
E SEAT TUBE ANGLE EFFECTIVE (°)	72°
C HEAD TUBE ANGLE (°)	69°
FC FRONT CENTRE (mm)	460
RC CHAIN STAY LENGTH (mm)	450
DROP	35



ISIDE 28

ALUMINIUM 6061 - 7 SPEED

art. 23T241 | color. DARK GREY shiny

E-CITY



Please refer to the specs for possible assembling and not to the photo




color. DARK GREY shiny

BIKE SPECIFICATIONS

MOTOR	36V 250W - REAR HUB MOTOR	BATTERY	36V 13Ah - Rear Carrier Battery	DISPLAY	LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 7S	WHEELS	28" - QR9 - Disc Brake
FORK	Suspended HL CH-141 - 28-45 mm	BRAKES	Shimano MT200 Hydraulic Disc	TYRES	Kenda K1172 700x45
GEAR	Shimano TY300 7S	STEM	Aluminium Multiset	SIZE	44

GEOMETRY



GEOMETRY	44
A SEAT TUBE LENGTH (mm)	440
F TOP TUBE HORIZONTAL (mm)	640
D HEAD TUBE LENGTH (mm)	200
E SEAT TUBE ANGLE EFFECTIVE (°)	70°
C HEAD TUBE ANGLE (°)	69°
FC FRONT CENTRE (mm)	673
RC CHAIN STAY LENGTH (mm)	472
DROP	60

GAIA 26

E-CITY



ALUMINIUM 6061 - 7 SPEED

art. 23T215 | color. BLACK matt

Please refer to the specs for possible assembling and not to the photo




color. BLACK matt

BIKE SPECIFICATIONS

MOTOR	36V 250W - REAR HUB MOTOR	BATTERY	36V 13Ah - Rear Carrier Battery	DISPLAY	LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 7S	WHEELS	26" - QR9 - Disc Brake
FORK	Rigid Steel	BRAKES	Shimano MT200 Hydraulic Disc	TYRES	Vee Rubber 26x1.95
GEAR	Shimano TY300 7S	STEM	Aluminium Multiset	SIZE	44

GEOMETRY



GEOMETRY	44
A SEAT TUBE LENGTH (mm)	440
F TOP TUBE HORIZONTAL (mm)	600
D HEAD TUBE LENGTH (mm)	180
E SEAT TUBE ANGLE EFFECTIVE (°)	67°
C HEAD TUBE ANGLE (°)	69°
FC FRONT CENTRE (mm)	670
RC CHAIN STAY LENGTH (mm)	440
DROP	40

BORA 20 FAT E-FOLDING

ALUMINIUM 6061 FOLDING - 7 SPEED

art. 23T305 | color. BLACK matt



Please refer to the specs for possible assembling and not to the photo




color. BLACK matt

BIKE SPECIFICATIONS

MOTOR	36V 250W - REAR HUB MOTOR	BATTERY	36V 14Ah - Integrated DT Battery	DISPLAY	LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 7S	WHEELS	20" FAT - QR9 - Disc Brake
FORK	Rigid Aluminium	BRAKES	Shimano MT200 Hydraulic Disc	TYRES	CST C1752 20x4.0
GEAR	Shimano TY300 7S	STEM	Foldable		

GEOMETRY



GEOMETRY	38
A SEAT TUBE LENGTH (mm)	380
F TOP TUBE HORIZONTAL (mm)	615
D HEAD TUBE LENGTH (mm)	140
E SEAT TUBE ANGLE EFFECTIVE (°)	73.5°
C HEAD TUBE ANGLE (°)	70°
FC FRONT CENTRE (mm)	668
RC CHAIN STAY LENGTH (mm)	485
DROP	30

HIGHLIGHTS

- » FOLDABLE FAT BIKE
- » STYLISH APPEAL
- » SUPER COMFORT SENSATION
- » INTEGRATED BATTERY
- » INTEGRATED REAR CARRIER

MOJAVE PLUS 20 FAT E-FOLDING

ALUMINIUM 6061 FOLDING - 8 SPEED

art. 23T300 | color. BLACK matt

Please refer to the specs for possible assembling and not to the photo

BAFANG




color. BLACK matt

BIKE SPECIFICATIONS

MOTOR	BAFANG 36V 250W - REAR HUB MOTOR	BATTERY	36V 14.5Ah - Integrated DT Battery	DISPLAY	LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 8S	WHEELS	20" FAT - QR9 - Disc Brake
FORK	Rigid Aluminium	BRAKES	Shimano MT200 Hydraulic Disc	TYRES	CST C1752 20x4.0
GEAR	Shimano TY300 8S	STEM	Foldable		

GEOMETRY



GEOMETRY	31
A SEAT TUBE LENGTH (mm)	310
F TOP TUBE HORIZONTAL (mm)	638
D HEAD TUBE LENGTH (mm)	170
E SEAT TUBE ANGLE EFFECTIVE (°)	72.5°
C HEAD TUBE ANGLE (°)	72°
FC FRONT CENTRE (mm)	706
RC CHAIN STAY LENGTH (mm)	440
DROP	43.5

HIGHLIGHTS

- » FOLDABLE FAT BIKE
- » STYLISH APPEAL
- » SUPER COMFORT SENSATION
- » INTEGRATED BATTERY

EXPLORER 20 E-FOLDING

ALUMINIUM 6061 FOLDING - 6 SPEED

art. 23T350 | color. DARK GREY matt



Please refer to the specs for possible assembling and not to the photo




color. DARK GREY matt

BIKE SPECIFICATIONS

MOTOR	36V 250W - REAR HUB MOTOR	BATTERY	36V 10Ah - Integrated DT Battery	DISPLAY	LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 6S	WHEELS	20" - QR9 - V-Brake
FORK	Rigid Steel	BRAKES	V-Brake	TYRES	Vee Rubber 20x1.75
GEAR	Shimano TY21 6S	STEM	Foldable		

GEOMETRY



GEOMETRY	31
A SEAT TUBE LENGTH (mm)	310
F TOP TUBE HORIZONTAL (mm)	625
D HEAD TUBE LENGTH (mm)	110
E SEAT TUBE ANGLE EFFECTIVE (°)	73°
C HEAD TUBE ANGLE (°)	73°
FC FRONT CENTRE (mm)	644
RC CHAIN STAY LENGTH (mm)	400
DROP	40

EXPLORER 20 *E-FOLDING*

HIGHLIGHTS

- » FOLDABLE COMPACT E-BIKE
- » LIGHT WEIGHT
- » EASY HANDLING
- » INTEGRATED BATTERY



LYBRA 20

E-FOLDING

ALUMINIUM 6061 FOLDING - 6 SPEED

art. 23T286 | color. BLACK matt - GREY matt



Please refer to the specs for possible assembling and not to the photo



color. BLACK matt



color. GREY matt


LYBRA 20

E-FOLDING

BIKE SPECIFICATIONS

MOTOR	36V 250W - FRONT HUB MOTOR	BATTERY	36V 10.4Ah - Rear Carrier Battery	DISPLAY	LCD - Walking Assistance
FRAME	Aluminium 6061	SHIFTING	Shimano 6S	WHEELS	20" - Open Typs - V-Brake
FORK	Rigid Steel	BRAKES	V-Brake	TYRES	Vee Rubber 20x1.75
GEAR	Shimano TY21 6S	STEM	Foldable		

GEOMETRY



GEOMETRY

GEOMETRY	38
A SEAT TUBE LENGTH (mm)	370
F TOP TUBE HORIZONTAL (mm)	604
D HEAD TUBE LENGTH (mm)	160
E SEAT TUBE ANGLE EFFECTIVE (°)	71°
C HEAD TUBE ANGLE (°)	71°
FC FRONT CENTRE (mm)	650
RC CHAIN STAY LENGTH (mm)	375
DROP	25

HIGHLIGHTS

- » EASY MAINTENANCE FRONT HUB MOTOR
- » FOLDABLE
- » LIGHT WEIGHT E-BIKE
- » PRICE SAVING

VOYAGER 16

E-FOLDING

ALUMINIUM 6061 FOLDING

art. 21T285 | color. DARK GREY matt



Please refer to the specs for possible assembling and not to the photo



color. DARK GREY matt

BIKE SPECIFICATIONS

MOTOR	36V 250W - REAR HUB MOTOR	BATTERY	36V 7.8Ah - Seat Post Battery	DISPLAY	LCD - Walking Assistance
FRAME	Aluminium Foldable 16"	BRAKES	Disc Brake	WHEELS	16" - Double Wall
FORK	Rigid Steel 16"	STEM	Foldable	TYRES	16x2.10



VOYAGER 16

E-FOLDING

