

DEALER BOOK

20
25



www.head-bike.com

FULL SUSPENSION

HEAD®

Adapt Edge Team **1**

Adapt Edge 3.0 **2**

Adapt Edge 2.0 **3**

Adapt Edge 1.0 **4**

HEAD®

Adapt Edge Team



Short info:

- full carbon frame with 100/120mm of travel
- Suntour front and rear suspension with twinlever
- NEW HBC RRX wheelset with carbon rims and straight spokes
- Sram GX AXS T-type EAGLE 12s
- dropper seatpost

Specification:

frame	Carbon TPR 100/120mm travel
sizes	42/45/49/52 cm
fork	Suntour AXON 34 WERX Twinlever 120mm of travel
rear shock	Suntour RS25-EDGE-EVO R-2CR Trunion, 165x45; Twinlever
headset	Carbon combo
shifters	SRAM AXS
front derailleur	-
rear derailleur	Sram GX AXS T-type EAGLE 12s
cassette	Sram GX XS 1275. T-TYPE, 10-52T
crankset	Sram GX AXS DUB Eagle T Type ; B148; carbon; 175mm; 34z
chain	Sram GX T-TYPE 12sp
brakes	Sram SRAM Level Bronze 180/180mm
front hub	HBC straight spokes 110x12mm
rear hub	HBC straight spokes 148x12mm
rims	HBC RRX Carbon 28H
tires	Schwalbe Racing Ray EVO/Racing Ralph EVO 29x2.25"
handlebar	Carbon combo 740 mm
stem	Carbon combo
seatpost	Kind Shock Lev-Si 350/31.6mm, 100mm travel
saddle	VELO VL-1A85 F24 CrN/TiAlloy
pedals	-

ID	24002
color	white/blue

Geometry:

	44	48	52
top tube horizontal	600	627	661
seat tube	445	483	520
head tube length	95	105	115
bottom bracket drop	51	51	51
seat tube angle	74	74	74
head tube angle	69	69	69
fork length	500	500	500
reach	432	457	488
stack	584	594	603
wheelbase	1124	1152	1187
chainstay	435	435	435

Adapt Edge 3.0



Short info:

- full carbon frame with 100/120 mm of travel
- Rockshox front and rear suspension with twinlever
- NEW HBC RRX wheelset with carbon rims and straight spokes
- Sram GX AXS 1x12 drivetrain
- dropper seatpost

Specification:

frame	Carbon TPR 100/120 mm travel
sizes	42/45/49/52 cm
fork	Rockshox FS SID SL BSE2 RMT 29 SB 110 mm
rear shock	Rockshox RS SID S+ Q2 165X45
headset	Integrated
shifters	Sram AXS 1x12
front derailleur	-
rear derailleur	Sram GX AXS Eagle 12 speed
cassette	CS XS 1275 T-TYPE 10-52 DPG
crankset	GX AXS DUB Eagle T Type ; B148; carbon; 175mm; 34z
chain	Sram CN GXT-TYPE 116 LINK
brakes	Sram Level Bronze 180/160mm
front hub	HBC straight spokes 110x12mm
rear hub	HBC straight spokes 148x12mm
rims	29" XC RRX TL Carbon/ 28h
tires	Schwalbe Racing Ray EVO/Racing Ralph EVO 29x2.25"
handlebar	Carbon combo
stem	Carbon combo
seatpost	Kind Shock Lev-Si 350/31.6mm, 100mm travel
saddle	VELO VL-1A85/CrN/TiAlloy
pedals	-

ID	24002
color	black metallic/gold metallic

Geometry:

	44	48	52
top tube horizontal	600	627	661
seat tube	445	483	520
head tube length	95	105	115
bottom bracket drop	51	51	51
seat tube angle	74	74	74
head tube angle	69	69	69
fork length	500	500	500
reach	432	457	488
stack	584	594	603
wheelbase	1124	1152	1187
chainstay	435	435	435

Adapt Edge 2.0



Short info:	
-	Full carbon frame with 100mm of travel
-	Rock Shox front and rear suspension with oneloc FullSprint
-	Sram GX 1x12 drivetrain
-	Sram Level brakes
-	dropper seatpost

Specification:	
frame	Carbon TPR 100mm travel
sizes	44.5/48.5/52 cm
fork	Rock Shox Recon Gold RL 100mm+oneloc, TPR
rear shock	Rock Shox SID SEL+RO 170x35mm - oneloc FullSprint
headset	FSA HS N0.69
shifters	Sram NX Eagle 1x12
front derailleur	-
rear derailleur	Sram GX Eagle 12 speed
cassette	Sunshine MTB CS-HR12-50 12s
crankset	Sram Descendant 6K DUB 34/175mm
chain	Sram NX Eagle
brakes	Sram Level 180/160mm
front hub	HBC Pro 110x15mm
rear hub	HBC Pro 148x12mm
rim	Weinmann U28 TL 32h
tires	Schwalbe Rocket Ron Performance 29x2.25"
handlebar	HBC Pro 760/35mm R-Film
stem	HBC Pro 70-90/35mm R-Film
seatpost	Kind Shock e20i 375/316mm, 100mm travel
saddle	
pedals	

ID	24004
color	metallic grey/black

Geometry:	44	48	52
top tube horizontal	600	627	661
seat tube	445	483	520
head tube length	95	105	115
bottom bracket drop	51	51	51
seat tube angle	74	74	74
head tube angle	69	69	69
fork length	500	500	500
reach	432	457	488
stack	584	594	603
wheelbase	1124	1152	1187
chainstay	435	435	435

Adapt Edge 1.0



Short info:	
-	fullsuspension alloy frame with 130mm of travel
-	Rock Shox front and rear suspension with oneloc FullSprint
-	Shimano 12 speed drivetrain
-	Clarks M2 brakes
-	dropper seatpost

Specification:	
frame	Alloy 6061 HT, TPR, 130mm travel
sizes	43/47/51 cm
fork	Rock Shox Recon S RL R 140mm, TPR
rear shock	Rock Shox Monarch RT3 200x51mm
headset	Neco H385E
shifters	Shimano Deore SLM6100 1x12
front derailleur	-
rear derailleur	Shimano Deore RDM6100 12 speed
cassette	Shimano Deore CSM6100 10-51
crankset	Shimano FCMT510 32/175mm
chain	Shimano CNM6100
brakes	Clarks M2 180/180mm
front hub	HBC Pro 15x110mm
rear hub	HBC Pro 12x148mm micro spline
rim	Weinmann U28 TL 32h
tires	Schwalbe Rocket Ron Performance 29x2.25"
handlebar	HBC Pro R-Film 760/318mm
stem	HBC Pro R-Film 50/318mm
seatpost	Kind Shock e20i 375/316mm, 100mm travel
saddle	HBC Pro VL-1A36
pedals	-

ID	24005
color	khaki

Geometry:	43	47	51
top tube horizontal	600	619	645
seat tube	426	470	510
head tube length	100	110	125
bottom bracket drop	35	35	35
seat tube angle	69	67	69
head tube angle	67	69	67
fork length	550	550	550
reach	426	442	464
stack	611	620	634
wheelbase	1168	1188	1216
chainstay	443	443	443

MTB ***CARBON***

Trenton Team **5**
Trenton 4.0 **6**
Trenton 3.0 **7**
Trenton 2.0 **8**
Trenton 1.0 **9**



Short info:

- New Toray Carbon frame
- Suntour 29B AXON34 WERX RLR; 100mm; TPR
- NEW HBC RRX wheeset with carbon rims and straight spokes
- Sram XX1 1x12 Eagle drivetrain
- Carbon components

Specification:	
frame	Carbon TPR
sizes	43/48/53 cm
fork	Suntour 29B AXON34 WERX RLR; 100mm; TPR
headset	Carbon combo
shifters	Sram AXS Eagle 1x12
front derailleur	-
rear derailleur	Sram GX EAGLE, AXS, T-TYPE12 speed
cassette	Sram GX XS 1275. T-TYPE, 10-52T
crankset	Sram GX EGL DUB 175mm 34, T-TYPE
chain	Sram GX T-TYPE 12sp Eagle
brakes	Sram LEVEL BRONZE STLH 160/160mm
front hub	HBC Pro 110x15mm straight
rear hub	HBC Pro 148x12mm straight
rims	HBC RRX Carbon 28H
tires	Schwalbe Racing Ray EVO/Racing Ralph EVO 29x2.25"
handlebar	Carbon combo 740 mm
stem	Carbon combo
seatpost	FSA SL-K Drive 400/31.6mm
saddle	VL-1A85 CrN-TiAlloy rail
pedals	-
ID	24100
color	white pearl/blue

Geometry:	43	48	53
top tube horizontal	590	610	630
seat tube	432	482	532
head tube length	110	120	130
bottom bracket drop	63	63	63
seat tube angle	73	73	73
head tube angle	71	71	71
fork length	490	490	490
reach	402	419	436
stack	614	624	633
wheelbase	1085	1106	1120
chainstay	438	438	438



Short info:

- New Toray Carbon frame
- Rock Shox front fork
- Sram AXS Eagle 1x12
- HBC RRX Carbon 28H wheels
- Carbon combo handlebar

Specification:	
frame	Carbon TPR
sizes	38/43/48/53 cm
fork	Rock Shox SID Select RL 100mm+Oneloc, TPR
headset	Carbon combo
shifters	Sram AXS Eagle 1x12
front derailleur	-
rear derailleur	Sram GX EAGLE, AXS, T-TYPE 12 speed
cassette	Sram GX XS 1275. T-TYPE, 10-52T
crankset	Sram GX EGL DUB 175mm 34, T-TYPE
chain	Sram GX T-TYPE 12 speed
brakes	Sram LEVEL BRONZE 160/160mm
front hub	HBC Pro 110x15mm straight
rear hub	HBC Pro 148x12mm straight
rims	HBC RRX Carbon 28H
tires	Schwalbe Racing Ray EVO/Racing Ralph EVO 29x2.25"
handlebar	Carbon combo 740 mm
stem	Carbon combo
seatpost	FSA KFXSBO 400/31.6mm
saddle	VL-1A85 CrN-TiAlloy rail
pedals	-
ID	24101
color	metallic brown/black

Geometry:	43	48	53
top tube horizontal	590	610	630
seat tube	432	482	532
head tube length	110	120	130
bottom bracket drop	63	63	63
seat tube angle	73	73	73
head tube angle	71	71	71
fork length	490	490	490
reach	402	419	436
stack	614	624	633
wheelbase	1085	1106	1120
chainstay	438	438	438

Trenton 3.0



Short info:	
-	New Toray Carbon frame
-	Rock Shox front fork
-	Shimano XT 1x12 drivetrain
-	FSA V-Drive components

Specification:	
frame	Carbon TPR
sizes	43/48/53 cm
fork	Rock Shox Reba RL 100mm+Oneloc, TPR
headset	FSA HS
shifters	Shimano XT SLM8100 1x12 speed
front derailleur	-
rear derailleur	Shimano XT RDM8100 12 speed
cassette	Shimano XT CSM 10-51t
crankset	Shimano XT FCM8100
chain	Shimano XT CNM 8100
brakes	Shimano XT M8100 160/160
front hub	HBC Pro 110x15mm
rear hub	HBC Pro 148x12mm
rims	Weinmann U28 TL 32h
tires	Schwalbe Racing Ray EVO/Racing Ralph EVO 29x2.25"
handlebar	FSA V-Drive 740/31.8mm
stem	FSA V-Drive 80-100/31.8mm
seatpost	FSA K400/31.6mm
saddle	VL-1A85 SS rail
pedals	-
ID	24102
color	metallic grey/black

Geometry:	43	48	53
top tube horizontal	590	610	630
seat tube	432	482	532
head tube length	110	120	130
bottom bracket drop	63	63	63
seat tube angle	73	73	73
head tube angle	71	71	71
fork length	490	490	490
reach	402	419	436
stack	614	624	633
wheelbase	1085	1106	1120
chainstay	438	438	438

Trenton 2.0



Short info:	
-	New Toray Carbon frame
-	Rock Shox front fork
-	Shimano SLX RDM7100 drivetrain
-	HBC Pro R-Film components

Specification:	
frame	Carbon TPR
sizes	43/48/53 cm
fork	Rock Shox Recon Gold RL 100mm+Oneloc, TPR
headset	FSA HS
shifters	Shimano SLX SLM7100 1x12 speed
front derailleur	-
rear derailleur	Shimano SLX RDM7100
cassette	Deore CSM6100 10-51t
crankset	Shimano Deore FCM6100 32t/175mm
chain	KMC X12
brakes	Shimano MT410 160/160
front hub	HBC Pro 110x15mm
rear hub	HBC Pro 148x12mm
rims	Weinmann U28 TL 32h
tires	Schwalbe Rocket Ron Performance 29x2.25"
handlebar	HBC Pro 720/35mm R-Film
stem	HBC Pro 70-100/35mm R-Film
seatpost	HBC Pro 350-400/31.6mm R-Film
saddle	VELO VL-1A85
pedals	-
ID	24103
color	metallic black/grey

Geometry:	43	48	53
top tube horizontal	590	610	630
seat tube	432	482	532
head tube length	110	120	130
bottom bracket drop	63	63	63
seat tube angle	73	73	73
head tube angle	71	71	71
fork length	490	490	490
reach	402	419	436
stack	614	624	633
wheelbase	1085	1106	1120
chainstay	438	438	438

Trenton 1.0



Short info:	
- New Toray Carbon frame	
- Rock Shox Judy S front fork	
- Sram NX 1x12 drivetrain	
- HBC Pro R-Film components	

Specification:	
frame	Carbon TPR
sizes	43/48/53 cm
fork	Rock Shox Judy S TK R 100mm+Poploc, TPR
headset	"WELL" H373M
shifters	Sram SX Eagle 1x12
front derailleur	-
rear derailleur	Sram NX Eagle 12 speed
cassette	Sunshine MTB CS-HR12-50 12s
crankset	Sram NX DUB 34/175mm
chain	Sram SX Eagle
brakes	RUSH BH-M286 160/160mm
front hub	HBC Pro 110x15mm
rear hub	HBC Pro 148x12mm
rims	Weinmann U28 TL 32h
tires	CST Caballero 29x2.25"
handlebar	HBC Pro 720/35mm R-Film
stem	HBC Pro 70-100/35mm R-Film
seatpost	HBC Pro 350-400/31.6mm R-Film
saddle	VL-1A85
pedals	-
ID	24104
color	metallic grey/green

Geometry:		43	48	53
top tube horizontal		590	610	630
seat tube		432	482	532
head tube length		110	120	130
bottom bracket drop		63	63	63
seat tube angle		73	73	73
head tube angle		71	71	71
fork length		490	490	490
reach		402	419	436
stack		614	624	633
wheelbase		1085	1106	1120
chainstay		438	438	438



MTB ALLOY

<i>X-Rubi 4.0</i>	11
<i>X-Rubi 3.0</i>	12
<i>X-Rubi 2.0</i>	13
<i>X-Rubi 2.0</i>	14
<i>X-Rubi 1.0</i>	15
<i>X-Rubi 1.0</i>	16
<i>X-Rubi 1.0</i>	17
<i>Granger</i>	18
<i>Granger</i>	19
<i>Troy 2.0</i>	20
<i>Troy 2.0</i>	21
<i>Troy 1.0</i>	22

X-Rubi 4.0



Short info:

- Alloy heat-treated, triple butted frame with smooth welding
- Rock Shox front fork
- Shimano Deore 1x12 drivetrain
- HBC Pro R-Film components

Specification:

frame	Alloy 6061 HT TB TPR
sizes	44/48/52/56 cm
fork	Rock Shox Judy S TK R 100mm+Poploc, TPR
headset	Neco H385E
shifters	Deore SLM6100; 12s
front derailleur	-
rear derailleur	Shimano Deore RDM6100; 12s
cassette	Sunshine CS-HR12; 12s; 11-50t
crankset	Shimano Deore FCMT511t; 1x12; 32z; 175mm
chain	Shimano 12 speed CNM6100
brakes	Shimano MT200 180/160 mm
front hub	HBC Pro 110x15mm
rear hub	HBC Pro 142x12mm
rims	Weinmann U28 TL 32h
tires	CST Caballero 29x2.25"
handlebar	HBC Pro 720/35mm R-Film
stem	HBC Pro 70-100/35mm R-Film
seatpost	HBC Pro 350-400/31.6mm R-Film
saddle	VELO VL-IC28
pedals	Wellgo M272T DU

Geometry:

	44	48	52	56
top tube horizontal	581	606	615	625
seat tube	440	480	520	560
head tube length	1107	120	130	140
bottom bracket drop	65	65	65	65
seat tube angle	72	72	72	72
head tube angle	70	70	70	70
fork length	515	515	515	515
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1080	1105	1115	1125
chainstay	440	440	440	440

X-Rubi 4.0



X-Rubi 3.0



Short info:	
- Alloy heat-treated, tdouble butted frame	
- Rock Shox front fork	
- Sram SX 1x12 drivetrain	
- HBC Pro components	

Specification:	
frame	Alloy 6061 HT DB TPR
sizes	44/48/52/56 cm
fork	Rock Shox Judy S TK R 100mm+Poploc, TPR
headset	Neco H385E
shifters	Sram SX Eagle 1x12
front derailleur	-
rear derailleur	Sram SX Eagle 12 speed
cassette	Sram PG1210 11-50
crankset	Sram SX DUB 34/175mm
chain	Sram SX Eagle
brakes	Clarks M2 180/160mm
front hub	HBC Pro 100mm
rear hub	HBC Pro 135mm
rim	RRX 32h
tires	CST Caballero 29x2.25"
handlebar	HBC Pro 720/31.8mm
stem	HBC Pro 70-100/31.8mm
seatpost	HBC Pro 350-400/31.6mm
saddle	HBC Pro VL-3381
pedals	Wellgo M272T DU
ID	24107
color	black matt/yellow

Geometry:	44	48	52	56
top tube horizontal	581	606	615	625
seat tube	440	480	520	560
head tube length	1107	120	130	140
bottom bracket drop	65	65	65	65
seat tube angle	72	72	72	72
head tube angle	70	70	70	70
fork length	515	515	515	515
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1080	1105	1115	1125
chainstay	440	440	440	440

X-Rubi 2.0



Short info:	
- Alloy heat-treated, double butted frame	
- Zoom AIR front fork	
- Shimano Deore 2x10 drivetrain	
- HBC Pro components	

Specification:	
frame	Alloy 6061 HT, DB
sizes	44/48/52/56 cm
fork	Zoom Vaxa 32S 860S AIR RL/O RA 100mm
headset	Neco H398
shifters	Shimano Deore SLM4100/5100 2x10
front derailleur	Shimano Deore FDM4100 side-swing
rear derailleur	Shimano Deore RDM4120 10 speed shadow
cassette	Sunshine CS-HR10 11-42
crankset	Prowheel MPL 501; 10s; 36/22t; 175mm
chain	KMC X10
brakes	Clarks M2 180/160
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rim	RRX 32h
tires	CST Caballero 29x2.1"
handlebar	HBC Pro 720/31.8mm
stem	HBC Pro 70-100/31.8mm
seatpost	HBC Pro 350-400/31.6mm
saddle	HBC Pro VI.3381
pedals	Wellgo M272T DU
ID	24108
color	red matt

Geometry:	44	48	52	56
top tube horizontal	568	609	617	626
seat tube	440	480	520	560
head tube length	110	120	130	150
bottom bracket drop	65	65	65	65
seat tube angle	72	72	72	72
head tube angle	70	70	70	70
fork length	515	515	515	515
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1077	1118	1127	1136
chainstay	450	450	450	450

X-Rubi 2.0



Short info:	
- Alloy heat-treated, double butted frame	
- Zoom AIR front fork	
- Shimano Deore 2x10 drivetrain	
- HBC Pro components	

Specification:	
frame	Alloy 6061 HT, DB
sizes	44/48/52/56 cm
fork	Zoom Vaxa 32S 860S AIR RL/O RA 100mm
headset	Neco H398
shifters	Shimano Deore SLM4100/5100 2x10
front derailleur	Shimano Deore FDM4100 side-swing
rear derailleur	Shimano Deore RDM4120 10 speed shadow
cassette	Sunshine CS-HR10 11-36
crankset	Shimano FCM4100 36-26/175mm
chain	KMC X10
brakes	RUSH BH-M286 2piston
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rim	RRX 32h
tires	Impac Smartpac TwinSkin 29x2.1"
handlebar	HBC Pro 720/318mm
stem	HBC Pro 70-100/318mm
seatpost	HBC Pro 350-400/316mm
saddle	HBC Pro VI.3381
pedals	HBC Pro VL-3381Wellgo M272T DU
ID	24108
color	black matt/green

Geometry:	44	48	52	56
top tube horizontal	568	609	617	626
seat tube	440	480	520	560
head tube length	110	120	130	150
bottom bracket drop	65	65	65	65
seat tube angle	72	72	72	72
head tube angle	70	70	70	70
fork length	515	515	515	515
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1077	1118	1127	1136
chainstay	450	450	450	450

X-Rubi 1.0



Short info:	
- Alloy heat-treated, double butted frame	
- Zoom AIR front fork	
- Shimano Alivio/Acera 2x9 drivetrain	
- HBC Pro components	

Specification:	
frame	Alloy 6061 HT, DB
sizes	44/48/52/56 cm
fork	Zoom Vaxa 32S 860S AIR RL/O RA 100mm
headset	Neco H398
shifters	Shimano Alivio SLM3100 2x9
front derailleur	Shimano Acera FDM3120 side-swing
rear derailleur	Shimano Alivio RDM3100 9 speed shadow
cassette	Sunshine CS-HR9 11-36
crankset	Prowheel MPL501 36-22/175mm
chain	KMC X9
brakes	Clarks M2 180/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rim	RRX 32h
tires	CST Caballero 29x2.1"
handlebar	HBC Pro 720/318mm
stem	HBC Pro 70-100/318mm
seatpost	HBC Pro 350-400/316mm
saddle	HBC Pro VL-3381
pedals	Wellgo M272T DU
ID	24109
color	Black matt/orange

Geometry:	44	48	52	56
top tube horizontal	568	609	617	626
seat tube	440	480	520	560
head tube length	110	120	130	150
bottom bracket drop	65	65	65	65
seat tube angle	72	72	72	72
head tube angle	70	70	70	70
fork length	515	515	515	515
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1077	1118	1127	1136
chainstay	450	450	450	450

X-Rubi 1.0



Short info:	
- Alloy heat-treated, double butted frame	
- Zoom AIR front fork	
- Shimano Alivio/Alivio 2x9 drivetrain	
- HBC Pro components	

Specification:	
frame	Alloy 6061 HT, DB
sizes	44/48/52/56 cm
fork	Zoom Vaxa 32S 860S AIR RL/O 100mm
headset	Neco H398
shifters	Shimano Alivio SLM3100 2x9
front derailleur	Shimano Alivio FDM3120 side-swing
rear derailleur	Shimano Alivio RDM3100 9 speed shadow
cassette	Sunshine CS-HR9 11-36
crankset	Prowheel MPL501 36-22/175mm
chain	KMC X9
brakes	Clarks M2 180/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rims	RRX 32h
tires	CST Caballero 29x2.1"
handlebar	HBC Pro 720/318mm
stem	HBC Pro 70-100/318mm
seatpost	HBC Pro 350-400/316mm
saddle	HBC Pro VL-3381
pedals	Wellgo M272T DU
ID	24109
color	green matt

Geometry:	44	48	52	56
top tube horizontal	568	609	617	626
seat tube	440	480	520	560
head tube length	110	120	130	150
bottom bracket drop	65	65	65	65
seat tube angle	72	72	72	72
head tube angle	70	70	70	70
fork length	515	515	515	515
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1077	1118	1127	1136
chainstay	450	450	450	450

X-Rubi 1.0



Short info:	
- Alloy heat-treated, double butted frame	
- Zoom AIR front fork	
- Shimano Alivio/Alivio 2x9 drivetrain	
- HBC Pro components	

Specification:	
frame	Alloy 6061 HT, DB
sizes	44/48/52/56 cm
fork	Zoom Vaxa 32S 860S AIR RL/O 100mm
headset	Neco H398
shifters	Shimano Alivio SLM3100 2x9
front derailleur	Shimano Alivio FDM3120 side-swing
rear derailleur	Shimano Alivio RDM3100 9 speed shadow
cassette	Sunshine CS-HR9 11-36
crankset	Prowheel MPL501 36-22/175mm
chain	KMC X9
brakes	Clarks M2 180/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rims	RRX 32h
tires	CST Caballero 29x2.1"
handlebar	HBC Pro 720/318mm
stem	HBC Pro 70-100/318mm
seatpost	HBC Pro 350-400/316mm
saddle	HBC Pro VL-3381
pedals	Wellgo M272T DU
ID	24109
color	grey matt/yellow

Geometry:	44	48	52	56
top tube horizontal	568	609	617	626
seat tube	440	480	520	560
head tube length	110	120	130	150
bottom bracket drop	65	65	65	65
seat tube angle	72	72	72	72
head tube angle	70	70	70	70
fork length	515	515	515	515
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1077	1118	1127	1136
chainstay	450	450	450	450

Granger



Short info:

- Alloy heat-treated, double butted frame
- Zoom front fork
- Shimano 2x9 drivetrain
- HBC components

Specification:

frame	Alloy 6061 HT, DB
sizes	42/47/52/56 cm
fork	Zoom Vaxa 30S 595S AMS HLO 100mm
headset	Neco H148M
shifters	Shimano SLM2010
front derailleur	Shimano Altus FDM2020; 34,9mm; top swing
rear derailleur	Shimano Altus RDM370; 9 speed
cassette	Sunrace CSM90 11-34
crankset	Shimano Altus MT101; 36/22t; 175mm
chain	KMC X9
brakes	Clarks Clout 180/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rims	Remerx Top Disc 32h
tires	CST Caballero 29x2.1"
handlebar	HBC 720/318mm
stem	HBC 70-100/318mm
seatpost	HBC 350-400/316mm
saddle	HBC VL-1831
pedals	Wellgo CI27DU

ID	24110
color	grey matt/orange

Geometry:

	42	47	52	56
top tube horizontal	569	610	619	627
seat tube	420	470	520	560
head tube length	95	110	120	130
bottom bracket drop	65	65	65	65
seat tube angle	72	72	72	72
head tube angle	70	70	70	70
fork length	515	515	515	515
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1086	1118	1127	1136
chainstay	450	450	450	450

Granger



Short info:

- Alloy heat-treated, double butted frame
- Zoom front fork
- Shimano 2x9 drivetrain
- HBC components

Specification:

frame	Alloy 6061 HT, DB
sizes	42/47/52/56 cm
fork	Zoom Vaxa 30S 595S AMS HLO 100mm
headset	Neco H148M
shifters	Shimano SLM2010
front derailleur	Shimano Altus FDM2020; 34,9mm; top swing
rear derailleur	Shimano RDM370; 9 speed
cassette	Sunrace CSM90 11-34
crankset	Shimano Altus MT101; 36/22t; 175mm
chain	KMC X9
brakes	Clarks Clout 180/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rims	Remerx Top Disc 32h
tires	CST Caballero 29x2.1"
handlebar	HBC 720/318mm
stem	HBC 70-100/318mm
seatpost	HBC 350-400/316mm
saddle	HBC VL-1831
pedals	Wellgo CI27DU

ID	24110
color	black matt/green

Geometry:

	42	47	52	56
top tube horizontal	569	610	619	627
seat tube	420	470	520	560
head tube length	95	110	120	130
bottom bracket drop	65	65	65	65
seat tube angle	72	72	72	72
head tube angle	70	70	70	70
fork length	515	515	515	515
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1086	1118	1127	1136
chainstay	450	450	450	450

Troy 2.0



Short info:	
- Alloy heat-treated frame	
- Zoom front fork	
- Shimano 2x8 drivetrain	
- HBC components	
- hydraulic disc brakes	

Specification:	
frame	Alloy 6061 HT
sizes	41/46/51 cm
fork	Zoom CH-565D AMS 100mm
headset	Neco H148M
shifters	Shimano STEF505 2x8 speed
front derailleur	Shimano FDM315; 34,9mm
rear derailleur	Shimano RDTX800; 7/8s
cassette	Sunshine CS-HR8; 8s; 11-34
crankset	Prowheel TM-CY01 36-22/175mm
chain	KMC Z8
brakes	Clarks Clout 180/160 mm
front hub	Formula DC20 QR 100mm
rear hub	Formula DC22 QR 135mm
rims	Remerx Dragon 32h
tires	Impac Smartpac 27.5x2.1"
handlebar	HBC 700/318mm
stem	HBC 70-90 /318mm
seatpost	HBC 350/316mm
saddle	HBC VL-1831
pedals	Wellgo LU895DU

ID	24111
color	Black matt/red

Geometry:		41	46	51
top tube horizontal		575	594	606
seat tube		410	460	510
head tube length		110	125	135
bottom bracket drop		40	40	40
seat tube angle		73	73	73
head tube angle		70	70	70
fork length		195	495	495
reach		-	-	-
stack		-	-	-
wheelbase		1075	1095	1108
chainstay		440	440	440

Troy 2.0



Short info:	
- Alloy heat-treated frame	
- Zoom front fork	
- Shimano 2x8 drivetrain	
- HBC components	
- hydraulic disc brakes	

Specification:	
frame	Alloy 6061 HT
sizes	41/46/51 cm
fork	Zoom CH-565D AMS 100mm
headset	Neco H148M
shifters	Shimano STEF505 2x8 speed
front derailleur	Shimano FDM315; 34,9mm
rear derailleur	Shimano RDTX800; 7/8s
cassette	Sunrace CSM55 11-34
crankset	Prowheel TM-CY01 36-22/175mm
chain	KMC Z8
brakes	Clarks Clout 180/160 mmh
front hub	Formula DC20 QR 100mm
rear hub	Formula DC22 QR 135mm
rims	Remerx Dragon 32h
tires	Impac Smartpac 27.5x2.1"
handlebar	HBC 700/318mm
stem	HBC 70-90 /318mm
seatpost	HBC 350/316mm
saddle	HBC VL-1831
pedals	Wellgo LU895DU

ID	24111
color	light grey/green

Geometry:		41	46	51
top tube horizontal		575	594	606
seat tube		410	460	510
head tube length		110	125	135
bottom bracket drop		40	40	40
seat tube angle		73	73	73
head tube angle		70	70	70
fork length		195	495	495
reach		-	-	-
stack		-	-	-
wheelbase		1075	1095	1108
chainstay		440	440	440

Troy 1.0



Short info:

- Alloy heat-treated frame
- Zoom front fork
- Shimano 2x8 drivetrain
- HBC components
- mechanical disc brakes

Specification:

frame	Alloy 6061 HT
sizes	41/46/51 cm
fork	Zoom CH-565D AMS 100mm
headset	Neco H148M
shifters	Shimano STEF500
front derailleur	Shimano FDM315
rear derailleur	Shimano RDTX800; 7/8s
cassette	Sunshine CS-HR8 11-34
crankset	Prowheel TM-CY01 36-22/175mm
chain	KMC Z8
brakes	Tektro M280 mechanical 160/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rims	Remerx Dragon 32h
tires	CST Caballero TIRE 27.5X2.10
handlebar	HBC 700/318mm
stem	HBC 70-90/318mm
seatpost	HBC 350/316mm
saddle	HBC VL-1831
pedals	Wellgo LU895DU

ID	24112
color	blue matt

Geometry:

	41	46	51
top tube horizontal	575	594	606
seat tube	410	460	510
head tube length	110	125	135
bottom bracket drop	40	40	40
seat tube angle	73	73	73
head tube angle	70	70	70
fork length	195	495	495
reach	-	-	-
stack	-	-	-
wheelbase	1075	1095	1108
chainstay	440	440	440

Troy 1.0



MTB ***JOY***

Adapt Edge JOY **23**

Trenton JOY **24**

X-Rubi JOY **25**

Granger **26**

Tacoma 2.0 **27**

Tacoma 1.0 **28**

Adapt Edge JOY



Short info:	
- Full carbon frame with 100mm of travel	
- Rock Shox front and rear suspension with oneloc FullSprint	
- Sram NX 1x12 drivetrain	
- HBC Pro R-Film components	
- hydraulic disc brakes	

Specification:	
frame	Carbon TPR 100mm travel
sizes	44.5/48.5/52 cm
fork	Rock Shox Judy Gold RL 100mm+oneloc, TPR
rear shock	Rock Shox SID Lux Select plus, 165x45mm, Trunion
headset	FSA HS
shifters	Sram SX Eagle 1x12
front derailleur	-
rear derailleur	Sram NX Eagle; 12s
cassette	Sunshine MTB CS-HR12-50 12s
crankset	Sram NX DUB 34/175mm
chain	Sram SX Eagle
brakes	RUSHBH-M286 180/160mm
front hub	HBC Pro 110x15mm
rear hub	HBC Pro 148x12mm
rim	Weinmann U28 TL 32h
tires	Schwalbe Rocket Ron Performance 29x2.25"
handlebar	HBC Pro 760/35mm R-Film
stem	HBC Pro 70-90/35mm R-Film
seatpost	HBC Pro 350-400/31.6mm R-Film
saddle	VL-1A86
pedals	-

ID	24200
color	mint

Geometry:	44	48	52
top tube horizontal	600	627	661
seat tube	445	483	520
head tube length	95	105	115
bottom bracket drop	51	51	51
seat tube angle	74	74	74
head tube angle	69	69	69
fork length	500	500	500
reach	432	457	488
stack	584	594	603
wheelbase	1124	1152	1187
chainstay	435	435	435

Trenton JOY



Short info:	
- New Toray Carbon frame	
- Rock Shox front fork	
- Sram NX 1x12 drivetrain	
- HBC Pro R-Film components	
- hydraulic disc brakes	

Specification:	
frame	Carbon TPR
sizes	43/48/53 cm
fork	Rock Shox Judy S TK R 100mm+Poploc, TPR
headset	FSA Crown Race H2610
shifters	Sram SX Eagle 1x12
front derailleur	-
rear derailleur	Sram NX Eagle 12 speed
cassette	Sunshine MTB CS-HR12-50 12s
crankset	Sram NX DUB 34/175mm
chain	Sram SX Eagle; 1x12
brakes	RUSH BH-M286
front hub	HBC Pro 110x15mm
rear hub	HBC Pro 148x12mm
rim	Weinmann U28 TL 32h
tires	CST Caballero 29x2.25"
handlebar	HBC Pro 720/35mm R-Film
stem	HBC Pro 70-100/35mm R-Film
seatpost	HBC Pro 350-400/31.6mm R-Film
saddle	VL-1A86
pedals	-

ID	24201
color	rose gold - metallic

Geometry:	43	48	53
top tube horizontal	590	610	630
seat tube	432	482	532
head tube length	110	120	130
bottom bracket drop	63	63	63
seat tube angle	73	73	73
head tube angle	71	71	71
fork length	490	490	490
reach	402	419	436
stack	614	624	633
wheelbase	1085	1106	1120
chainstay	438	438	438

X-Rubi JOY



Short info:	
- Alloy heat-treated, double butted frame	
- Zoom Air front fork	
- Shimano Deore 2x10 drivetrain	
- HBC Pro components	
- hydraulic disc brakes	

Specification:	
frame	Alloy 6061 HT, DB
sizes	44/48/52 cm
fork	Zoom Vaxa 32S 860S AIR RL/O RA 100mm
headset	Neco H398
shifters	Shimano Deore SLM4100/5100 2x10
front derailleur	Shimano Deore FDM4100 side-swing
rear derailleur	Shimano Deore RDM4120 10 speed shadow
cassette	Sunshine CS-HR10 11-36
crankset	Shimano FCM4100 36-26/175mm
chain	KMC X10
brakes	Clarks M2 180/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rim	RRX 32h
tires	Impac Smartpac TwinSkin 29x2.1"
handlebar	HBC Pro 720/318mm
stem	HBC Pro 70-90/316mm
seatpost	HBC Pro 350-400/316mm
saddle	HBC VL-4125
pedals	Wellgo M272T DU
ID	24202
color	dark green matt

Geometry:	44	48	52	56
top tube horizontal	568	609	617	626
seat tube	440	480	520	560
head tube length	110	120	130	150
bottom bracket drop	65	65	65	65
seat tube angle	72	72	72	72
head tube angle	70	70	70	70
fork length	515	515	515	515
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1077	1118	1127	1136
chainstay	450	450	450	450

Granger JOY



Short info:	
- Alloy heat-treated, double butted frame	
- Zoom front fork	
- Shimano 2x9 drivetrain	
- HBC components	
- hydraulic disc brakes	

Specification:	
frame	Alloy 6061 HT, DB
sizes	42/47/52/56 cm
fork	Zoom Vaxa 30S 595S AMS HLO 100mm
headset	Neco H148M
shifters	Shimano SLM2010
front derailleur	Shimano Altus FDM2020; 34,9mm; top swing
rear derailleur	Shimano RDM370; 9 speed
cassette	Sunshine CS-HR9 11-36
crankset	Prowheel TN-CY01 36-22/175mmse
chain	KMC X9
brakes	Clarks Clout 180/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rim	Remerx Top Disc 32h
tires	CST Caballero 29X2.10
handlebar	HBC 720/318mm
stem	HBC 70-100/318mm
seatpost	HBC 350-400/316mm
saddle	HBC VL-4125
pedals	Wellgo C127DU
ID	24203
color	grey matt/pink

Geometry:	42	47	52	56
top tube horizontal	569	610	619	627
seat tube	420	470	520	560
head tube length	95	110	120	130
bottom bracket drop	65	65	65	65
seat tube angle	72	72	72	72
head tube angle	70	70	70	70
fork length	515	515	515	515
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1086	1118	1127	1136
chainstay	450	450	450	450

Tacoma 2.0



- Short info:
- Alloy heat-treated frame
 - Zoom front fork
 - Shimano 2x9 drivetrain
 - HBC components
 - hydraulic disc brakes

Specification:	
frame	Alloy 6061 HT
sizes	39/44/48 cm
fork	Zoom Vaxa 30S 595S HLO 100mm
headset	Neco H148M
shifters	Shimano EF505 2x9
front derailleur	Shimano Altus FDM2020; 34,9mm; top swing
rear derailleur	Shimano RDM370; 9speed
cassette	Sunshine CS-HR9 11-36
crankset	Shimano MT101; 36/22t; 175mm
chain	KMC X9
brakes	Clarks Clout 180/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rims	Remerx Top Disc 32h
tires	27,5"CST Caballero TIRE 27.5X2.10
handlebar	HBC 680/31.8mm
stem	HBC 70-100/31.8mm
seatpost	HBC 350-400/31.6mm
saddle	HBC VL-4125
pedals	Wellgo M272T DU

ID	24204
color	blue matt

Geometry:		39	44	48
top tube horizontal		564	577	589
seat tube		390	440	480
head tube length		115	130	130
bottom bracket drop		35	35	35
seat tube angle		73	73	73
head tube angle		71	71	71
fork length		495	495	495
reach		-	-	-
stack		-	-	-
wheelbase		1062	1075	1087
chainstay		435	435	435

Tacoma 2.0





Short info:	
- Alloy heat-treated frame	
- Zoom front fork	
- Shimano 2x8 drivetrain	
- HBC components	

Specification:	
frame	Alloy 6061 HT
sizes	39/44/48 cm
fork	Zoom CH-565D AMS 100mm
headset	Neco H148M
shifters	Shimano STEF500 2x8 Speed
front derailleur	Shimano FDM315; 34,9mm
rear derailleur	Shimano RDTX800; 7/8s
cassette	Sunshine CS-HR8 11-34
crankset	Prowheel TM-CY01 36-22/175mm
chain	KMC Z8
brakes	Tektro C310
front hub	Formula OV31 QR 100mm
rear hub	Formula OV32 QR 135mm
rim	Remerx Dragon 36h
tires	CST Caballero 27,5x2.1"
handlebar	HBC 680/31,8mm
stem	HBC 70-90/31,8mm
seatpost	HBC 350/31,6mm
saddle	HBC VL-4125
pedals	Wellgo LU895T DU
ID	24205
color	light grey/orange

Geometry:		39	44	48
top tube horizontal		562	572	581
seat tube		390	440	480
head tube length		115	125	130
bottom bracket drop		35	35	35
seat tube angle		74	73	73
head tube angle		70	70	70
fork length		495	495	495
reach		-	-	-
stack		-	-	-
wheelbase		1065	1075	1085
chainstay		435	435	435



E-BIKES MTB

HEAD®

<i>Muret 2.0</i>	29
<i>Muret 1.0</i>	30
<i>Muret Trail</i>	31
<i>Durango 2.0</i>	32
<i>Durango 1.5</i>	33
<i>Durango 1.0</i>	34
<i>Durango 1.0 JOY</i>	35
<i>Lagos 2.0</i>	36
<i>Lagos 1.0</i>	37
<i>Lagos 1.0 JOY</i>	38
<i>Lagos Ride</i>	39
<i>Lagos Mud</i>	40
<i>Lagos Spin JOY</i>	41
<i>Granby</i>	42
<i>Granby JOY</i>	43
<i>E-Ridott 26"</i>	44

HEAD®

Muret 2.0



Short info:	
-	New carbon frame with 150mm of travel, integrated cable routing headset
-	Shimano EP801 motor combined with BMZ V10 725Wh battery
-	Rock Shox front and rear suspension
-	Sram 12 speed drivetrain
-	29" wheels

Specification:	
motor	Shimano STePS DUE801
battery	BMZ V10 725Wh
display	Shimano STePS SCEN600
switch	Shimano STePS SWEN600
frame	Full Carbon, full suspension, 150 travel, integrated battery
sizes	44/48/52 cm
fork	Rock Shox ZEB BSE 150mm TPR
rear shock	Rock Shox Deluxe Ultimate RCT 230x60mm
headset	GINEYEA T06
shifters	Sram NX 1x12
rear derailleur	Sram GX 12 speed
cassette	Sram NX PG1230 11-50
crankset	Shimano FCEM600 36/175mm
chain	Sram SX Eagle
brakes	Shimano MT501 203/180mm
front hub	HBC Pro 15x110mm
rear hub	HBC Pro 12x148mm
rim	Weinmann X-A40TL; 32h; FV
tires	Schwalbe Noby Nic 29x2.6" Performance tle
handlebar	FSA V-Drive 740/15/318mm
stem	FSA V-Drive 60/318mm
seatpost	Kind Shock e20i 362/31.6mm – travel 100mm
saddle	HEAD Cr-Mo
pedals	Wellgo M272T DU
chainguide	Shimano STEPS SM-CDE70
ID	24300
color	red/black

All speci cations subject to change without notice

Muret 1.0



Short info:	
-	New carbon frame with 150mm of travel, integrated cable routing headset
-	Shimano EP6 motor combined with BMZ V10 725Wh battery
-	Rock Shox front and rear suspension
-	Shimano 12 speed drivetrain
-	29" wheels

Specification:	
motor	Shimano STePS DUE600
battery	BMZ V10 725Wh
display	Shimano STePS SCEN600
switch	Shimano STePS SWEN600
frame	Full Carbon, full suspension, 150 travel, integrated battery
sizes	44/48/52 cm
fork	Rock Shox 35 G RL 150mm TPR
rear shock	Rock Shox Deluxe Select+ RT 230x60mm
headset	Neco Integrated cable routing
shifters	Sram SX 1x12
rear derailleur	Sram NX 12 speed
cassette	Sunshine CS-HR12 11-50 - alu spider
crankset	Shimano FCEM600 36/175mm
chain	Sram SX Eagle
brakes	Rush BH-M978 4 pistons 203/180mm
front hub	HBC Pro 15x110mm
rear hub	HBC Pro 12x148mm
rim	ERX 29" 32h
tires	Schwalbe Noby Nic 29x2.6" Performance
handlebar	HBC Pro R-Film 760/318mm
stem	HBC Pro R-Film 50-70/318mm
seatpost	Kind Shock e20i 362/31.6mm – travel 100mm
saddle	HEAD Cr-Mo
pedals	Wellgo M272T DU
chainguide	Shimano STEPS SM-CDE70
ID	24301
color	graphite/black

All speci cations subject to change without notice

Muret Trail



Short info:

- Carbon frame with 150mm of travel
- Shimano EP8 motor with 630Wh battery
- Rock Shox front and rear suspension
- Sram 12 speed drivetrain
- Mullet 29/27.5 wheelset

Specification:

motor	Shimano DUEP8
battery	Darfon 630 Wh
display	Shimano STePS SCEN500
switch	Shimano STePS SWE6010h
frame	Full Carbon, full suspension, 150 travel, integrated battery
sizes	44/48/52 cm
fork	Rock Shox 35 G RL 150mm TPR
rear shock	Rock Shox Deluxe Select+ RT 230x60mm
headset	FSA Orbit 15E ZS
shifters	Sram NX 1x12
rear derailleur	Sram GX 12 speed
cassette	SRAM PG1230 11-50
crankset	FSA EP8 36/175mm
chain	Sram GX Eagle
brakes	Clarks M4 180/180mm
front hub	HBC Pro 15x110mm
rear hub	HBC Pro 12x148mm
rims	ERX 29/27.5 32h
tires	Schwalbe Nobby Nic 29x26" 27.5/26" TLE
handlebar	HBC Pro R-Film 760/318mm
stem	HBC Pro R-Film 50-70/318mm
seatpost	Kind Shock e20i 362/316mm – travel 100mm
saddle	Prologo Kappa RS
pedals	Wellgo M272T DU
chainguide	Shimano STEPS SM-CDE70

ID	24302
color	grey/blue

Geometry:

	44	48	52
top tube horizontal	621	656	680
seat tube	440	485	520
head tube length	110	120	135
bottom bracket drop	20	20	20
seat tube angle	75	75	75
head tube angle	66	66	66
fork length	561	561	561
reach	455	485	510
stack	621	634	648
wheelbase	1211	1237	1263
chainstay	459	459	459

Durango 2.0



Short info:

- New alloy heat-treated frame with 150mm of travel, integrated battery
- Shimano EP8 motor combined with BMZ V10 725Wh battery
- Rock Shox front and rear suspension
- Shimano 12 speed drivetrain
- 29" wheels

Specification:

motor	Shimano DUEP8
battery	BMZ V10 725Wh
display	STEPS KSCE7000
switch	STEPS SWE6010
frame	Alloy 6061 full suspension, 150 travel, integrated battery
sizes	43/47/51 cm
fork	Rock Shox 35 G RL 150mm TPR
rear shock	Rock Shox Deluxe Select R 180x55mm
headset	FSA No.57
shifters	Sram NX 1x12
rear derailleur	Sram NX 12 speed
cassette	SRAM PG1230 11-50
crankset	FSA CK-752 36/175mm
chain	Sram NX Eagle
brakes	Clarks M4 180/180
front hub	HBC Pro 15x110mm
rear hub	HBC Pro 12x148mm
rims	ERX 29" 32h
tires	Schwalbe Nobby Nic 29x26" Performance
handlebar	HBC Pro R-Film 760/318mm
stem	HBC Pro R-Film 50-70/318mm
seatpost	Kind Shock ETENi 385/30.9mm – travel 100mm
saddle	HBC Pro VL-3381
pedals	Wellgo M272T DU
chainguide	Shimano STEPS SM-CDE70

ID	24303
color	metallic grey/black

Geometry:

	43	47	51
top tube horizontal	615	635	655
seat tube	430	470	510
head tube length	120	130	140
bottom bracket drop	35	35	35
seat tube angle	69	69	69
head tube angle	68	68	68
fork length	580	580	580
reach	413	430	448
stack	660	669	679
wheelbase	1176	1197	1218
chainstay	450	450	450

Durango 1.5



Short info:	
-	New alloy heat-treated frame with 150mm of travel, integrated battery
-	Shimano E8000 motor combined with BMZ V10 725Wh battery
-	Rock Shox front and rear suspension
-	Shimano Deore 1x11 drivetrain
-	29" wheels

Specification:	
motor	Shimano STePS DUE8000
battery	BMZ V10 725Wh
display	STePS SCE7000
switch	STePS SWE6010
frame	Alloy 6061 full suspension, 150 travel, integrated battery
sizes	43/47/51 cm
fork	Rock Shox Recon Silver RL 150mm TPR
rear shock	Rock Shox Select R trunion 185x55mm
headset	FSA No.57
shifters	Shimano Deore SLM 5100 1x11
rear derailleur	Shimano Deore RDM5120 11 speed
cassette	Sunshine S.C.-HR10 11-42
crankset	Shimano FCE8000 34/175mm
chain	KMC X11e
brakes	Clarks M4 180/180
front hub	HBC Pro 15x110mm
rear hub	HBC Pro 12x148mm
rim	ERX 29" 32h
tires	Schwalbe Nobby Nic 29x2.6"
handlebar	HBC Pro R-Film 760/318mm
stem	HBC Pro R-Film 50-70/318mm
seatpost	Kind Shock ETENi 385/30.9mm – travel 100mm
saddle	HBC Pro VL-3381
pedals	Wellgo M272T DU
chainguide	Shimano STEPS SM-CDE70
ID	24304
color	grey/black

Geometry:	43	47	51
top tube horizontal	615	635	655
seat tube	430	470	510
head tube length	120	130	140
bottom bracket drop	35	35	35
seat tube angle	69	69	69
head tube angle	68	68	68
fork length	580	580	580
reach	413	430	448
stack	660	669	679
wheelbase	1176	1197	1218
chainstay	450	450	450

Durango 1.0



Short info:	
-	New alloy heat-treated frame with 150mm of travel, integrated battery
-	Shimano E7000 motor combined with BMZ V10 725Wh battery
-	Rock Shox front and rear suspension
-	Shimano Deore 1x11 drivetrain
-	29" wheels

Specification:	
motor	Shimano STePS DUE7000
battery	BMZ V10 725Wh
display	STePS SCE7000
switch	STePS SWE6010
frame	Alloy 6061 full suspension, 150 travel, integrated battery
sizes	43/47/51 cm
fork	Rock Shox Recon Silver RL 150mm TPR
rear shock	Rock Shox Select R trunion 185x55mm
headset	FSA No.57
shifters	Shimano Deore SLM 5100 1x11
rear derailleur	Shimano Deore RDM5120 11 speed
cassette	Sunshine S.C.-HR10 11-42
crankset	Shimano FCE8000 34/175mm
chain	KMC X11e
brakes	Clarks M4 180/180
front hub	HBC Pro 15x110mm
rear hub	HBC Pro 12x148mm
rim	ERX 29" 32h
tires	Schwalbe Nobby Nic 29x2.6"
handlebar	HBC Pro R-Film 760/318mm
stem	HBC Pro R-Film 50-70/318mm
seatpost	Kind Shock ETENi 385/30.9mm – travel 100mm
saddle	HBC Pro VL-3381
pedals	Wellgo M272T DU
chainguide	Shimano STEPS SM-CDE70
ID	24304
color	grey/black

Geometry:	43	47	51
top tube horizontal	615	635	655
seat tube	430	470	510
head tube length	120	130	140
bottom bracket drop	35	35	35
seat tube angle	69	69	69
head tube angle	68	68	68
fork length	580	580	580
reach	413	430	448
stack	660	669	679
wheelbase	1176	1197	1218
chainstay	450	450	450

Durango 1.0 JOY



Short info:

- New alloy heat-treated frame with 150mm of travel, integrated battery
- Shimano E7000 motor combined with BMZ V10 725Wh battery
- Rock Shox front and rear suspension
- Shimano Deore 1x11 drivetrain
- 29" wheels

Specification:

motor	Shimano STEPS DUE7000
battery	BMZ V10 725Wh
display	STePS SCE7000
switch	STePS SWE6010
frame	Alloy 6061 full suspension, 150 travel, integrated battery
sizes	43/47/51 cm
fork	Rock Shox Recon Silver RL 150mm TPR
rear shock	Rock Shox Select R trunion 185x55mm
headset	FSA No.57
shifters	Shimano Deore SLM 5100 1x11
rear derailleur	Shimano Deore RDM5120 11 speed
cassette	Sunshine S.C.-HR10 11-42
crankset	Shimano FCE8000 34/175mm
chain	KMC X11e
brakes	Clarks M4 180/180
front hub	HBC Pro 15x110mm
rear hub	HBC Pro 12x148mm
rims	ERX 29" 32h
tires	Schwalbe Nobby Nic 29x2.6"
handlebar	HBC Pro R-Film 760/318mm
stem	HBC Pro R-Film 50-70/318mm
seatpost	Kind Shock ETENi 385/30.9mm – travel 100mm
saddle	HBC Pro VL-3381
pedals	Wellgo M272T DU
chainguide	Shimano STEPS SM-CDE70

ID	24305
color	white/purple

Geometry:

	43	47	51
top tube horizontal	615	635	655
seat tube	430	470	510
head tube length	120	130	140
bottom bracket drop	35	35	35
seat tube angle	69	69	69
head tube angle	68	68	68
fork length	580	580	580
reach	413	430	448
stack	660	669	679
wheelbase	1176	1197	1218
chainstay	450	450	450

Lagos 2.0



Short info:

- NEW Alloy heat-treated frame
- Shimano EP6 motor with 725Wh battery
- Rock Shox Recon front fork
- Sram NX 1x12 drivetrain
- 29" wheels

Specification:

motor	Shimano STEPS DUEP600
battery	BMZ V10 725Wh
display	STEPS SCEN500
switch	STEPS SCEN500
frame	Alloy 6061 HT, TPR, integrated battery
sizes	42/46/51/55cm
fork	Rock Shox Recon S RL 130mm TPR
rear shock	-
headset	Neco H385E
shifters	Shimano Deore SLM6100; 12s
rear derailleur	Shimano Deore RDM6100; 12s
cassette	Sunrace CS-HR12 11-50
crankset	Shimano FCEM600 36/175mm
chain	Shimano CNM6100 12 sp
brakes	RUSH BM-M978 4piston
front hub	HBC Pro 15x110mm
rear hub	HBC Pro 12x148mm
rims	ERX 32h
tires	Schwalbe Nobby Nic Performance 29x2.6"
handlebar	HBC Pro R-Film 760/318mm
stem	HBC Pro R-Film 50-70/318mm
seatpost	HBC Pro R-Film 350-400/31.6mm
saddle	HBC VL-3381
pedals	Wellgo M272T DU
chainguide	-

ID	24309
color	black/red

Geometry:

	42	46	51	55
top tube horizontal	597	612	632	657
seat tube	420	460	510	550
head tube length	150	150	150	150
bottom bracket drop	50	50	50	50
seat tube angle	70	70	70	70
head tube angle	67.5	67.5	67.5	67.5
fork length	540	540	540	540
reach	405	420	440	465
stack	670.6	670.6	670.6	670.6
wheelbase	1172	1172	1172	1172
chainstay	465	465	465	465

Lagos 1.0



Short info:

- NEW Alloy heat-treated frame
- Shimano e7000 motor with 725Wh battery
- Zoom front fork
- Shimano Deore 1x10 drivetrain
- 29" wheels

Specification:

motor	Shimano STEPS DUE7000
battery	BMZ V10 725Wh
display	STEPS SCE5000
switch	STEPS SCE5000
frame	Alloy 6061 HT, TPR, integrated battery
sizes	42/46/51/55cm
fork	Zoom Vaxa 32S 868S AMS HLO 120mm
rear shock	-
headset	Neco H385E
shifters	Shimano Deore SLM4100 1x10
rear derailleur	Shimano Deore RDM 4120 10 speed
cassette	Sunrace CS-HR10 11-42
crankset	Shimano FCE8000 34/175mm
chain	KMC x10e
brakes	Tektro HDM280 180/180mm
front hub	HBC Pro 15x110mm
rear hub	HBC Pro 12x148mm
rims	ERX 32h
tires	Schwalbe Nobby Nic Performance 29x2.6"
handlebar	HBC Pro R-Film 760/31.8mm
stem	HBC Pro R-Film 50-70/31.8mm
seatpost	HBC Pro R-Film 350-400/31.6mm
saddle	HBC VL-4125
pedals	Wellgo M272T DU
chainguide	-
ID	24310
color	olive

All speci cations subject to change without notice

Lagos 1.0 JOY



Short info:

- NEW Alloy heat-treated frame
- Shimano e7000 motor with 725Wh battery
- Zoom front fork
- Shimano Deore 1x10 drivetrain
- 27.5" wheels

Specification:

motor	Shimano STEPS DUE7000
battery	BMZ V10 725Wh
display	STEPS SCE5000
switch	STEPS SCE5000
frame	Alloy 6061 HT, TPR, integrated battery
sizes	42/46/51/55cm
fork	Zoom Vaxa 32S 868S AMS HLO 120mm
rear shock	-
headset	Neco H385E
shifters	Shimano Deore SLM4100 1x10
rear derailleur	Shimano Deore RDM 4120 10 speed
cassette	Sunrace CS-HR10 11-42
crankset	Shimano FCE8000 34/175mm
chain	KMC x10e
brakes	Tektro HDM280 180/180mm
front hub	HBC Pro 15x110mm
rear hub	HBC Pro 12x148mm
rims	ERX 32h
tires	Schwalbe Nobby Nic Performance 27.5x2.6"
handlebar	HBC Pro R-Film 760/31.8mm
stem	HBC Pro R-Film 50-70/31.8mm
seatpost	HBC Pro R-Film 350-400/31.6mm
saddle	HBC VL-4125
pedals	Wellgo M272T DU
chainguide	-
ID	24011
color	light grey/salmon

All speci cations subject to change without notice

Lagos Ride



Short info:	
- Alloy heat-treated frame	
- Shimano e7000 motor with 504Wh battery	
- Rock Shox front fork	
- S-Ride 1x11 speed drivetrain	
- 27.5+ wheelset	

Specification:	
motor	Shimano STEPS DUE7000
battery	Darfon 504Wh
display	STEPS SCE7000
switch	STEPS SWE6010
frame	Alloy 6061 HT, TPR, integrated battery
sizes	42/46/51/55cm
fork	Rock Shox Recon S RL 130mm TPR
rear shock	-
headset	Neco H385E
shifters	S-RIDE SLM410 1x11
rear derailleur	S-RIDE RDM410 11 speed
cassette	Sunrace CS-HR10 11-42
crankset	Shimano FCE8000 36/175mm
chain	KMC x11e
brakes	Clarks M2 180/180mm
front hub	HBC Pro 15x110mm
rear hub	HBC Pro 12x148mm
rim	ERX 32h
tires	Schwalbe Nobby Nic Performance 27.5x2.6"
handlebar	HBC Pro R-Film 760/318mm
stem	HBC Pro R-Film 50-70/318mm
seatpost	HBC Pro R-Film 350-400/31.6mm
saddle	HBC VL-3381
pedals	Wellgo M272T DU
chainguide	-

ID	24312
color	grey metallic/green

Geometry:	42	46	51	55
top tube horizontal	595	595	605	615
seat tube	420	460	510	550
head tube length	140	140	140	140
bottom bracket drop	50	50	50	50
seat tube angle	74	73	73	73
head tube angle	70	70	70	70
fork length	528	528	528	528
reach	393	393	403	412
stack	659	660	656	672
wheelbase	1125	1125	1135	1145
chainstay	465	465	465	465

Lagos1.0 Mud



Short info:	
- Alloy heat-treated frame	
- Shimano STEPS EP600	
- 29B XCM 34 LO 120mm front fork	
- Shimano Deore 10 speed drivetrain	
- 29 + wheelset	

Specification:	
motor	Shimano STEPSEP600
battery	BMZ Downtube V10 725Ah
display	STEPS SCE5000
switch	STEPS SCE5000
frame	Alloy 6061 HT, TPR, integrated battery
sizes	42/46/51/55cm
fork	29B XCM 34 LO 120mm
rear shock	-
headset	Neco H385E
shifters	Shimano Deore SLM4100 1x10
rear derailleur	Shimano Deore RDM4120 10 speed
cassette	Sunshine CS-HR10; 10s; 11-42
crankset	Shimano FCE6100 34/175mm
chain	KMC x10e
brakes	RUSH BH-M286 180/180mm
front hub	HBC Pro 15x110mm
rear hub	HBC Pro 12x148mm
rim	ERX 32h
tires	SCHWALBE SMART SAM K-Guard 28x2.6
handlebar	HBC R-Film 760/318mm
stem	HBC R-Film 60-80/318mmaa
seatpost	HBC R-Film 350-400/31.6mm
saddle	HBC VL-
pedals	Wellgo M272T DU
chainguide	

ID	24313
color:	Olive

Geometry:	42	46	51	55
top tube horizontal	595	595	605	615
seat tube	420	460	510	550
head tube length	140	140	140	140
bottom bracket drop	50	50	50	50
seat tube angle	74	73	73	73
head tube angle	70	70	70	70
fork length	528	528	528	528
reach	393	393	403	412
stack	659	660	656	672
wheelbase	1125	1125	1135	1145
chainstay	465	465	465	465

Lagos Spin JOY



Short info:	
- Alloy heat-treated frame	
- Shimano e6100 motor with 504Wh battery	
- Zoom front fork	
- Shimano 10 speed drivetrain	
- 27.5+ wheelset	

Specification:	
motor	Shimano STEPS DUE6100
battery	Darfon 504Wh
display	STEPS SCE5000
switch	STEPS SCE5000
frame	Alloy 6061 HT, TPR, integrated battery
sizes	42/46/51/55cm
fork	Zoom Vaxa 32S 868S AMS HLO 100mm
rear shock	-
headset	Neco H385E
shifters	Shimano Deore SLM4100
rear derailleur	Deore RDM4120 10 Speed
cassette	Sunshine CS-HR10 11-42
crankset	Shimano FCE6100 34/175mm
chain	KMC x10e
brakes	Clarks Clout 180/160mm
front hub	HBC Pro 15x110mm
rear hub	HBC Pro 12x148mm
rim	ERX 32h
tires	Schwalbe Nobby Nic Performance 27.5x2.6"
handlebar	HBC Pro R-Film 760/318mm
stem	HBC Pro R-Film 60-80/318mm
seatpost	HBC Pro R-Film 350-400/31.6mm
saddle	HBC VL-4125
pedals	Wellgo M272T DU
chainguide	-

ID	24314
color	grey/pink

Geometry:	42	46	51	55
top tube horizontal	595	595	605	615
seat tube	420	460	510	550
head tube length	140	140	140	140
bottom bracket drop	50	50	50	50
seat tube angle	74	73	73	73
head tube angle	70	70	70	70
fork length	528	528	528	528
reach	393	393	403	412
stack	659	660	656	672
wheelbase	1125	1125	1135	1145
chainstay	465	465	465	465

Granby



Short info:	
- Alloy heat-treated frame	
- Shimano e5000 motor with 418Wh battery	
- Zoom front fork	
- S-Ride 8 speed drivetrain	
- 29" wheels	

Specification:	
motor	Shimano STePS DUE5000
battery	Shimano STePS BTE8014 418Wh
display	Shimano STePS SCE5000
switch	Shimano STePS SCE5000
frame	Alloy 6061 HT, TPR
sizes	42/46/51/55cm
fork	Zoom Vaxa 32S 860S AMS HLO 100mm
rear shock	-
headset	Neco H386E
shifters	S-Ride SLM300 1x8
rear derailleur	S-Ride RDM200 8 speed
cassette	Sunshine CS-HR8 11-34
crankset	Shimano FCE5010 38/175mm
chain	KMC Z8
brakes	Clarks Clout 180/160mm
front hub	HBC QR 100mm 32h
rear hub	HBC QR 135mm 32h
rim	Remerx Top Disc 32h
tires	CST Caballero 29x2.25"
handlebar	HBC 720/318mm
stem	HBC 60-80/318mm
seatpost	HBC 350-400/31.6mm
saddle	HBC VL-4125
pedals	Wellgo M272T DU
chainguide	-

ID	24315
color	black matt/green

Geometry:	42	46	51	55
top tube horizontal	590	609	609	619
seat tube	420	460	510	550
head tube length	120	140	140	140
bottom bracket drop	65	65	65	65
seat tube angle	73	73	73	73
head tube angle	70	70	70	70
fork length	515	515	515	515
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1107	1117	1127	1137
chainstay	460	460	460	460

Granby JOY



Short info:	
- Alloy heat-treated frame	
- Shimano e5000 motor with 418Wh battery	
- Zoom front fork	
- S-Ride 8 speed drivetrain	
- 29" wheels	

Specification:	
motor	Shimano STePS DUE5000
battery	Shimano STePS BTE8014 418Wh
display	Shimano STePS SCE5000
switch	Shimano STePS SCE5000
frame	Alloy 6061 HT, TPR
sizes	42/46/51/55cm
fork	Zoom Vaxa 32S 860S AMS HLO 100mm
rear shock	-
headset	Neco H386E
shifters	S-Ride SLM300 1x8
rear derailleur	S-Ride RDM200 8 speed
cassette	Sunshine CS-HR8 11-34
crankset	Shimano FCE5010 38/175mm
chain	KMC Z8
brakes	Clarks Clout 180/160mm
front hub	HBC QR 100mm 32h
rear hub	HBC QR 135mm 32h
rim	Remerx Top Disc 32h
tires	CST Caballero 29x2.25"
handlebar	HBC 720/318mm
stem	HBC 60-80/318mm
seatpost	HBC 350-400/316mm
saddle	HBC VL-4125
pedals	Wellgo M272T DU
chainguide	-

ID	24316
color	blue matt/peach

Geometry:	42	46	51	55
top tube horizontal	590	609	609	619
seat tube	420	460	510	550
head tube length	120	140	140	140
bottom bracket drop	65	65	65	65
seat tube angle	73	73	73	73
head tube angle	70	70	70	70
fork length	515	515	515	515
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1107	1117	1127	1137
chainstay	460	460	460	460

e Ridott 26"



Short info:	
- Alloy heat-treated frame	
- Shimano e5000 motor with 418Wh battery	
- Zoom front fork	
- S-Ride 8 speed drivetrain	
- 26" wheels	

Specification:	
motor	Shimano STEPS DUE5000
battery	Shimano STEPS BTE8014 418Wh
display	Shimano STePS SCE5000
switch	Shimano STePS SCE5000
frame	Alloy 6061 HT
sizes	36cm
fork	Zoom Vaxa 28S AMS 100mm
rear shock	-
headset	Neco H142
shifters	Shimano Altus SLM315 1x8
rear derailleur	Shimano Acera RD-M360 8 speed
cassette	Sunshine MTB-CS-HR8-34 11-34
crankset	Shimano FCE5010 38/170mm
chain	KMC Z8
brakes	Clarks Clout 160/160mm
front hub	Formula DC20 QR 100mm
rear hub	Formula DC22 QR 135mm
rim	Remerx Dragon 719-L 32h
tires	CST Pit Kirson 26x2.1"
handlebar	HBC 560/318mm
stem	HBC 70/318mm
seatpost	HBC 300/272mm
saddle	YBT-K176
pedals	Wellgo M272T DU
chainguide	-

ID	24317
color	black/yellow

Geometry:	36
top tube horizontal	553
seat tube	360
head tube length	105
bottom bracket drop	35
seat tube angle	74
head tube angle	71
fork length	480
reach	-
stack	-
wheelbase	1031
chainstay	423

E-BIKES Touring

HEAD®

<i>E Revelo 2.0 men</i>	45
<i>E Revelo 2.0 women</i>	46
<i>E Revelo 1.0 men</i>	47
<i>E Revelo 1.0 women</i>	48
<i>E I-Peak 2.0 men</i>	49
<i>E I-Peak 2.0 women</i>	50
<i>E-City</i>	51

HEAD®

E Revelo 2.0



Short info:

- Alloy heat-treated frame
- Shimano STePS EP600 integrated 20Ah battery
- Front fork Alloy
- Shimano CUES RD-U3020 GS 9 Speed
- Hydraulic disc brakes

Specification:

motor	Shimano STePS EP600
battery	BMZ Downtube V10 36V 20 Ah
display	Shimano STePS SCE5000
switch	Shimano STePS SCE5000
frame	Alloy 6061 HT, integrated battery
sizes	46/50/55/59 cm
fork	28" Alloy
headset	Neco 386E
shifters	Shimano CUES SL-U4000
front derailleur	-
rear derailleur	Shimano CUES RD-U3020 GS 9 Speed
cassette	SH CUES CS-LG300-9 Speed
crankset	Shimano FCE5010 44/175mm
chain	Shimano CNLG500
brakes	RUSH BH-M286 2piston
front hub	Formula DC-20 QR 100mm
rear hub	Formula DC-22 QR 135mm
rims	Remerx Dragon 719 32h
tires	Impac STREETPAC+RT; 28x1,75
handlebar	HBC 660/318mm
stem	HBC 60/318mm
seatpost	HBC 350/272mm
saddle	HBC VL-3625
pedals	Wellgo C169T DU
chainguide	-
front light	hh
rear light	Tivoli
fender	SKS
carrier	Alloy
ID	24319
color	Black

All speci cations subject to change without notice

E Revelo 2.0 joy



Short info:

- Alloy heat-treated frame
- Shimano STePS EP600 integrated 20Ah battery
- Front fork Alloy
- Shimano CUES RD-U3020 GS 9 Speed
- Hydraulic disc brakes

Specification:

motor	Shimano STePS EP600
battery	BMZ Downtube V10 36V 20 Ah
display	Shimano STePS SCE5000
switch	Shimano STePS SCE5000
frame	Alloy 6061 HT, integrated battery
sizes	46/50/55/ cm
fork	28" Alloy
headset	Neco 386E
shifters	Shimano CUES SL-U4000
front derailleur	-
rear derailleur	Shimano CUES RD-U3020 GS 9 Speed
cassette	SH CUES CS-LG300-9 Speed
crankset	Shimano FCE5010 44/175mm
chain	Shimano CNLG500
brakes	RUSH BH-M286 2piston
front hub	Formula DC-20 QR 100mm
rear hub	Formula DC-22 QR 135mm
rims	Remerx Dragon 719 32h
tires	h
handlebar	HBC 660/318mm
stem	HBC 60/318mm
seatpost	HBC 350/272mm
saddle	HBC VL-3625
pedals	Wellgo C169T DU
chainguide	-
front light	Sport PRO 45; 6-48V
rear light	Tivoli
fender	SKS
carrier	Alloy
ID	24319
color	Black

All speci cations subject to change without notice

E Revelo 1.0



Short info:

- Alloy heat-treated frame
- Shimano e5000 motor with integrated 504Wh battery
- Zoom front fork
- S-Ride 9 speed drivetrain
- hydraulic disc brakes

Specification:

motor	Shimano STePS DUE5000
battery	Darfon 504Wh
display	Shimano STePS SCE5000
switch	Shimano STePS SCE5000 v
frame	Alloy 6061 HT, integrated battery
sizes	50/55/59 cm
fork	Zoom 187D AMS HLO 65mm
headset	Neco 386E
shifters	S-Ride SL-M300 1x9
front derailleur	-
rear derailleur	S-Ride RD-M300 9 speed
cassette	Sunshine CS-HR9 11-32
crankset	Shimano FCE5010 44/175mm
chain	KMC X9
brakes	Clarks M2 160/160mm
front hub	Formula DC-20 QR 100mm
rear hub	Formula DC-22 QR 135mm
rim	Remerx Dragon 719 32h
tires	Impac SmartPac+RT 28x16"
handlebar	HBC 660/318mm
stem	HBC 60/318mm
seatpost	HBC 350/272mm
saddle	HBC VL-3389
pedals	Wellgo C169T DU
chainguide	-
front light	Shiny 40
rear light	Tivoli
fender	SKS
carrier	Alloy

ID	24318
color	grey matt

All speci cations subject to change without notice

E Revelo 1.0 JOY



Short info:

- Alloy heat-treated frame
- Shimano e5000 motor with integrated 504Wh battery
- Zoom front fork
- S-Ride 9 speed drivetrain
- hydraulic disc brakes

Specification:

motor	Shimano STePS DUE5000
battery	Darfon 504Wh
display	Shimano STePS SCE5000
switch	Shimano STePS SCE5000
frame	Alloy 6061 HT, integrated battery
sizes	46/50/54 cm
fork	Zoom 187D AMS HLO 65mm
headset	Neco 386E
shifters	S-Ride SL-M300 1x9
front derailleur	-
rear derailleur	S-Ride RD-M300 9 speed
cassette	Sunshine CS-HR9 11-32
crankset	Shimano FCE5010 44/175mm
chain	KMC X9
brakes	Clarks M2 160/160mm
front hub	Formula DC-20 QR 100mm
rear hub	Formula DC-22 QR 135mm
rim	Remerx Dragon 719 32h
tires	Impac SmartPac+RT 28x16"
handlebar	HBC 660/318mm
stem	HBC 60/318mm
seatpost	HBC 350/272mm
saddle	HBC VL-4333
pedals	Wellgo C169T DU
chainguide	-
front light	Shiny 40
rear light	Tivoli
fender	SKS
carrier	Alloy

ID	24319
color	grey matt

All speci cations subject to change without notice

Geometry:

	46	50	54
top tube horizontal	596	606	619
seat tube	460	500	540
head tube length	155	155	155
bottom bracket drop	55	55	55
seat tube angle	73	73	73
head tube angle	70	70	70
fork length	479	479	479
reach	-	-	-
stack	-	-	-
wheelbase	1115	1125	1138
chainstay	457	457	457



Short info:

- Alloy heat-treated frame
- Shimano STePS EP600 motor with integrated 20 Ah battery
- Zoom front fork
- Shimano CUES SL-U4000 1x9
- hydraulic disc brakes

Specification:

motor	Shimano STePS EP600
battery	BMZ Downtube V10 20Ah
display	Shimano STePS SCE5000
switch	Shimano STePS SCE5000
frame	Alloy 6061 HT, integrated battery
sizes	50/55/59 cm
fork	HBC 187D AMS HLO 65mm
headset	Neco 386E
shifters	Shimano CUES SL-U4000 1x9
front derailleur	-
rear derailleur	Shimano CUES RD-U3020 GS 9 speed
cassette	Shimano CUES CS-LG300-9 speed MTB 11-36
crankset	Shimano STePS FCEM600; 175mm
chain	Shimano CNLG500
brakes	RUSH BH-M286 2piston
front hub	Formula DC-20 QR 100mm
rear hub	Formula DC-22 QR 135mm
rims	Remerx Dragon 719 32h
tires	CST Control Plus 28x16"
handlebar	HBC 660/318mm
stem	HBC 60/318mm
seatpost	HBC 350/272mm
saddle	HBC VL-3625
pedals	Wellgo M272T DU

ID	24322
color	Grey green/Glossy

Geometry:

	50	55	59
top tube horizontal	601	611	623
seat tube	500	550	590
head tube length	155	155	174
bottom bracket drop	55	55	55
seat tube angle	73	73	73
head tube angle	70	70	70
fork length	479	479	479
reach	-	-	-
stack	-	-	-
wheelbase	1120	1130	1143
chainstay	457	457	457

HEAD



HEAD

All specifications subject to change without notice

Short info:

- Alloy heat-treated frame
- Shimano STEPS EP600 motor with integrated 20 Ah battery
- Zoom front fork
- Shimano CUES SL-U4000 1x9
- hydraulic disc brakes

Specification:

motor	Shimano STEPS EP600
battery	BMZ Downtube V10 20Ah
display	Shimano STEPS SCE5000
switch	Shimano STEPS SCE5000
frame	Alloy 6061 HT, integrated battery
sizes	50/55/59 cm
fork	HBC 187D AMS HLO 65mm
headset	Neco 386E
shifters	Shimano CUES SL-U4000 1x9
front derailleur	-
rear derailleur	Shimano CUES RD-U3020 GS 9 speed
cassette	Shimano CUES CS-LG300-9 speed MTB 11-36
crankset	Shimano STEPS FCEM600; 175mm
chain	Shimano CNLG500
brakes	RUSH BH-M286 2piston
front hub	Formula DC-20 QR 100mm
rear hub	Formula DC-22 QR 135mm
rims	Remerx Dragon 719 32h
tires	CST Control Plus 28x1.6"
handlebar	HBC 660/318mm
stem	HBC 60/318mm
seatpost	HBC 350/272mm
saddle	HBC VL-3625
pedals	Wellgo M272T DU

ID	24322
color	Grey green/Glossy

Geometry:

	50	55	59
top tube horizontal	601	611	623
seat tube	500	550	590
head tube length	155	155	174
bottom bracket drop	55	55	55
seat tube angle	73	73	73
head tube angle	70	70	70
fork length	479	479	479
reach	-	-	-
stack	-	-	-
wheelbase	1120	1130	1143
chainstay	457	457	457

All specifications subject to change without notice



Short info:	
- Alloy heat-treated frame	
- Shimano STEPS EP600 with 20Ah battery	
- Zoom front fork	
- Shimano CUES RD-U3020 GS 9 Speed	
- hydraulic disc brakes	
Specification:	
motor	Shimano STEPS DUE5000
battery	BMZ Downtube V10 20 Ah
display	Shimano STEPS SCE5000
switch	Shimano STEPS SCE5000
frame	Alloy 6061 HT
sizes	47 cm
fork	NEX-E25 HLO DS
headset	PRESTINE
shifters	Shimano CUES SL-U4000 9 speed
front derailleur	-
rear derailleur	Shimano CUES RD-U3020 GS 9 Speed
cassette	CUES CS-LG300-9 Speed 11-36
crankset	Shimano Shimano SM-CRE70 38
chain	Shimano CNLG500
brakes	RUSH BH-M286 2piston 160/160
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rims	Remerx Dragon 719 32h
tires	Impac SmartPac+RT 28x16"
handlebar	HBC 660/318mm
stem	HBC 90-100/318mm
seatpost	HBC 350/272mm
saddle	HBC VL-3389/VL-4333
pedals	Wellgo C169T DU
chainguide	-
front light	Shiny 40
rear light	Tivoli
fender	Orion
carrier	Alloy
ID	24326
color	Dark Green

All speci cations subject to change without notice



All speci cations subject to change without notice

ROAD GRAVEL

<i>I-Speed 3.0</i>	52
<i>I-Speed 2.0</i>	53
<i>I-Speed Team</i>	54
<i>I-Speed 1.0</i>	55
<i>Picton 3.0</i>	56
<i>Picton 2.0</i>	57
<i>Picton 1.0</i>	58

I-Speed 3.0



- Short info:
- New Carbon frame

- full carbon fork

- Sram Force AXS 2x12 drivetrain

- RRX Carbon wheels

- HBC Pro carbon components

Specification:	
frame	Carbon TPR
sizes	46/49cm -59/52cm- 52/55cm- 54/57
fork	Full Carbon TPR
headset	Integrated
shifters	Sram Force AXS D2
front derailleur	Sram Force AXS
rear derailleur	Sram Force AXS 12 speed
cassette	Sram Force CS XG 1270 D1 SILVER 10-33
crankset	Sram Force FC D2 DUB 50-37/172,5
chain	Sram CN FORCE D1 12S 118LI
brakes	Sram Force 140/140
front hub	HBC 12x100mm straight spokes
rear hub	HBC 12x142mm straight spokes
rim s	RRX Carbon
tires	Schwalbe One 700x28C
handlebar	Carbon combo
stem	Carbon combo
seatpost	Carbon
saddle	VL-1C47 Crn-Ti
pedals	-
ID	24400
color	White/blue

Geometry:	53	56	59
top tube horizontal	516	540	567
seat tube	450	490	530
head tube length	100	130	160
bottom bracket drop	72	72	72
seat tube angle	74.5	73.5	72.5
head tube angle	73	73	73
fork length	371	371	371
reach	375.9	381	388.2
stack	505	536.9	567.2
wheelbase	974.8	981.3	993.2
chainstay	415	415	415

I-Speed 2.0



- Short info:
- NEW carbon frame

- Full carbon fork

-Sram Rival AXS 12 speed

- HBC straight spokes wheels

- Carbon combo

Specification:	
frame	Carbon TPR
sizes	48/52cm -51/54cm-54/56cm
fork	Full Carbon TPR
headset	Integrated
shifters	Sram Rival dual
front derailleur	Sram Rival AXS
rear derailleur	Sram Rival AXS 12 speed
cassette	Sram Rival CS XG 1250 D1 10-36
crankset	Sram Rival D1 DUB 48-35/172.5mm
chain	Sram CN RIVAL D1 12S 118LI
brakes	Sram Rival 140/140mm
front hub	HBC 12x100mm straight spokes
rear hub	HBC 12x142mm straight spokes
rim s	Weinmann 28 IMPULSE/FV/24h
tires	Schwalbe One 700x28C
handlebar	Carbon combo
stem	Carbon combo
seatpost	Carbon
saddle	VL-1A47
pedals	-
ID	24401
color	Grey blue/red

Geometry:	53	56	59
top tube horizontal	516	540	567
seat tube	450	490	530
head tube length	100	130	160
bottom bracket drop	72	72	72
seat tube angle	74.5	73.5	72.5
head tube angle	73	73	73
fork length	371	371	371
reach	375.9	381	388.2
stack	505	536.9	567.2
wheelbase	974.8	981.3	993.2
chainstay	415	415	415

I-Speed Team



Short info:

- Toray carbon frame
- full carbon fork
- Shimano 105 2x11 drivetrain
- Fulcrum wheels
- HBC Pro components

Specification:

frame	Carbon TPR
sizes	52/54/56 cm
fork	Full Carbon TPR
headset	Neco H373M
shifters	Shimano 105 STR7020 2x11
front derailleur	Shimano 105 FDR7000
rear derailleur	Shimano 105 RDR7000 11 speed
cassette	Shimano 105 105 CSR7000 11-32
crankset	FSA Gossamer 50-34/172.5mm
chain	Shimano CNHG601
brakes	Shimano 105 BRR7020 140/140mm
front hub	Fulcrum 800 Racing DB 12x100mm
rear hub	Fulcrum 800 Racing DB 12x142mm
rim	Fulcrum Racing 800 28h
tires	Schwalbe One 700x25C
handlebar	HBC Pro 440/318mm
stem	HBC Pro 90-110/318mm
seatpost	Carbon
saddle	Prologo Zero II
pedals	-

ID	24404
color	black matt/yellow

Geometry:

	52	54	56
top tube horizontal	515	535	560
seat tube	480	524	557
head tube length	125	145	170
bottom bracket drop	69	69	69
seat tube angle	75	75	73
head tube angle	71	71	72
fork length	371	371	368
reach	372	374	387
stack	521	544	566
wheelbase	982	982	1001
chainstay	408	408	408

I-Speed 1.0



Specification:

frame	Alloy 6061 HT, TB
sizes	52/56/59/61 cm
fork	Carbon with alu steerer TPR
headset	Neco H373M
shifters	Shimano Sora STR3000 2x9
front derailleur	Shimano Sora FDR3000
rear derailleur	Shimano Sora RDR300 9 speed
cassette	Shimano HG400 11-32
crankset	Shimano FCR345 50-34/172.5mm
chain	KMC X9
brakes	Tektro R313
front hub	Shimano Sora HBRS300 QR
rear hub	Shimano Sora FHRS300 QR
rim	Weinmann Momentum 32h
tires	Schwalbe Lugano K-Guard 700x25C
handlebar	HBC Pro 440/318mm
stem	HBC Pro 80-110/318mm
seatpost	HBC Pro 400/316mm
saddle	HBC VL-4470
pedals	-

ID	24402
color	Grey/orange Grey/yellow

Short info:

- Alloy heat-treated, triple butted frame
- carbon fork with alu steerer
- Shimano Sora 2x9 drivetrain
- HBC Pro components

Geometry:

	52	56	59	61
top tube horizontal	535	559	580	606
seat tube	490	530	560	590
head tube length	125	155	175	195
bottom bracket drop	69	69	69	69
seat tube angle	74	74	73	73
head tube angle	73	74	74	74
fork length	370	370	370	370
reach	-	-	-	-
stack	-	-	-	-
wheelbase	975	990	1005	1020
chainstay	410	410	410	410

All specifications subject to change without notice

All specifications subject to change without notice

Picton 4.0



Short info:

- Carbon TPR
- full carbon fork
- Shimano GRX RDRX812; 11s
- Carbon CRX tl 24h wheels
- Carbon-combo components

Specification:

frame	Carbon TPR
sizes	50/53cm , 53/55cm , 56/59cm
fork	Full Carbon TPR
headset	Integrated
shifters	GRX RX600
front derailleur	-
rear derailleur	Shimano GRX RDRX812; 11s
cassette	Sunshine CS-HR10; 11s; 11-42
crankset	Shimano GRX FC RX 600-1 40t, 175mm
chain	KMC X11
brakes	Shimano GRX RX400
front hub	HBC Pro 12x100mm
rear hub	HBC Pro 12x142mm
rim	Carbon CRX tl 24h
tires	SCHWALBE G-ONE OVERLAND 365 Perf, RaceGuard, tle
handlebar	Carbon-combo
stem	Carbon-combo
seatpost	Carbon
saddle	Velo VL-1C28
pedals	-

ID	24404
color	Matt grey/Black

Geometry:

	52	54	56
top tube horizontal	515	535	560
seat tube	480	524	557
head tube length	125	145	170
bottom bracket drop	69	69	69
seat tube angle	75	75	73
head tube angle	71	71	72
fork length	371	371	368
reach	372	374	387
stack	521	544	566
wheelbase	982	982	1001
chainstay	408	408	408

Picton 3.0



Short info:

- Carbon TPR
- full carbon fork
- Shimano GRX RDRX812; 11s
- Carbon CRX tl 24h wheels
- Carbon-combo components

Specification:

frame	Carbon TPR
sizes	50/53cm , 53/55cm , 56/59cm
fork	Full Carbon TPR
headset	Integrated
shifters	GRX RX600
front derailleur	-
rear derailleur	Shimano GRX RDRX812; 11s
cassette	Sunshine CS-HR10; 11s; 11-42
crankset	FSA Omega; 1x11; 175mm; 42z
chain	KMC X11
brakes	Shimano GRX RX400
front hub	HBC Pro 12x100mm
rear hub	HBC Pro 12x142mm
rim	Carbon CRX tl 24h
tires	SCHWALBE G-ONE OVERLAND 365 Perf, RaceGuard, tle
handlebar	Carbon-combo
stem	Carbon-combo
seatpost	Carbon
saddle	Velo VL-1C28
pedals	-

ID	24404
color	Khaki

Geometry:

	52	54	56
top tube horizontal	515	535	560
seat tube	480	524	557
head tube length	125	145	170
bottom bracket drop	69	69	69
seat tube angle	75	75	73
head tube angle	71	71	72
fork length	371	371	368
reach	372	374	387
stack	521	544	566
wheelbase	982	982	1001
chainstay	408	408	408

Picton 2.0



Short info:	
- Alloy heat-treated, double butted frame with thru 12x142 axle	
- Alloy fork with 12x100mm axle	
- Sram Apex1 drivetrain	
- HBC components	
- hydraulic disc brakes	

Specification:	
frame	Alloy 6061 HT, TPR, DB
sizes	50/54/58/61 cm
fork	Alu 12x100mm TPR
headset	Neco H373M
shifters	Sram Apex 1 1x11
front derailleur	-
rear derailleur	Sram Apex 1 11 speed
cassette	Sunshine CS-HR10 11-42
crankset	FSA Omega 42/175mm
chain	KMC X11
brakes	SRAM APEX 1 160/160mm
front hub	HBC Pro 12x142mm
rear hub	HBC Pro 12x100mm
rim	Weinmann Impulse 32h
tires	Schwalbe G-One 622-40
handlebar	HBC 440/318mm
stem	HBC 90-120/318mm
seatpost	HBC Pro 350/316mm
saddle	HBC VL-4470
pedals	-
ID	24500
color	green matt

Geometry:	50	54	58	61
top tube horizontal	514	550	575	592
seat tube	500	540	580	610
head tube length	125	140	170	190
bottom bracket drop	69	69	69	69
seat tube angle	76	74	73	73
head tube angle	71	72	73	73
fork length	397	397	397	397
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1014	1020	1030	1036
chainstay	430	430	430	430

Picton 1.0



Short info:	
- Alloy heat-treated, double butted frame	
- Alloy fork	
- Shimano Tiagra 2x10 drivetrain	
- HBC components	
- hydraulic disc brakes	

Specification:	
frame	Alloy 6061 HT, TPR, DB
sizes	50/54/58/61 cm
fork	Alu QR TPR
headset	Neco H373M
shifters	Shimano Tiagra ST4700 2x10
front derailleur	Shimano Tiagra FD4700
rear derailleur	Shimano Tiagra RD4700GS 10 speed
cassette	Sunshine CS-HR10 11-36
crankset	FSA Omega 46-36/175mm
chain	KMC X10
brakes	Tektro MDC511 160/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rim	Weinmann Impulse 32h
tires	Schwalbe G-One 622-40
handlebar	HBC 440/318mm
stem	HBC 90-120/318mm
seatpost	HBC 350/316mm
saddle	HBC VL-4470
pedals	-
ID	24501
color	orange matt

Geometry:	50	54	58	61
top tube horizontal	515	550	575	591
seat tube	500	540	580	610
head tube length	125	140	170	190
bottom bracket drop	69	69	69	69
seat tube angle	76	74	73	73
head tube angle	71	72	73	73
fork length	397	397	397	397
reach	-	-	-	-
stack	-	-	-	-
wheelbase	1015	1021	1030	1036
chainstay	430	430	430	430

CROSS TREKKING CITY

HEAD®

<i>X-Rubi Cross</i>	60
<i>I-Peak 2.0 men</i>	61
<i>I-Peak 2.0 women</i>	62
<i>I-Peak 1.0 men</i>	63
<i>I-Peak 1.0 women</i>	64
<i>Revelo 2.0 men</i>	65
<i>Revelo 2.0 women</i>	66
<i>Revelo 1.0 men</i>	67
<i>Revelo 1.0 women</i>	68
<i>City 26"/28"</i>	69
<i>City 26"/28"</i>	70

HEAD®

X-Rubi Cross



Short info:	
- Alloy heat-treated, double butted frame	
- Zoom front fork	
- Shimano 3x10 drivetrain	
- HBC components	
- hydraulic disc brakes	

Specification:	
frame	Alloy 6061 HT, DB
sizes	48/52/56 cm
fork	Zoom Vaxa 30S 595S AMS RL/O 100mm
headset	Neco H398
shifters	Shimano Deore SLM6000 3x10
front derailleur	Shimano Deore FDM6000 side-swing
rear derailleur	Shimano Deore RDM6000 10 speed
cassette	Sunrace CSM1 11-36
crankset	Prowheel Zephyr 601 42-32-24/175mm
chain	KMC X10
brakes	Clarks M2 180/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rims	RRX 32h
tires	Impac Smart Pac 28x1.6"
handlebar	HBC 700/31.8mm
stem	HBC 80-100/31.8mm
seatpost	HBC 400/31.6mm
saddle	HBC VL-3389
pedals	Wellgo M272T DU
ID	24600
color	grey matt/blue

Geometry:		48	52	56
top tube horizontal		609	617	626
seat tube		480	520	560
head tube length		120	130	150
bottom bracket drop		65	65	65
seat tube angle		72	72	72
head tube angle		70	70	70
fork length		515	515	515
reach		-	-	-
stack		-	-	-
wheelbase		1118	1127	1136
chainstay		450	450	450

X-Rubi Cross



I-Peak 2.0



Short info:	
- Alloy heat-treated frame	
- Zoom front fork	
- Shimano 3x9 drivetrain	
- HBC components	
- Tektro hydraulic disc brakes	

Specification:	
frame	Alloy 6061 HT
sizes	50/55/59 cm
fork	Zoom 187D AMS HLO 65mm
headset	Neco H113
shifters	Shimano EF505 9 speed
front derailleur	Shimano Altus FDM370; 9s; 31,8mm
rear derailleur	Schimano RDM3100; 9s
cassette	Sunshine CS-HR 11-32
crankset	Prowheel Zephyr 44-32-22/175mm
chain	KMC X9
brakes	Tektro M275 160/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rims	Remerx Dragon 719 32h
tires	CST Control Plus 28x1.6"
handlebar	HBC 660/31.8mm
stem	HBC 90-100/31.8mm
seatpost	HBC 350/27.2mm
saddle	HBC VL-3389/VL-4333
pedals	Wellgo CI27DU
ID	24601
color	grey matt/green

Geometry:	50	55	59
top tube horizontal	590	591	613
seat tube	500	550	590
head tube length	137	155	174
bottom bracket drop	55	55	55
seat tube angle	73	73	73
head tube angle	71	71	71
fork length	450	450	450
reach	-	-	-
stack	-	-	-
wheelbase	1090	1100	1115
chainstay	452	452	452

I-Peak 2.0 JOY



Short info:	
- Alloy heat-treated frame	
- Zoom front fork	
- Shimano 3x9 drivetrain	
- HBC components	
- Tektro hydraulic disc brakes	

Specification:	
frame	Alloy 6061 HT
sizes	46/50/54 cm
fork	Zoom 187D AMS HLO 65mm
headset	Neco H113
shifters	Shimano EF505 9 speed
front derailleur	Shimano Altus FDM370; 9s; 31,8mm
rear derailleur	Schimano RDM3100; 9s
cassette	Sunshine CS-HR 11-32
crankset	Prowheel Zephyr 44-32-22/175mm
chain	KMC X9
brakes	Tektro M275 160/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rims	Remerx Dragon 719 32h
tires	CST Control Plus 28x1.6"
handlebar	HBC 660/31.8mm
stem	HBC 90-100/31.8mm
seatpost	HBC 350/27.2mm
saddle	HBC VL-3389/VL-4333
pedals	Wellgo CI27DU
ID	24602
color	grey matt/mint

Geometry:	46	50	54
top tube horizontal	570	580	595
seat tube	460	500	540
head tube length	120	137	155
bottom bracket drop	55	55	55
seat tube angle	73	73	73
head tube angle	71	71	71
fork length	450	450	450
reach	-	-	-
stack	-	-	-
wheelbase	1069	1080	1096
chainstay	452	452	452

I-Peak 1.0



Short info:	
- Alloy heat-treated frame	
- Zoom front fork	
- Shimano 3x8 drivetrain	
- HBC components	
- mechanical disc brakes	

Specification:	
frame	Alloy 6061 HT
sizes	50/55/59 cm
fork	Zoom 187D AMS 65mm
headset	Neco H113
shifters	Shimano TX800 3x8 speed
front derailleur	Shimano FDTY710 3x8 speed
rear derailleur	Shimano RDTX800
cassette	Sunshine CS-HR8 11-32
crankset	Prowheel Swift 201 48-38-28/175mm
chain	KMC Z8
brakes	Tektro M280 160/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rims	Remerx Dragon 719 32h
tires	CST Control Plus 28x1.6"
handlebar	HBC 660/25.4mm
stem	HBC 85-105/25.4mm
seatpost	HBC 350/27.2mm
saddle	HBC VL-3625
pedals	Wellgo LU 895T DU
ID	24603
color	grey matt/orange

Geometry:		50	55	59
top tube horizontal		590	591	613
seat tube		500	550	590
head tube length		137	155	174
bottom bracket drop		55	55	55
seat tube angle		73	73	73
head tube angle		71	71	71
fork length		450	450	450
reach		-	-	-
stack		-	-	-
wheelbase		1090	1100	1115
chainstay		452	452	452

I-Peak 1.0JOY



Short info:	
- Alloy heat-treated frame	
- Zoom front fork	
- Shimano 3x8 drivetrain	
- HBC components	
- mechanical disc brakes	

Specification:	
frame	Alloy 6061 HT
sizes	46/50/54 cm
fork	Zoom 187D AMS 65mm
headset	Neco H113
shifters	Shimano TX800 3x8 speed
front derailleur	Shimano FDTY710 3x8 speed
rear derailleur	Shimano RDTX800
cassette	Sunshine CS-HR8 11-32
crankset	Prowheel Swift 201 48-38-28/175mm
chain	KMC Z8
brakes	Tektro M280 160/160mm
front hub	HBC QR 100mm
rear hub	HBC QR 135mm
rims	Remerx Dragon 719 32h
tires	CST Control Plus 28x1.6"
handlebar	HBC 660/25.4mm
stem	HBC 85-105/25.4mm
seatpost	HBC 350/27.2mm
saddle	HBC VL-3389/VL-4333
pedals	Wellgo LU 895T DU
ID	24604
color	grey matt/pink

Geometry:		46	50	54
top tube horizontal		570	580	595
seat tube		460	500	540
head tube length		120	137	155
bottom bracket drop		55	55	55
seat tube angle		73	73	73
head tube angle		71	71	71
fork length		450	450	450
reach		-	-	-
stack		-	-	-
wheelbase		1069	1080	1096
chainstay		452	452	452

Revelo 2.0



Short info:

- Alloy heat-treated frame
- Zoom front fork
- Shimano 3x9 drivetrain
- HBC components
- Shimano hydraulic disc brakes

Specification:

frame	Alloy 6061 HT
sizes	50/55/59 cm
fork	Zoom 187D AMS 65mm
headset	Neco H113
shifters	Shimano EF505 3x9
front derailleur	Shimano Altus FDM370
rear derailleur	Shimano RDT Acera 3000 9 speed
cassette	Sunshine CS-HR 11-32
crankset	Prowheel Zephyr 701 48-36-26/175mm
chain	KMC X9
brakes	Shimano EF505 160/160mm
front hub	Shimano DH3 100mm
rear hub	HBC QR 135mm
rims	Remerx Dragon 719 32h
tires	Schwalbe CITIZEN 28x1.75"
handlebar	HBC 660/25.4mm
stem	HBC 85-105/25.4mm
seatpost	HBC 350/27.2mm
saddle	HBC VL-3389/VL-4333
pedals	C169T 2DU ALU antislip
front light	Axa Echo 15
rear light	Axa Slim
fender	SKS
carrier	Alloy

ID	24700
color	grey matt

All speci cations subject to change without notice

Revelo 2.0 JOY



Short info:

- Alloy heat-treated frame
- Zoom front fork
- Shimano 3x9 drivetrain
- HBC components
- Shimano hydraulic disc brakes

Specification:

frame	Alloy 6061 HT
sizes	46/50/54 cm
fork	Zoom 187D AMS 65mm
headset	Neco H113
shifters	Shimano EF505 3x9
front derailleur	Shimano Altus FDM370
rear derailleur	Shimano Alivio RDT4000 9 speed
cassette	Sunshine CS-HR 11-32
crankset	Prowheel Zephyr 701 48-36-26/175mm
chain	KMC X9
brakes	Shimano EF505 160/160mm
front hub	Shimano DH3 100mm
rear hub	HBC QR 135mm
rims	Remerx Dragon 719 32h
tires	Impac StreetPac+RT 28x1.75"
handlebar	HBC 660/25.4mm
stem	HBC 85-105/25.4mm
seatpost	HBC 350/27.2mm
saddle	HBC VL-3389/VL-4333
pedals	Wellgo C169T 2DU
front light	Axa Echo 15
rear light	Axa Slim
fender	SKS
carrier	Alloy

ID	24701
color	grey matt

All speci cations subject to change without notice

HEAD



City 28&26



Short info:	
- Alloy heat-treated frame	
- Zoom front fork	
- Nexus 7G drivetrain	
- HBC components	
- dynamo hub	

Specification:	
frame	Alloy 6061 HT
sizes	26" - 44cm 28" - 46cm
fork	Zoom 141 45mm
headset	Neco H113
shifters	Shimano SLC30007 1x7
front derailleur	-
rear derailleur	Nexus 7 speed
cassette	Steel 22
crankset	Prowheel Pro A38 38/170mm
chain	KMC Z410
brakes	F: Tektro C310, R: Coasterbrake
front hub	Shimano DH3003 100mm
rear hub	Shimano Nexus SGC3001 7G, coasterbrake
rims	Remerx Dragon 719 36h
tires	Schwalbe Citizen +RT 28"x1,6
handlebar	HBC 660/318mm
stem	HBC 100/318mm, adjustable
seatpost	HBC 350/272mm
saddle	HBC VL-6310
pedals	Wellgo C169T 2DU
front light	Axa Echo 15
rear light	Axa Slim
fender	Orion
carrier	Alloy

ID	24800
color	black matt

All speci cations subject to change without notice

City 28& 26



Short info:	
- Alloy heat-treated frame	
- Zoom front fork	
- Nexus 7G drivetrain	
- HBC components	
- dynamo hub	

Specification:	
frame	Alloy 6061 HT
sizes	26" - 44cm 28" - 46cm
fork	Zoom 141 45mm
headset	Neco H113
shifters	Shimano SLC30007 1x7
front derailleur	-
rear derailleur	Nexus 7 speed
cassette	Steel 22
crankset	Prowheel Pro A38 38/170mm
chain	KMC Z410
brakes	F: Tektro C310, R: Coasterbrake
front hub	Shimano DH3003 100mm
rear hub	Shimano Nexus SGC3001 7G, coasterbrake
rims	Remerx Dragon 719 36h
tires	Schwalbe Citizen +RT 28"x1,6
handlebar	HBC 660/318mm
stem	HBC 100/318mm, adjustable
seatpost	HBC 350/272mm
saddle	HBC VL-6310
pedals	Wellgo C169T 2DU
front light	Axa Echo 15
rear light	Axa Slim
fender	Orion
carrier	Alloy

ID	24801
color	red

All speci cations subject to change without notice

KID'S
26"-12"

Ridott 3.0 26" **71**
Ridott 1.0 26" **72**

Ridott 3.0 24" **73**
Ridott 2.0 24" **74**
Ridott 1.0 24" **75**
Lauren 2.0 24" **76**
Lauren 1.0 24" **77**

Ridott 2.0 20" **78**
Ridott 1.0 20" **79**
Lauren 2.0 20" **80**

Junior 16" **81**
Faro 12" **82**



Short info:	
- Alloy heat-treated frame	
- Zoom front fork	
- Shimano 2x8 drivetrain	
- HBC components	
- hydraulic disc brakes	

Specification:	
frame	Alloy 6061 HT
sizes	36 cm
fork	Zoom HL CH-565D AMS 100mm
headset	Neco H142
shifters	Shimano STEF505 2x8
front derailleur	Shimano FDM315
rear derailleur	Shimano RDTX800
cassette	Sunshine MTB-CS-HR8-32 11-32
crankset	Prowheel TM-CY01 36-22/170mm
chain	KMC Z8
brakes	Clarks Clout 160/160mm
front hub	DH802F 100mm
rear hub	DH802R 135mm
rims	Remerx Dragon 32h
tires	CST TIRE 26X2.10 Speed Seven
handlebar	HBC 560/318mm
stem	HBC 70/318mm
seatpost	HBC 300/272mm
saddle	HBC YBT-K176
pedals	Wellgo LU 895T DU

ID	24900
color	black/yellow

Geometry:	
	36
top tube horizontal	534
seat tube	360
head tube length	100
bottom bracket drop	35
seat tube angle	74
head tube angle	71
fork length	460
reach	-
stack	-
wheelbase	1010
chainstay	423



Ridott 1.0 26"



Short info:	
- Alloy heat-treated frame	
- Zoom front fork	
- S-Ride 2x8 drivetrain	
- HBC components	
- v-brakes	

Specification:	
frame	Alloy 6061 HT
sizes	36 cm
fork	Zoom HL CH-565 AMS 80mm
headset	Neco H142
shifters	Shimano STEF500
front derailleur	Shimano FDM315
rear derailleur	Shimano RDTX800 8 speed
cassette	Sunshine MTB-CS-HR8-32 11-32
crankset	Prowheel TM-CY01 36-22/170mm
chain	KMC Z8
brakes	Tektro C310
front hub	Formula OV31 QR 100mm
rear hub	Formula OV32 QR 135mm
rims	Remerx Dragon 36h
tires	CST TIRE 26X2.10
handlebar	HBC 560/318mm
stem	HBC 70/318mm
seatpost	HBC 300/272mm
saddle	HBC YBT-K176
pedals	Wellgo LU 895T DU
ID	24902
color	green/yellow

Geometry:	
	36
top tube horizontal	534
seat tube	360
head tube length	100
bottom bracket drop	35
seat tube angle	74
head tube angle	71
fork length	460
reach	-
stack	-
wheelbase	1010
chainstay	423

Ridott 1.0 26"



Ridott 3.0 24"



Short info:	
- Alloy heat-treated frame	
- Zoom front fork	
- Shimano 1x8 drivetrain	
- HBC components	
- hydraulic disc brakes	

Specification:	
frame	Alloy 6061 HT
sizes	34 cm
fork	Zoom HL CH-565D AMS 50mm
headset	Neco H142
shifters	Shimano SLR45 1x8
front derailleur	
rear derailleur	Shimano RDTX800 8 speed
cassette	Sunshine MTB-CS-HR8-32 11-32
crankset	Prowheel A10XPP 32T/152mm
chain	KMC Z8
brakes	Clarks Clout 160/160mm
front hub	DH802F100mm
rear hub	DH802R135mm
rim	Remerx Dragon 32h
tires	CST C-1040N 24x2.1"
handlebar	HBC 560/318mm
stem	HBC 70/318mm
seatpost	HBC 300/272mm
saddle	YBT-K176
pedals	Wellgo LU 895T DU
ID	24903
color	black/green

Geometry:	
	34
top tube horizontal	534
seat tube	340
head tube length	110
bottom bracket drop	30
seat tube angle	73
head tube angle	71
fork length	410
reach	-
stack	-
wheelbase	1000
chainstay	410

Ridott 2.0 24"



Short info:	
- Alloy heat-treated frame	
- Zoom front fork	
- S-Ride 1x8 drivetrain	
- HBC components	
- mechanical disc brakes	

Specification:	
frame	Alloy 6061 HT
sizes	34 cm
fork	Zoom HL CH-565D AMS 50mm
headset	Neco H142
shifters	Shimano SLR45 1x8
front derailleur	
rear derailleur	Shimano RDTX800 8 speed
cassette	Sunshine MTB-CS-HR8-32 11-32
crankset	Prowheel A10XPP 32T/152mm
chain	KMZ Z8
brakes	Tektro M280 160/160mm
front hub	DH802F100mm
rear hub	DH802R135mm
rim	Dragon719-L 36h
tires	CST C-1040N 24x2.1"
handlebar	HBC 560/318mm
stem	HBC 70/318mm
seatpost	HBC 300/272mm
saddle	YBT-K176
pedals	Wellgo LU 895T DU
ID	24904
color	orange/blue

Geometry:	
	34
top tube horizontal	534
seat tube	340
head tube length	110
bottom bracket drop	30
seat tube angle	73
head tube angle	71
fork length	410
reach	-
stack	-
wheelbase	1000
chainstay	410

Ridott 1.0 24"



Short info:	
- Alloy heat-treated frame	
- rigid fork	
- S-Ride 1x8 drivetrain	
- HBC components	
- v-brakes	

Specification:	
frame	Alloy 6061 HT
sizes	34 cm
fork	Rigid Hi-Ten
headset	Neco H142
shifters	Shimano SLRS45 1x8
front derailleur	-
rear derailleur	Shimano RDTX 8 speed
cassette	Sunshine MTB-CS-HR8-32 11-32
crankset	Prowheel A10XPP 32T/152mm
chain	KMZ Z8
brakes	Tektro C310
front hub	Formula OV31 QR 100mm
rear hub	Formula OV32 QR 135mm
rims	Remerx 219-L 36h
tires	CST C-1040N 24x2.1"
handlebar	HBC 560/318mm
stem	HBC 70/318mm
seatpost	HBC 300/272mm
saddle	YBT-K176
pedals	Wellgo LU 895T DU
ID	24905
color	grey blue/blue

Geometry:	
	34
top tube horizontal	534
seat tube	340
head tube length	110
bottom bracket drop	30
seat tube angle	73
head tube angle	71
fork length	410
reach	-
stack	-
wheelbase	1000
chainstay	410

Lauren 2.0 24"



Short info:	
- alloy heat-treated frame	
- rigid fork	
- S-Ride 1x8 drivetrain	
- HBC components	
- mechanical disc brakes	

Specification:	
frame	Alloy 6061 HT
sizes	34 cm
fork	Zoom HL CH-565D AMS 50mm
headset	Neco H142
shifters	Shimano SLRS45 1x8
front derailleur	-
rear derailleur	Shimano RDTX800 8 speed
cassette	Sunshine MTB-CS-HR8-32 11-32
crankset	Prowheel A10XPP 32T/152mm
chain	KMZ Z8
brakes	Tektro M280 160/160mm
front hub	Formula DC20 QR 100mm
rear hub	Formula DC22 QR 135mm
rims	Remerx 719-L 36h
tires	CST C-1040N 24x2.1"
handlebar	HBC 560/318mm
stem	HBC 70/318mm
seatpost	HBC 300/272mm
saddle	YBT-K176
pedals	Wellgo LU 895T DU
ID	23906
color	grey/pink

Geometry:	
	34
top tube horizontal	490
seat tube	340
head tube length	110
bottom bracket drop	26
seat tube angle	73
head tube angle	70
fork length	418
reach	-
stack	-
wheelbase	960
chainstay	410

Lauren 1.0 24"



Short info:

- alloy heat-treated frame
- rigid fork
- Shimano 1x8 drivetrain
- HBC components
- v-brakes

Specification:

frame	Alloy 6061 HT
sizes	34 cm
fork	Zoom HL CH-565D AMS 50mm
headset	Neco H142
shifters	S-ride SRD46 1x8
front derailleur	
rear derailleur	Shimano RDTX800 8 speed
cassette	Sunshine MTB-CS-HR8-32 11-32
crankset	Prowheel A10XPP 32T/152mm
chain	KMZ Z8
brakes	Tektro TS 325A
front hub	HBC DC20 QR 100mm
rear hub	HBC DC22 QR 135mm
rims	Remerx 219-L 36h
tires	CST C-1040N 24x2.1"
handlebar	HBC 560/318mm
stem	HBC 70/318mm
seatpost	HBC 300/272mm
saddle	YBT-K176
pedals	Wellgo LU 895T DU

ID	24907
color	orange/purple

Geometry:

	34
top tube horizontal	490
seat tube	340
head tube length	110
bottom bracket drop	26
seat tube angle	73
head tube angle	70
fork length	418
reach	-
stack	-
wheelbase	960
chainstay	410

Lauren 1.0 24"



Short info:

- alloy heat-treated frame
- rigid fork
- Shimano 1x8 drivetrain
- HBC components
- v-brakes

Specification:

frame	Alloy 6061 HT
sizes	34 cm
fork	Zoom HL CH-565D AMS 50mm
headset	Neco H142
shifters	S-ride SRD46 1x8
front derailleur	
rear derailleur	Shimano RDTX800 8 speed
cassette	Sunshine MTB-CS-HR8-32 11-32
crankset	Prowheel A10XPP 32T/152mm
chain	KMZ Z8
brakes	Tektro TS 325A
front hub	HBC DC20 QR 100mm
rear hub	HBC hDC22 QR 135mm
rims	Remerx 719-L 36h
tires	CST C-1040N 24x2.1"
handlebar	HBC 560/318mm
stem	HBC 70/318mm
seatpost	HBC 300/272mm
saddle	YBT-K176
pedals	Wellgo LU 895T DU

ID	24907
color	purple/lime

Ridott 2.0 20"



Short info:

- alloy heat-treated frame
- Zoom fork
- Shimano 1x7 drivetrain
- HBC components
- v-brakes

Specification:

frame	Alloy 6061 HT
sizes	29 cm
fork	Zoom HL CH-565 40mm
headset	Neco H142
shifters	Shimano SLRS36 1x7
front derailleur	
rear derailleur	Shimano RDTY200 7 speed
cassette	SF-FW05 14-28
crankset	KMC Z8
chain	Prowheel Pro-W-36PP 127mm
brakes	Tektro C310
front hub	DH703 F100mm
rear hub	DH703 hhR135mm
rims	Remerx 219-L 36h
tires	CST Black Tiger 20x1.95
handlebar	HBC 520/25.4mm
stem	HBC 60/25.4mm
seatpost	HBC 300/27.2mm
saddle	HBC YBT-K181
pedals	Wellgo 892T DU

ID	24908
color	black/blue

Geometry:

	29
top tube horizontal	446
seat tube	290
head tube length	110
bottom bracket drop	15
seat tube angle	74
head tube angle	71
fork length	360
reach	-
stack	-
wheelbase	866
chainstay	360

Ridott 1.0 20"



Short info:

- alloy heat-treated frame
- rigid fork
- Shimano 1x7 drivetrain
- HBC components
- v-brakes

Specification:

frame	Alloy 6061 HT
sizes	29 cm
fork	Rigid Hi-Ten
headset	Neco H142
shifters	Shimano SLR36 1x7 speed
front derailleur	
rear derailleur	Shimano RDTY200 7 speed
cassette	SF-FW05 14-28
crankset	KMC Z8
chain	Prowheel Pro-W-36PP 127mm
brakes	Tektro C310
front hub	Formula OV31 QR 100mm
rear hub	Formula OV32 QR 135mm
rims	Remerx 219-L 36h
tires	CST Black Tiger 20x1.95
handlebar	HBC 520/25.4mm
stem	HBC 60/25.4mm
seatpost	HBC 300/27.2mm
saddle	HBC YBT-K181
pedals	Wellgo 892T DU

ID	24909
color	mint/grey

Geometry:

	29
top tube horizontal	446
seat tube	290
head tube length	110
bottom bracket drop	15
seat tube angle	74
head tube angle	71
fork length	360
reach	-
stack	-
wheelbase	866
chainstay	360

Lauren 20"



Short info:	
- alloy heat-treated frame	
- rigid fork	
-Shimano SLRS36 1x7 speed	
- HBC components	
- v-brakes	

Specification:	
frame	Alloy 6061 HT
sizes	29 cm
fork	Rigid Hi-Ten
headset	Neco H142
shifters	Shimano SLRS36 1x7 speed
front derailleur	
rear derailleur	Shimano RDTY200SS 7 speed
cassette	SF-FW05 14-28
crankset	Prowheel Pro-W-36PP 127mm
chain	KMC Z8
brakes	Tektro C310
front hub	Formula OV31 QR 100mm
rear hub	Formula OV32 QR 135mm
rim	Remerx 219-L 36h
tires	CST Black Tiger 20x1.95
handlebar	HBC 520/25.4mm
stem	HBC 60/25.4mm
seatpost	HBC 300/27.2mm
saddle	HBC YBT-K181
pedals	Wellgo 892T DU

ID	24910
color	pink/green

Geometry:	
	29
top tube horizontal	437
seat tube	290
head tube length	110
bottom bracket drop	0
seat tube angle	73
head tube angle	71
fork length	327
reach	-
stack	-
wheelbase	865
chainstay	365

Lauren 20"



Short info:	
- alloy heat-treated frame	
- rigid fork	
-Shimano SLRS36 1x7 speed	
- HBC components	
- v-brakes	

Specification:	
frame	Alloy 6061 HT
sizes	29 cm
fork	Rigid Hi-Ten
headset	Neco H142
shifters	Shimano SLRS36 1x7 speed
front derailleur	
rear derailleur	Shimano RDTY200SS 7 speed
cassette	KMC Z8
crankset	SF-FW05 14-28
chain	Prowheel Pro-W-36PP 127mm
brakes	Tektro C310
front hub	Formula OV31 QR 100mm
rear hub	Formula OV32 QR 135mm
rim	Remerx 219-L 36h
tires	CST Black Tiger 20x1.95
handlebar	HBC 520/25.4mm
stem	HBC 60/25.4mm
seatpost	HBC 300/27.2mm
saddle	HBC YBT-K181
pedals	Wellgo 892T DU

ID	24910
color	purple/magenta

Geometry:	
	29
top tube horizontal	437
seat tube	290
head tube length	110
bottom bracket drop	0
seat tube angle	73
head tube angle	71
fork length	327
reach	-
stack	-
wheelbase	865
chainstay	365

Junior 16"



Short info:	
- alloy heat-treated frame	
- rigid fork	
- HBC components	
- v-brakes+coasterbreak	

Specification:	
frame	Alloy 6061 HT
sizes	24 cm
fork	Rigid Hi-Ten
headset	Well 1"
shifters	-
front derailleur	-
rear derailleur	-
cassette	
crankset	Well CTS2-25 28T
chain	KMC Z410
brakes	Saccon + coaster break
front hub	FH206
rear hub	KT305
rims	Remerx 305x21
tires	Veden 16x175"
handlebar	HBC 520
stem	WELL 32mm
seatpost	CSP 200/272mm
saddle	HBC
pedals	SP-690
ID	24911
color	green

Geometry:	
	24
top tube horizontal	361
seat tube	235
head tube length	100
bottom bracket drop	10
seat tube angle	75
head tube angle	71
fork length	235
reach	-
stack	-
wheelbase	700
chainstay	265

Junior 16"



Short info:	
- alloy heat-treated frame	
- rigid fork	
- v-brakes+coasterbreak	
- HBC components	

Specification:	
frame	Alloy 6061 HT
sizes	24 cm
fork	Rigid Hi-Ten
headset	Well 1"
shifters	-
front derailleur	-
rear derailleur	-
cassette	Well CTS2-25 28T
crankset	-
chain	KMC Z410
brakes	Saccon + coaster break
front hub	FH206
rear hub	KT305
rims	Remerx 305x21
tires	Veden 16x175"
handlebar	HBC 520
stem	HBC 32mm
seatpost	HBC 200/272mm
saddle	HBC
pedals	MarwiPM-13
ID	24911
color	pink

Geometry:	
	24
top tube horizontal	375
seat tube	235
head tube length	100
bottom bracket drop	10
seat tube angle	78
head tube angle	71
fork length	229
reach	-
stack	-
wheelbase	700
chainstay	265

Faro 12"



ID	24912
color	Green / mint

Geometry:	
	12
top tube horizontal	271
seat tube	121
head tube length	68
bottom bracket drop	7
seat tube angle	72
head tube angle	69
fork length	213
reach	-
stack	-
wheelbase	536
chainstay	267

All speci cations subject to change without notice

HEAD

Faro 12"



All speci cations subject to change without notice



PRODUCER

Novus Bike s.r.o.
Vančurova 2985/20
746 01 Opava
Tel. No. +420 606 178 065
info@head-bike.com

HEAD®